## References

Allen, J.R.L. (1965) The sedimentation and palaeogeography of the Old Red Sandstone of Anglesey, North Wales. *Proceedings of the Yorkshire Geological Society*, 35, 139–85.

Allen, P.M. and Jackson, A.A. (1985a) *Geology of the country around Harlech.* Memoir of the Geological Survey of the UK, HMSO, London, 112 pp.

Allen, P.M. and Jackson, A.A. (1985b) Geological excursions in the Harlech Dome. *Classical areas of British Geology,* British Geological Survey, HMSO, London, 94 pp.

Anderson, T.B. and Cameron, T.D.J. (1979) A structural profile of Caledonian deformation in Down. In *The Caledonides of the British Isles reviewed.* (eds A.L. Harris, C.H. Holland, and B.E. Leake), Geological Society of London Special Publication, No. 8, pp. 263–7.

Anderson, T.B. and Oliver, G.J.H. (1986) The Orlock Bridge Fault: a major Late Caledonian sinistral fault in the Southern Uplands terrane, British Isles. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 77, 203–22.

Anketell, J.M. (1987) On the geological succession and structure of south-central Wales. Geological Journal, 22, 155-65.

Arthurton, R.S., Johnson, E.W., and Mundy, D.J.C. (1988) *Geology of the country around Settle*. Memoir of the Geological Survey of the UK, HMSO, London.

Aveline, W.T. (1872) On the continuity and breaks between the various divisions of the Silurian strata in the Lake District. *Geological Magazine*, 9, 441–2.

Aveline, W.T., Hughes, T. McK., and Strahan, A. (1888) *The Geology of the country around Kendal, Sedburgh, Bowness and Tebay.* Memoir of the Geological Survey of the UK, HMSO, London.

Bailey, E.B. (1929) The Palaeozoic mountain systems of Europe and America. *Report of the British Association for the Advancement of Science*, Glasgow, 1928, Trans. Secs, 57–76 (British Isles, General).

Baker, J.W. (1971) Intra-Lower Palaeozoic faults in the southern Irish Sea area. Geological Magazine, 108, 501-9.

Barber, A.J. and Max, M.D. (1979) A new look at the Mona Complex (Anglesey, North Wales). *Journal of the Geological Society of London*, 136, 407–32.

Barber, A.J., Max, M.D., and Bruck, P.M. (1981) Geologists' Association–Irish Geological Association; Field Meeting in Anglesey and southeastern Ireland, 4–11 June, 1977. *Proceedings of the Geologists' Association*, 92, 269–91.

Barker, A.J. and Gayer, R.A. (1985) Caledonide–Appalachian tectonic analysis and evolution of related oceans. In *The Tectonic Evolution of the Caledonide–Appalachian Orogen.* (ed. R.A. Gayer), F. Vieweg and Sohn, Braunschweig, pp. 126–65.

Barnes, R.P. (1989) *Geology of the Whithorn District*. Explanation of Sheet 2 (Scotland), Memoir of the British Geological Survey, HMSO, London, 20 pp.

Barnes, R.P., Anderson, T.B., and McCurry, J.A. (1987) Along-strike variation in the stratigraphical and structural profile of the Southern Uplands Central Belt in Galloway and Down. *Journal of the Geological Society of London*, 144, 807–16.

Bassett, D.A. (1969) Some of the major structures of early Palaeozoic age in Wales and the Welsh

Borderland: an historical essay. In *The Precambrian and Lower Palaeozoic rocks of Wales.(ed.* A. Wood), University of Wales Press, Cardiff, pp. 67–116.

Bates, D.E.B. (1968) The Lower Palaeozoic brachiopod and trilobite faunas of Anglesey. *Bulletin of the British Museum* (*Natural History*): *Geology*, 16, p. 127.

Bates, D.E.B. (1972) The stratigraphy of the Ordovician rocks of Anglesey. Geological Journal, 8, 29–58.

Bates, D.E.B. (1974) The structure of the Lower Palaeozoic rocks of Anglesey, with special reference to faulting. *Geological Journal*, 9, 39–60.

Bates, D.E.B. and Davies, J.R. (1981) Anglesey. Geologists' Association Guide, 40, 31 pp.

Bell, A.M. (1975) A finite strain study of accretionary lapilli tuff in the Borrowdale Volcanic Group, English Lake District. Unpublished Ph.D. thesis, University of Sheffield.

Bell, A.M. (1981) Strain factorisations from lapilli tuff, English Lake District. *Journal of the Geological Society of London,* 138, 463–74.

Bell, A.M. (1985) Strain paths during slaty cleavage formation — the role of volume loss. *Journal of Structural Geology*, 7, 563–8.

Beutner, E.C., Jancin, M.C., and Simon, R.W. (1977) Dewatering origin of cleavage in light of deformed calcite veins and clastic dikes in Martinsburg slate, Delaware Water Gap, New Jersey. *Geology*, 5, 118–22.

Bluck, B.J. (1986) The Scottish paratectonic Caledonides. Scottish Journal of Geology, 21, 437-64.

Boulter, C.A. and Soper, N.J. (1973) Structural relationships of the Shap Granite. *Proceedings of the Yorkshire Geological Society*, 39, 365–9.

Bouma, A.H. (1962) Sedimentology of Some Flysch Deposits: A Graphic Approach to Interpretation. Elsevier, Amsterdam, 168 pp.

Bracegirdle, D.R. (1974) Structure and Stratigraphy of the Towyn–Abergynolwyn Area of Southern Merionethshire in Relation to the Bala Fault. Unpublished M.Sc thesis, University of Wales, Aberystwyth.

Branney, M.J. and Soper, N.J. (1988) Ordovician volcano-tectonics in the English Lake District. *Journal of the Geological Society of London*, 145, 367–76.

British Geological Survey (1966) *Tectonic map of Great Britain and Northern Ireland,* 1st edn. British Geological Survey (1979) *Geological Survey Ten Mile Map, South Sheet,* 3rd edn (Solid).

Bromley, A.V. (1963) The Geology of the Blaenau Ffestiniog Area, Merionethshire. Unpublished PhD thesis, University of Wales, Aberystwyth.

Bromley, A.V. (1969) Acid plutonic igneous activity in the Ordovician of North Wales. In *The Precambrian and Lower Palaeozoic rocks of Wales*. (ed. A.Wood), University of Wales Press, Cardiff, pp. 387–408.

Bromley, A.V. (1971) Phases of deformation in North Wales. Geological Magazine, 108, 548-50.

Brown, P.E., Miller, J.A., and Soper, N.J. (1964) Age of the principal intrusions of the Lake District. *Proceedings of the Yorkshire Geological Society*, 34, 331–42.

Callaway, C. (1884) The Archaean and Lower Palaeozoic rocks of Anglesey (with an appendix, on the petrology of the rocks by T.G. Bonney). *Quarterly Journal of the Geological Society of London,* 40, 567–89.

Callaway, C. (1900) On Longmyndian Inliers at Old Radnor and Huntley (Gloucestershire). *Quarterly Journal of the Geological Society of London,* 56, 511–20.

Campbell, S.D.G., Reedman, A.J., and Howells, M.F. (1985) Regional variations in cleavage and fold development in North Wales. *Geological Journal*, 20, 43–52.

Campbell, S.D.G., Howells, M.F., Smith, M., and Reedman, A.J. (1988) A Caradoc failed-rift within the Ordovician marginal basin of Wales. *Geological Magazine*, 125, 257–66.

Capewell, J.G. (1955) The post-Silurian pre-marine Carboniferous sedimentary rocks of the eastern side of the English Lake District. *Quarterly Journal of the Geological Society of London*, 111, 23–46.

Cattermole, P. and Jones, A. (1970) The geology of the area around Mynydd Mawr, Nantlle, Caernarvonshire. *GeologicalJournal*, 7, 111–28.

Cave, R. (1984) Outline of geology. From 1:50 000 geological map, Sheet 163 (Aberystwyth), British Geological Survey.

Cave, R. and Haim, B.A. (1986) *Geology of the country between Aberystwyth and Machynlleth.* Memoir of the Geological Survey of the UK, HMSO, London.

Clark, L. (1964) The Borrowdale Volcanic Series between Buttermere and Wasdale, Cumberland. *Proceedings of the Yorkshire Geological Society*, 34, 343–56.

Clarkson, C.M., Craig, G.Y., and Walton, E.K. (1975) The Silurian rocks bordering Kirkcudbright Bay, South Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 69 313–25.

Cobbold, P.R.and Quinquis, H. (1980) Development of sheath folds in shear regions. *Journal of Structural Geology*, 2, 119–26.

Cook, D.R. and Weir, J.A. (1979) Structure of the Lower Palaeozoic rocks around Cairnsmore of Fleet, Galloway. *Scottish Journal of Geology*, 15, 187–202.

Cooper, D.C., Lee, M.K., Fortey, N.J. *et al.* (1988) The Crummock Water Aureole: a zone of metasomatism and source of ore metals in the English Lake District. *Journal of the Geological Society of London*, 145, 523–40.

Coward, M.P. and Siddans, A.W.B. (1979) The tectonic evolution of the Welsh Caledonides. In *The Caledonides of the British Isles — Reviewed.* (eds A.L. Harris, C.H. Holland, and B.E. Leake), Special Publication of the Geological Society of London, No. 8, pp. 187–98.

Cox, S.F. (1987) Antitaxial crack-seal vein microstructures and their relationship to displacement path. *Journal of Structural Geology*, 9, 779–87.

Craig, G.Y. and Walton, E.K. (1959) Sequence and structure in the Silurian rocks of Kirkcudbrightshire. *Geological Magazine*, 96, 209–20.

Craig, G.Y. and Walton, E.K. (1983) Asymmetrical folding in the Hawick Rocks of the Galloway area, Southern Uplands: comment. *Scottish Journal of Geology*, 19, 103–6.

Craig, J. (1985) Tectonic Evolution of the Area Between Borth and Cardigan, Dyfed, West Wales. Unpublished PhD thesis, University of Wales, Aberystwyth.

Craig, J. (1987) The structure of the Llangranog Lineament, West Wales: a Caledonian transpression zone. In *Sedimentation and Tectonics of the Welsh Basin.* (eds W.R. Fitches and N.H. Woodcock), Geological Journal, 22, 167–81.

Craig, J., Fitches, W.R., and Maltman, A.J. (1982) Chlorite-mica stacks in low-strain rocks from central Wales. *Geological Magazine*, 119, 243–56.

Davies, W. and Cave, R.(1976) Folding and cleavage determined during sedimentation. *Sedimentary Geology*, 15, 89–134.

Dearman, W.R., Shiels, K.A.G., and Larwood, G.P. (1962). Refolded folds in the Silurian rocks of Eyemouth, Berwickshire. *Proceedings of the Yorkshire Geological Society*, 33, 273–86.

Dewey, J.F. (1969) Structure and sequence in paratectonic British Caledonides. In *North Atlantic — Geology and Continental Drift.* (ed. M. Kay), Memoir of the American Association of Petroleum Geologists, 12, 309–35.

Dickson, J.A.D. (1983) Graphic modelling of crystal aggregates and its relevance to cement diagenesis. *Philosophical Transactions of the Royal Society of London*, A309, 465–502.

Downie, C. and Soper, N.J. (1972) Age of the Eycott Volcanic Group and its conformable relationship to the Skiddaw Slates in the English Lake District. *Geological Magazine*, 109, 259–68.

Eastwood, T., Hollingworth, S.E., Rose, W.C.O.*et al.* (1968) *The Geology of the Country around Cockermouth.* Memoir of the Geological Survey of the UK, HMSO, London.

Elles, G.L. (1940) The stratigraphy and faunal succession in the Ordovician rocks of the Builth–Llandrindod inlier, Radnorshire. *Quarterly Journal of the Geological Society of London,* 95, 385–445.

Fearnsides, W.G. (1910) The Tremadoc Slates and associated rocks of south-east Caernarvonshire. *Quarterly Journal of the Geological Society of London,* 66, 142–88.

Fearnsides, W.G. and Davies, W. (1944) The geology of Deudraeth — the country between Traeth Mawr and Traeth Bach, Merioneth. *Quarterly Journal of the Geological Society of London,* 99, 247–76.

Firman, R.J. (1957) The Borrowdale Volcanic Series between Wastwater and the Duddon Valley, Cumberland. *Proceedings of the Yorkshire Geological Society*, 31, 39–64.

Firman, R.J. and Lee, M.K. (1986) Age and structure of the concealed English Lake District batholith and its probable influence on subsequent sedimentation, tectonics and mineralization. In *Geology in the Real World — the Kingsley Dunham volume.* (eds R.W. Nesbitt and I. Nichol), Institution of Mining and Metallurgy, London, pp. 117–27.

Fitch, F.J., Miller, J.A., Evans, A.L., *et al.* (1969) Isotopic age determinations on rocks from Wales and the Welsh Borders. In *The Precambrian and Lower Palaeozoic Rocks of Wales*. (ed. A. Wood), University of Wales Press, Cardiff, pp. 23–46.

Fitches, W.R. (1972). Polyphase deformation structures in the Welsh Caledonides near Aberystwyth. *Geological Magazine*, 109, 149–55.

Fitches, W.R. (1987) Aspects of veining in the Lower Palaeozoic rocks of the Welsh Basin. In *Deformation of Sediments and Sedimentary Rocks.* (eds M.R. Jones and R.M.F. Preston), Geological Society of London Special Publication, No 29, pp. 297–317.

Fitches, W.R. and Campbell, S.D.G. (1987) Tectonic evolution of the Bala Lineament in the Welsh Basin. In *Sedimentation and Tectonics of the Welsh Basin* (eds W.R.Fitches and N.H. Woodcock), Geological Journal, 22, 131–53.

Fitches, W.R. and Johnson, R.(1978) Cleavage-fold relationships in the Aberystwyth Grits — a preliminary report (Abstract of Tectonic Studies Group conference report: Deformation of soft sediments, Aberystwyth, March 1977), *Journal of the Geological Society of London*, 135, 250.

Fitches, W.R., Cave, R., Craig, J. *et al.* (1986) Early veins as evidence of detachment structures in the Lower Palaeozoic rocks of the Welsh Lower Palaeozoic *Basin. Journal of Structural Geology*, 8, 607–20.

Fitton, J.G. and Hughes, D.J. (1970) Volcanism and plate tectonics in the British Ordovician. *Earth and Planetary Science Letters*, 8, 223–8.

Fortey, N.J. (1989) Low grade metamorphism in the Lower Ordovician Skiddaw Group of the Lake District, England. *Proceedings of the Yorkshire Geological Society*, 47, 325–37.

Francis, E.H. and Howells, M.F. (1973) Transgressive welded ash-flow tuffs among the Ordovician sediments of NE Snowdonia, N. Wales. *Journal of the Geological Society of London,* 129, 621–41.

Fumes, H. (1978) A Comparative Study of Caledonian Volcanics in Wales and West Norway. Unpublished PhD thesis, University of Oxford.

Fyfe, T.B. and Weir, J.A. (1976) The Ettrick Valley Thrust and the upper limit of the Moffat Shales in Craigmichan Scaurs. *Scottish Journal of Geology*, 12, 93–102.

Garwood, E.J. and Goodyear, E. (1918) On the geology of the Old Radnor district, with special reference to an algal development in the Woolhope Limestone. *Quarterly Journal of the Geological Society of London*, 74, 1–30.

Geikie, A. (1863) The geology of eastern Berwickshire. Memoir of the Geological Survey of Scotland, 58 pp.

George, T.N. (1961) British Regional Geology, North Wales. (3rd edn), HMSO 97 pp.

George, T.N. (1963) Palaeozoic growth of the British Caledonides. In *The British Caledonides*. (eds M.R.J. Johnson, and F.H. Stewart), Oliver and Boyd, Edinburgh, pp. 1–33.

Gibbons, W. (1983) The Monian 'Penmynydd Zone of metamorphism' in Llyn, North Wales. *Geological Journal*, 18, 21–41.

Gibbons, W. (1987) Menai Straits fault system: an early Caledonian terrane boundary in north Wales. *Geology*, 15, 744–7.

Green, J.F.N. (1915) The structure of the eastern part of the Lake District. *Proceedings of the Geologists' Association*, 26, 195–223.

Green, J.F.N. (1917) The age of the chief intrusions of the Lake District. *Proceedings of the Geologists' Association*, 28, 1–30.

Green, J.F.N. (1920) The geological structure of the Lake District. *Proceedings of the Geologists' Association*, 31, 109–26.

Greenly, E. (1919) The Geology of Anglesey. Memoir of the Geological Survey of the UK (2 volumes), HMSO, London.

Greenly, E. (1920) One inch Geological Map of Anglesey (Sheet 92). Geological Survey of the UK, HMSO, London.

Greig, D.E., Wright, J.E., Haim, B.A., and Mitchell, G.H. (1968) *Geology of the country around Church Stretton, Craven Arms, Wenlock Edge and Brown Clee.* (Sheet 166), Memoir of the Geological Survey of Great Britain, HMSO, London.

Grigor'ev, D.P. (1965) The ontogeny of minerals. Israeli Program for Scientific Translation.

Hall, J. (1815) On the vertical position and convolutions of certain strata and their relation with granite. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 7, 79–108.

Hamdi Lemnouar, D.E.S. (1988) Relationship between Mineral Deposition and Movement in Fault Zones from Llangollen, North Wales. Unpublished MSc thesis, University of Manchester.

Harland, W.B. (1971) Tectonic transpression in Caledonian Spitsbergen. Geological Magazine, 108, 27–42.

Helm, D.G. (1970) Stratigraphy and structure in the Black Combe Inlier, English Lake District. *Proceedings of the Yorkshire Geological Society*, 38, 105–48.

Helm, D.G. and Roberts, B. (1971) The relationship between the Skiddaw and Borrowdale Volcanic Groups in the English Lake District. *Nature*, 232, 181–3.

Helm, D.G. and Siddans, A.W.B. (1971) Deformation of a slaty, lapillar tuff in the English Lake District, discussion. *Bulletin of the Geological Society of America*, 82, 523–31.

Helm, D.G., Roberts, B., and Simpson, A. (1963) Polyphase folding in the Caledonides south of the Scottish Highlands. *Nature*, 200, 1060–2.

Hollingworth, S.E. (1955) The geology of the Lake District — a review. *Proceedings of the Geologists' Association,* 65, 385–402.

Howells, M.F., Francis, E.H., Leveridge, B.E., and Evans C.D.R.(1978) *Capel Curig and Betws-y-Coed. (Description of 125 000 sheet SH 75) Classical areas of British Geology,* Institute of Geological Sciences, HMSO, London, 73 pp.

Howells, M.F., Leveridge, B.E., Addison, R, *et al.* (1979) The Capel Curig Volcanic Formation, Snowdonia, North Wales; variations in ash-flow tuffs related to emplacement environment. In *The Caledonides of the British Isles — Reviewed.* (eds A.L. Harris, C.H. Holland, and B.E. Leake) Special Publication of the Geological Society of London, No. 8, pp. 611–18.

Howells, M.F., Leveridge, B.E., and Reedman, A.J. (1981). *Snowdonia. (Rocks and fossils Series, No. 1,* Unwin paperbacks), London, 119 pp.

Howells, M.F., Reedman, A.J., and Campbell, S.D.G. (1986) The submarine eruption and emplacement of the .Lower Rhyolitic Tuff Formation (Ordovician), N. Wales. *Journal of the Geological Society of London*, 143, 411–23.

Hutton, D.H.W. (1982) A tectonic model for the emplacement of the Main Donegal Granite, NW Ireland. *Journal of the Geological Society of London,* 139, 615–31.

Hutton, D.H.W. (1987) Strike-slip terranes and a model for the evolution of the British and Irish Caledonides. *Geological Magazine*, 124, 405–25.

Hutton, D.H.W. and Murphy, F.C. (1987) The Silurian of the Southern Uplands and Ireland as a successor basin to the end-Ordovician closure of lapetus. *Journal of the Geological Society of London*, 144, 765–72.

Hutton, J. (1795) Theory of the Earth 1. Creech, Edinburgh.

Institute of Geological Sciences (1977) Llandrindod Wells Ordovician inlier (1:25,000 geological map). HMSO, London.

Jackson, D.E. (1961) Stratigraphy of the Skiddaw Group between Buttermere and Mungrisdale, Cumberland. *Geological Magazine*, 98, 515–28.

Jackson, D.E. (1962) Graptolite zones in the Skiddaw Group in Cumberland, England. *Journal of Palaeontology*, 36, 300–13.

Jackson, D.E. (1978) The Skiddaw Group. In *The Geology of the Lake District.* (ed. F. Moseley), Yorkshire Geological Society Occasional Publication, No. 3, pp. 79–98.

Jeans, P.J.F. (1971) The relationship between the Skiddaw Slates and the Borrowdale Volcanics. *Nature, Physical Science,* 234, 59.

Jeans, P.J.F. (1972) The junction between the Skiddaw Slates and Borrowdale Volcanics in Newlands Beck, Cumberland. *Geological Magazine*, 109, 25–8.

Jeans, P.J.F. (1974) The Structure, Metamorphism and Stratigraphy of the Skiddaw Slates East of Crummock Water, Cumberland. Unpublished PhD thesis, University of Birmingham.

Jennings, A.V. and Williams, G.J. (1891) Manod and the Moelwyns. *Quarterly Journal of the Geological Society of London*, 47, 368–83.

Johnson, M.R.W., Sanderson, D.J., and Soper, N.J. (1979) Deformation in the Caledonides of England, Ireland and Scotland. In *The Caledonides of the British Isles — Reviewed.* (eds A.L. Harris, C.W. Holland, and B.E. Leake), Geological Society of London Special Publication, No. 8, pp. 165–86.

Jones, O.T. (1912) The geological structure of Central Wales and the adjoining regions. *Quarterly Journal of the Geological Society of London,* 68, 328–73.

Jones, O.T. (1954) The trends of geological structures in relation to directions of maximum compression. *British Association for the Advancement of Science, London,* 11, 102–6.

Jones, O.T. (1955) The geological evolution of Wales and the adjacent regions. *Quarterly Journal of the Geological Society of London*, 111, 323–51.

Jones, O.T. and Pugh, W.J. (1915) The geology of the district around Machynlleth and the Llyfnant Valley. *Quarterly Journal of the Geological Society of London*, 71, 343–85.

Jones, O.T. and Pugh, W.J. (1941) The Ordovician rocks of the Builth District; a preliminary account. *Geological Magazine*, 78, 185–91.

Jones, O.T. and Pugh, W.J. (1946) The complex intrusion of Welfield, near Builth Wells, Radnorshire. *Quarterly Journal of the Geological Society of London*, 102, 157–88.

Jones, O.T. and Pugh, W.J. (1949) An early Ordovician shoreline in Radnorshire, near Builth Wells. *Quarterly Journal of the Geological Society of London*, 105, 65–99.

Kelling, G. (1961) The stratigraphy and structure of the Ordovician rocks of the Rhinns of Galloway. *Quarterly Journal of the Geological Society of London*, 117, 37–75.

Kemp, A.E.S. (1986) Tectonostratigraphy of the Southern Belt of the Southern Uplands. *Scottish Journal of Geology*, 22, 241–56.

Kemp, A.E.S. (1987) Tectonic development of the Southern Belt of the Southern Uplands accretionary complex. *Journal of the Geological Society of London*, 144, 827–38.

Kemp, A.E.S. and White, D.E. (1985) Silurian trench sedimentation in the Southern Uplands, Scotland: implications of new age data. *Geological Magazine*, 122, 275–7.

King, W.B.R. and Wilcockson, W.H. (1934) The Lower Palaeozoic rocks of Austwick and Horton-in-Ribblesdale, Yorkshire. *Quarterly Journal of the Geological Society of London,* 90, 7–31.

Kirk, N.H. (1951) The upper Llandovery and lower Wenlock rocks of the area between Dolyhir and Presteigne, Radnorshire. *Proceedings of the Geological Society of London,* 1471, 56–8.

Kirk, N.H. (1952) The tectonic structure of the anticlinal disturbance of Breconshire and Radnorshire: Port Faen to Presteigne. *Proceedings of the Geological Society of London,* 1485, 87–91.

Knipe, R.J. and Needham, D.T. (1986) Deformation processes in accretionary wedges — examples from the SW margin of the Southern Uplands, Scotland. In *Collision Tectonics*. (eds M.P. Coward and A.I. Ries), Geological Society of London Special Publication, No. 19, pp. 53–67.

Knipe, R.J. and White, S.H. (1977) Microstructural variation of an axial plane cleavage around a fold — a H.V.E.M. study. *Tectonophysics*, 39, 355–80.

Kokelaar, B.P. (1977) The Igneous History of the Rhobell Fawr Area, Merionethshire, North Wales. Unpublished PhD thesis, University of Wales, Aberystwyth.

Kokelaar, B.P. (1979) Tremadoc to Llanvirn volcanism on the south-east side of the Harlech Dome (Rhobell Fawr), North Wales. In *The Caledonides of the British Isles — reviewed.* (eds A.L. Harris, C.H. Holland, and B.E. Leake). Geological Society of London Special Publication, No. 8, pp. 591–6.

Kokelaar, B.P. (1988) Tectonic controls of Ordovician arc and marginal basin volcanism in Wales. *Journal of the Geological Society of London,* 145, 759–75.

Lapworth, C. (1874) On the Silurian rocks of the south of Scotland. *Transactions of the Geological Society of Glasgow,* 4, 164–74.

Lapworth, C. (1889) On the Ballantrae rocks of South Scotland. *Geological Magazine*, 26, 20–4, 59–69.

Lawrence, D.J.D., Webb, B.C., Young, B. (1986) *The Geology of the Late Ordovician and Silurian Rocks (Windermere Group) in the Area Around Kentmere and Crook.* Report of the British Geological Survey, Volume 18, No. 5.

Leake, B.E., Tanner, P.W.C., Singh, D., and Halliday, A.N. (1983) Major southward thrusting of the Dalradian rocks of Connemara, W. Ireland. *Nature*, 305, 210–13.

Leggett, J.K. (1980) The sedimentological evolution of a Lower Palaeozoic accretionary fore-arc in the Southern Uplands of Scotland. *Sedimentology*, 27, 401–17.

Leggett, J.K., McKerrow, W.S., and Eales, M.H. (1979) The Southern Uplands of Scotland: a Lower Palaeozoic accretionary prism. *Journal of the Geological Society of London,* 136, 755–70.

Leggett, J.K, McKerrow, W.S., and Soper, N.J. (1983) A model for the crustal evolution of southern Scotland. *Tectonics*, 2, 187–210.

Lisle, R.J. (1977) Clastic grain shape and orientation in relation to cleavage from the Aberystwyth Grits, Wales. *Tectonophysics*, 39, 381–95.

Lynas, B.D.T. (1970) Clarification of the polyphase deformations of North Wales Palaeozoic rocks. *Geological Magazine*, 107, 505–10.

Lynas, B.D.T. (1973) The Cambrian and Ordovician rocks of the Migneint area, North Wales. *Journal of the Geological Society of London*, 129, 481–503.

Lynas, B.D.T. (1988) Evidence for dextral oblique-slip faulting in the Shelve Ordovician Inlier, Welsh Borderland: implications for the south British Caledonides. *Geological Journal*, 23, 39–57.

Marr, J.E. (1916) The Geology of the Lake District, Cambridge University Press, Cambridge, 220 pp.

Martin, B.A., Howells, M.F., and Reedman, A.J. (1981) A geological reconnaissance study of the Dyfi Valley region, Gwynedd/Powys, Wales. *Institute of Geological Sciences Environmental Protection Unit*, 81/1, 57 pp.

Matley, C.A. (1899) On the geology of northern Anglesey (with appendix by W.W. Watts). *Quarterly Journal of the Geological Society of London*, 55, 635–80.

Matley, C.A. (1901) The geology of the Mynydd-y-Garn (Anglesey). *Quarterly Journal of the Geological Society of London*, 57, 20–30.

McCabe, P.J. (1972) The Wenlock and Lower Ludlow strata of the Austwick and Horton-in-Ribblesdale Inlier of north-west Yorkshire. *Proceedings of the Yorkshire Geological Society*, 39, 167–74.

McCabe, P.J. and Waugh, B. (1983) Wenlock and Ludlow sedimentation in the Austwick and Horton-in-Ribblesdale Inlier, north-west Yorkshire, *Proceedings of the Yorkshire Geological Society*, 39, 445–70.

McKerrow, W.S. (1988) Wenlock to Givetian deformation in the British Isles and the Canadian Appalachians. In *The Caledonian–Appalachian Orogen.* (eds A.L. Harris and D.J. Fettes), Geological Society Special Publication, No. 38, 405–12.

McKerrow, W.S. and Cocks, L.R.M. (1976) Progressive faunal migration across the lapetus Ocean. Nature, 263, 304-6.

McKerrow, W.S. and Soper, N.J. (1989) The lapetus Suture in the British Isles. Geological Magazine, 126, 1-8.

McKerrow, W.S., Leggett, J.K., and Eales, M.H. (1977) Imbricate thrust model of the Southern Uplands of Scotland. *Nature*, 267, 237–9.

Mitchell, A.H.G. and McKerrow, W.S. (1975) Analogous evolution of the Burma Orogen and the Scottish Caledonides. *Bulletin of the Geological Society of America*, 86, 305–15.

Mitchell, G.H. (1929) The succession and structure of the Borrowdale Volcanic Series in Troutbeck, Kentmere and the western part of Long Sleddale (Westmorland). *Quarterly Journal of the Geological Society of London,* 85, 9–43.

Mitchell, G.H. (1940) The Borrowdale Volcanic Series of Coniston, Lancashire. *Quarterly Journal of the Geological Society of London*, 96, 301–19.

Mitchell, G.H. (1956a) The geological history of the Lake District. *Proceedings of the Yorkshire Geological Society*, 30, 407–63.

Mitchell, G.H. (1956b) The Borrowdale Volcanic Series of the Dunnerdale Fells, Lancashire. *Liverpool and Manchester Geological Journal*, 1, 428–49.

Mitchell, G.H., Moseley, F., Firman, R.J., *et al.* (1972) Excursion to the northern Lake District. *Proceedings of the Geologists' Association*, 83, 443–70.

Moore, J.G. and Peck, D.L. (1962) Accretionary lapilli in volcanic rocks of the Western Continental United States. *Journal of Geology, Chicago*, 70, 182–93.

Morris, J.H. (1987) The Northern Belt of the Longford–Down Inlier, Ireland and Southern Uplands, Scotland: an Ordovician back-arc basin. *Journal of the Geological Society of London*, 144, 773–86.

Morris, T.O. and Fearnsides, W.G. (1926). The stratigraphy and structure of the Cambrian slate belt of Nantlle (Caernarvonshire). *Quarterly Journal of the Geological Society of London*, 82, 250–303.

Moseley, F. (1964) The succession and structure of the Borrowdale Volcanic rocks north-west of Ullswater. *Geological Journal*, 4, 127–42.

Moseley, F. (1968) Joints and other structures in the Silurian rocks of the southern Shap Fells, Westmorland. *Geological Journal*, 6, 79–96.

Moseley, F. (1972) A tectonic history of north-west England. Journal of the Geological Society of London, 128, 561-98.

Moseley, F. (1975) Structural relations between the Skiddaw Slates and the Borrowdale Volcanics. *Proceedings of the Cumberland Geological Society*, 3, 127–45.

Moseley, F. (1977) Caledonian plate tectonics and the place of the English Lake District. *Bulletin of the Geological Society of America*, 88, 764–8.

Moseley, F. (1981) Methods in Field Geology. Freeman, 211 pp.

Moseley, F. (1983) The Volcanic Rocks of the Lake District. Macmillan, London. 111 pp.

Moseley, F. (1984) Lower Palaeozoic lithostratigraphical classification in the English Lake District. *Geological Journal*, 19, 239–47.

Moseley, F. (1986) Geology and Scenery in the Lake District. Macmillan, London, 88 pp.

Moseley, F. (1990) Geology of the Lake District. *Geologists' Association Guide,* Geologists' Association, London, 1–213 pp.

Muir, M.D., Bliss, G.M., Grant, P.R., and Fisher, M. (1979) Palaeontological evidence for the age of some supposedly Precambrian rocks in Anglesey, North Wales. *Journal of the Geological Society of London*, 136, 61–4.

Mukhopadhyay, D. (1972) Deformation of a slaty, lapillar tuff in the Lake District, England: discussion. *Bulletin of the Geological Society of America*, 83, 547–8.

Murphy, F.C. (1985) Non-axial planar cleavage and Caledonian sinistral transpression in eastern Ireland. *Geological Journal*, 20, 257–79.

Murphy, F.C. and Hutton, D.H.W. (1986) Is the Southern Uplands of Scotland really an accretionary prism? *Geology*, 14, 354–7.

Nettle, J.T. (1964) Fabric analysis of a deformed vein. Geological Magazine, 101, 220-7.

Nicholson, R. (1966) The problem of origin, deformation and recrystallization of calcite-quartz bodies. *Geological Journal*, 5, 117–26.

Nicholson, R.(1970) Tectonic ripples and associated minor structures in the Silurian rocks of Denbighshire. *Geological Magazine*, 107, 447–9.

Nicholson, R.(1978) Folding and pressure solution in a laminated calcite-quartz vein from the Silurian slates of the Llangollen region of North Wales. *Geological Magazine*, 115, 47–54.

Norman, T.N. (1961) The Geology of the Silurian Strata in the Blawith Area, Furness. Unpublished PhD thesis, University of Birmingham.

Numan, N.M.S. (1974) Structure and Stratigraphy of the Southern Part of the Borrowdale Volcanic Group, English Lake District. Unpublished PhD thesis, University of Sheffield.

Nutt, M.J.C. and Smith, E.G. (1981) Transcurrent faulting and the anomalous position of pre-Carboniferous Anglesey. *Nature*, 290, 492–5.

Oertel, G. (1970) Deformation of a slaty, lapillar tuff in the Lake District, England. *Bulletin of the Geological Society of America*, 81, 1173–87.

Oertel, G. (1971) Deformation of a slaty, lapillar tuff in the English Lake District: reply. *Bulletin of the Geological Society of America*, 82, 533–6.

Oertel, G. (1972) Deformation of a slaty, lapillar tuff in the Lake District, England: another reply. *Bulletin of the Geological Society of America*, 83, 549–50.

Oertel, G. and Wood, D.S. (1974) Finite strain measurement: a comparison of methods. *Transactions of the American Geophysical Union*, 55, 695.

Orton, G. (1988) Volcanoclastic Sedimentation in a Caradocian Marginal Basin, North Wales. Unpublished PhD thesis, University of Oxford.

Owen, T.R. (1974) The Variscan Orogeny in Wales. In *The Precambrian and Lower Palaeozoic rocks of Wales*. (ed. A. Wood), University of Wales Press, Cardiff, pp. 285–94.

Owen, T.R. and Weaver, J.D. (1983) The structure of the main South Wales coalfield and its margins. In *The Variscan Fold Belt in the British Isles*. (ed. P.L. Hancock), Adam Hilger Ltd, Bristol, pp. 74–87.

Peach, B.N. and Horne, J. (1899) *The Silurian rocks of Britain I: Scotland.* Memoir of the Geological Survey of the UK, HMSO, London.

Phillips, W.I. (1972) Hydraulic fracturing and mineralization. Journal of the Geological Society of London, 128, 337–59.

Phillips, W.E.A., Stillman, C.J., and Murphy, T. (1976) A Caledonian plate tectonic model. *Journal of the Geological Society of London*, 132, 579–609.

Playfair, J. (1805) Biographical account of the late Dr James Hutton. *Transactions of the Royal Society of Edinburgh*, 5, 39–99.

Powell, C. McA. (1979) A morphological classification of rock cleavage. Tectonophysics, 58, 21-34.

Powell, D. and Phillips, W.E.A. (1985) Time of deformation in the Caledonide Orogen of Britain and Ireland. In (ed. A.L. Harris), *Geological Society of London, Memoir*, 9, pp. 17–39.

Price, N.J. (1958) Tectonics of the Aberystwyth Grits. Unpublished PhD thesis, University of Wales, Aberystwyth.

Price, N.J. (1962) The tectonics of the Aberystwyth grits. Geological Magazine, 99, 542–57.

Pringle, J. and George, T.N. (1948) British Regional Geology South Wales, 2nd edn, HMSO, 152 pp.

Ramsay, A.C. (1866) The Geology of North Wales, 1st edn, Memoir of the Geological Survey of the UK, HMSO, London.

Ramsay, A.C. (1881) The Geology of North Wales, 2nd edn, Memoir of the Geological Survey of the UK, HMSO, London.

Ramsay, J.G. (1967) *Folding and Fracturing of rocks.* McGraw-Hill, New York, 568 pp. Ramsay, J.G. (1980) The crack-seal mechanism of rock deformation. *Nature*, 284, 135–9.

Ramsay, J.G. (1983) Rock ductility and its influence on the development of tectonic structures of mountain belts. In *Mountain Building Processes.* (ed. K.J. Hsii), Academic Press, London, pp. 111–27.

Ramsay, J.G. and Huber, M.I. (1983) *The Techniques of Modern Structural Geology (Volume 1: Strain Analysis)*. Academic Press, London.

Ramsay, J.G. and Huber, M.I. (1987) *The Techniques of Modern Structural Geology (Volume 2: Folds and Fractures)*. Academic Press, London.

Ramsay, J.G. and Wood, D.S. (1973) The geometric effects of volume change during deformational processes. *Tectonophysics*, 16, 263–77.

Rast, N. (1969) The relationship between Ordovician structure and volcanicity in Wales. In *The Precambrian and Lower Palaeozoic rocks of Wales*. (ed. A. Wood), University of Wales Press, Cardiff, pp. 305–36.

Raybould, J.G. (1976) The influence of pre-existing planes of weakness in rocks on the localization of vein-type ore deposits. *Economic Geologist*, 71, 636–41.

Reedman, A.J., Colman, T.B., Campbell, S.D.G., and Howells, M.F. (1985) Volcanogenic mineralization related to the Snowdon Volcanic Group (Ordovician), North Wales. *Journal of the Geological Society of London*, 142, 875–88.

Roberts, B. (1967) Succession and structure in Llwyd Mawr Syncline, Caernarvonshire North Wales. *Geological Journal,* 5, 369–90.

Roberts, B. (1969) The Llwyd Mawr ignimbrite and its associated volcanic rocks. In *The Precambrian and Lower Palaeozoic rocks of Wales*. (ed. A. Wood), University of Wales Press, Cardiff, pp. 337–56.

Roberts, B. (1979) The Geology of Snowdonia and Llyn: An outline and field guide. Adam Hilger Ltd, Bristol, 183 pp.

Roberts, B. and Siddans, A.W.B. (1971) Fabric studies in the Llwyd Mawr ignimbrite, Caernarfonshire, North Wales. *Tectonophysics*, 12, 283–306.

Roberts, D.E. (1971). Structures of the Skiddaw Slates in the Caldew Valley, Cumberland. *Geological Journal*, 7,225–38.

Roberts, D.E. (1973) The structure of the Skiddaw Slates in the Blencartha–Mungrisdale Area, Cumberland. Unpublished PhD thesis, University of Birmingham.

Roberts, D.E. (1977a) The structure of the Skiddaw Slates in the Blencathra–Mungrisdale area, Cumbria. *Geological Journal*, 12, 33–58.

Roberts, D.E. (1977b) Minor tectonic structures in the Skiddaw Slates of Raven Crags, Mungrisdale, northern Lake District. *Proceedings of the Geologists' Association*, 88, 117–24.

Roberts, J.L. and Sanderson, D.J. (1974) Oblique fold axes in the Dalradian rocks of the southwest Highlands. *Scottish Journal of Geology*, 9, 281–96.

Rock, N.M.S., Gaskarth, J.W., and Rundle, C.C. (1986) Late Caledonian dyke-swarms in Southern Scotland: a regional zone of K-rich lamprophyres and associated vents. *Journal of Geology*, 94, 505–22.

Rose, W.C.C. (1954) The sequence and structure of the Skiddaw Slates in the Keswick–Buttermere area. *Proceedings of the Geologists' Association,* 65, 403–6.

Rundle, C.C. (1981) The significance of isotopic dates from the English Lake District for the Ordovician–Silurian time scale. *Journal of the Geological Society of London,* 138, 569–72.

Rust, B.R.(1965) The stratigraphy and structure of the Whithorn area of Wigtownshire, Scotland. *Scottish Journal of Geology*, 1, 101–33.

Sanderson, D.J. and Marchini, W.R.D. (1984) Transpression. Journal of Structural Geology, 6, 449–58.

Sanderson, D.J., Andrews, J.R., Phillips, W.E.A., and Hutton, D.H.W. (1980) Deformation studies in the Irish Caledonides. *Journal of the Geological Society of London*, 137, 289–302.

Schaller, W.T. (1932) The crystal cavities of the New Jersey zeolite region, *United States Geological Survey Bulletin*, 32, 47–58.

Shackleton, R.M. (1953) The structural evolution of North Wales. *Liverpool and Manchester Geological Journal*, 1, 261–97.

Shackleton, R.M. (1954) The structure and succession of Anglesey and the Lleyn Peninsula. *British Association for the Advancement of Science*, 11, 106–8.

Shackleton, R.M. (1959) The stratigraphy of the Moel Hebog district between Snowdon and Tremadoc. *Liverpool and Manchester Geological Journal*, 2, 216–52.

Shackleton, R.M. (1969) The Pre-Cambrian of North Wales. In *The Precambrian and Lower Palaeozoic rocks of Wales*. (ed. A. Wood), University of Wales Press, Cardiff, pp. 1–18.

Sharp, D. (1849) On slaty cleavage. Quarterly Journal of the Geological Society of London, 5, 111–15.

Shepherd, T.J., Beckinsale, R.D., Rundle, C.C. *et al.* (1976) Genesis of the Carrock Fell tungsten deposits, Cumbria: fluid inclusion and isotopic study. *Transactions of the Institution of Mining and Metallurgy*, B85, 63–73.

Siddans, A.W.B. (1971) The origin of slaty cleavage. Unpublished PhD thesis, University of London.

Siddans, A.W.B. (1972) Slaty cleavage — a review of research since 1815. Earth Science Reviews, 8, 205–32.

Simpson, A. (1967) The stratigraphy and tectonics of the Skiddaw Slates and the relationship of the overlying Borrowdale Volcanic Series in part of the Lake District. *Geological Journal*, 5, 391–418.

Smith, M. (1987) The Tremadoc 'Thrust' Zone in southern central Snowdonia. In *Sedimentation and Tectonics of the Welsh Basin.* (eds W.R. Fitches and N.H. Woodcock), Geological Journal, 22, 119–29.

Smith, M. (1988) The Tectonic Evolution of the Cambro-Ordovician Rocks of Southern Central Snowdonia. Unpublished PhD thesis, University of Wales, Aberystwyth.

Sokoutis, D. (1987) Finite strain effects in experimental mullions. Journal of Structural Geology, 9, 233-42.

Soper, N.J. (1970) Three critical localities on the junction of the Borrowdale Volcanic Rocks with the Skiddaw Slates in the Lake District. *Proceedings of the Yorkshire Geological Society*, 37, 461–93.

Soper, N.J. (1986) The Newer Granite problem: a geotectonic view. Geological Magazine, 123, 227-36.

Soper, N.J. (1987) The Ordovician batholith of the English Lake District. Geological Magazine, 124, 481-2.

Soper, N.J. (1988) Timing and geometry of collision, terrane accretion and sinistral strike-slip events in the British Caledonides. In *The Caledonian–Appalachian Orogen*. (eds A.L. Harris and D.J. Fettes), Geological Society Special Publication, No. 38, pp. 482–92.

Soper, N.J. and Hutton, D.H.W. (1984) Late Caledonian sinistral displacements in Britain: implications for a three-plate collision model. *Tectonics*, 3, 781–94.

Soper, N.J. and Moseley, F. (1978) Structure. In *The Geology of the Lake District.* (ed. F. Moseley), Yorkshire Geological Society Occasional Publication, No. 3, pp. 45–67.

Soper, N.J. and Numan, N.M.S. (1974) Structure and stratigraphy of the Borrowdale Volcanic rocks of the Kentmere area, English Lake District. *Geological Journal*, 9, 147–66.

Soper, N.J. and Roberts, D.E. (1971) Age of cleavage in the Skiddaw Slates in relation to the Skiddaw aureole. *Geological Magazine*, 108, 293–302.

Soper, N.J., Webb, B.C., and Woodcock, N.H. (1987). Late Caledonian (Acadian) transpression in north-west England: timing, geometry and geotectonic significance. *Proceedings of the Yorkshire Geological Society*, 46, 175–92.

Sorby, H.C. (1853) On the origin of slaty cleavage. New Philosophical Journal of Edinburgh, 55, 137-48.

Sorby, H.C. (1856) On slaty cleavage as exhibited in the Devonian limestones of Devonshire. *Philosophical Magazine*, 11, 20–37.

Sorby, H.C. (1908) On the application of quantitative methods to the study of the structure and history of rocks. *Quarterly Journal of the Geological Society of London*, 64, 171–232.

Stone, P., Floyd, J.D., Barnes, R.P., and Lintern, B.C. (1987). A sequential back-arc and foreland basin thrust duplex model for the Southern Uplands of Scotland. *Journal of the Geological Society of London*, 144, 753–64.

Stringer, P. and Treagus, J.E. (1980) Non-axial planar S<sub>1</sub> cleavage in the Hawick Rocks of the Galloway area, Southern Uplands, Scotland. *Journal of Structural Geology*, 2, 317–31.

Stringer, P. and Treagus, J.E. (1981). Asymmetrical folding in the Hawick Rocks of the Galloway area, Southern Uplands. *Scottish Journal of Geology*, 17, 129–48

Stringer, P. and Treagus, J.E. (1983) Asymmetrical folding in the Hawick Rocks of the Galloway area, Southern Uplands: Reply. *Scottish Journal of Geology*, 19, 107–12.

Thirlwall, M.F. (1988) Geochronology of Late Caledonian magmatism in northern Britain. *Journal of the Geological Society of London*, 145, 951–67.

Toghill, P. (1970) The south-east limit of the Moffat Shales in the upper Ettrick Valley region, Selkirkshire. *Scottish Journal of Geology*, 6, 233–42.

Treagus, J.E. and Treagus, S.H. (1981) Folds and the strain ellipsoid:- a general model. *Journal of Structural Geology*, 3, 1–18.

Tremlett, C.R. (1982) The structure and structural history of the Lower Palaeozoic Rocks in parts of North Dyfed, Wales. Unpublished PhD thesis, University of Wales, Aberystwyth.

Tullis, T.E. and Wood, D.S. (1972) The relationship between preferred orientation and finite strain for three slates. *Geological Society of America (Abstract with program),* 4, (7), p. 694.

Tullis, T.E. and Wood, D.S. (1975) Correlation of finite strain from both reduction bodies and preferred orientation of mica in slate from Wales. *Bulletin of the Geological Society of America*, 86, 632–8.

Tyler, J.E. and Woodcock, N.H. (1987) The Bailey Hill Formation: Ludlow Series turbidites in Welsh Borderland reinterpreted as distal storm deposits. *Geological Journal*, 22, 73–86.

Wadge, A.J. (1972) Sections through the Skiddaw–Borrowdale unconformity in eastern Lakeland. *Proceedings of the Yorkshire Geological Society*, 39, 179–98.

Wadge, A.J. (1978a) Classification and stratigraphical relationships of the Lower Ordovician rocks. In *The Geology of the Lake District.* (ed. F. Moseley), Yorkshire Geological Society Occasional Publication No. 3, pp. 68–78.

Wadge, A.J. (1978b). Devonian. In *The Geology of the Lake District.* (ed. F. Moseley), Yorkshire Geological Society Occasional Publication No. 3, pp. 164–7.

Wadge, A.J., Gale, N.H., Beckinsale, R.D., and Rundle, C.C. (1978) A Rb-Sr isochron for the Shap granite. *Proceedings* of the Yorkshire Geological Society, 42, 297–305.

Walton, E.K. (1961) Some aspects of the succession and structure in the Lower Palaeozoic rocks of the Southern Uplands of Scotland. *Geologische Rundschaft*, 50, 63–77.

Walton, E.K. (1965) Lower Palaeozoic rocks: stratigraphy, palaeogeography and structure. In *Geology of Scotland*. 1st edn, (ed. G.Y. Craig), Oliver and Boyd, Edinburgh, pp. 167–227.

Walton, E.K. (1983) Lower Palaeozoic rocks, structure and palaeogeography. In *Geology of Scotland.* 2nd edn, (ed. G.Y. Craig), Edinburgh, pp. 139–66.

Ward, J.C. (1876) *The Geology of the Northern Part of the English Lake District.* Memoir of the Geological Survey of the UK, HMSO, London.

Warren, P.T., Harrison, R.K., Wilson, H.E., *et al.* (1970) Tectonic ripples and associated minor structures in the Silurian rocks of Denbighshire, North Wales. *Geological Magazine*, 107, 51–60.

Watson, J.V. (1984) The ending of the Caledonian Orogeny in Scotland. *Journal of the Geological Society of London,* 141, 193–214.

Webb, B.C. (1972) North–south trending pre-cleavage folds in the Skiddaw Slate Group of the English Lake District. *Nature Physical Science*, 235, 138–40.

Webb, B.C. (1975) The structure and stratigraphy of the Skiddaw Slates between Buttermere and Newlands, Cumbria, and their relationship to the overlying Volcanic Rocks. Unpublished PhD thesis, University of Sheffield.

Webb, B.C. (1983) Imbricate structure in the Ettrick area, Southern Uplands. Scottish Journal of Geology, 19,387–400.

Webb, B.C. and Cooper, A.H. (1988) Slump folds and gravity slide structures in a Lower Palaeozoic marginal basin sequence (the Skiddaw Group) NW England. *Journal of Structural Geology*, 10, 463–72.

Webb, B.C. and Lawrence, D.J.D. (1986) Conical fold terminations in the Bannisdale Slates of the English Lake District. *Journal of Structural Geology*, 8, 79–86.

Wedd, C.B., Smith, B., and Willis, U. (1927) *The geology of the country around Wrexham.* Memoir of the Geological Survey of the UK, HMSO, London.

Weir, J.A. (1968) Structural history of the Silurian rocks of the coast west of Gatehouse, Kirkcudbrightshire. *Scottish Journal of Geology*, 4, 31–52.

Weir, J.A. (1979) Tectonic contrasts in the Southern Uplands. Scottish Journal of Geology, 15, 169-86.

Whalley, J.S. (1973) Finite strain and texture variation associated with folds in a greywacke sequence at Rhosneigr, Anglesey. Unpublished MSc thesis, Imperial College, London.

White, S.H. and Knipe, Rj. (1978). Microstructure and cleavage development in selected slates. *Contributions to Mineralogy and Petrology*, 66, 165–74.

Wilkinson, I. (1987). A finite strain study of the Ordovician volcanic rocks of Snowdonia, North Wales and its implications for a regional strain model. In *Sedimentation and Tectonics of the Welsh Basin.* (eds W.R. Fitches and N.H. Woodcock). Geological Journal, 22, 95–105.

Wilkinson, I. (1988) The Deformation of the Ordovician Volcanic Rocks of Snowdonia, North Wales. Unpublished PhD thesis, University of Wales, Aberystwyth.

Wilkinson, I. and Smith, M. (1988) Basement fractures in North Wales: their recognition and control on Caledonian deformation. *Geological Magazine*, 125, 301–6.

Williams, A. (1975) Plate tectonic and biofacies evolution as factors in Ordovician correlation. In *The Ordovician System: Proceedings of a Palaeontological Association symposium.* (ed. M.G. Bassett) University of Wales Press, Cardiff, and National Museum of Wales, pp. 18–53.

Williams, H. (1922) The igneous rocks of the Capel Curig district, North Wales. *Proceedings of the Liverpool Geological Society*, 13, 166–206.

Williams, H. (1927) The geology of Snowdon, North Wales. *Quarterly Journal of the Geological Society of London*, 83, 346–431.

Williams, H. and Hatcher, R.D. (1982) Appalachian suspect terranes. *Memoir of the Geological Society of America*, 158, 33–53.

Wilson, J.T. (1966) Did the Atlantic close and then re-open? Nature, 211, 676-681.

Wood, A. (1958) Whitsun field meeting at Aberystwyth. Proceedings of the Geologists' Association, 69, 28–31.

Wood, A. and Smith, A.J. (1958) The sedimentation and sedimentary history of the Aberystwyth Grits (Upper Llandoverian). *Quarterly Journal of the Geological Society of London*, 114, 163–95.

Wood, D.S. (1969) The base and correlation of the Cambrian rocks of North Wales. In *The Precambrian and Lower Palaeozoic Rocks of Wales.* (ed. A. Wood), University of Wales Press, Cardiff, pp. 47–66.

Wood, D.S. (1971) Studies of strain and slaty cleavage in the Caledonides of North-west Europe and the eastern United States. Unpublished PhD thesis, University of Leeds.

Wood, D.S. (1973) Patterns and magnitudes of natural strain in rocks. *Philosophical Transactions of the Royal Society of London*, A274, 373–82.

Wood, D.S. (1974) Current views of the development of slaty cleavage. *Review of Earth and Planetary Science*, 2, 369–401.

Wood, D.S. and Oertel, G. (1980) Deformation in the Cambrian Slate belt of Wales. Journal of Geology, 88, 285-308.

Wood, D.S., Oertel, G., Singh, J., and Bennett, H.F. (1976) Strain and anisotropy in rocks. *Philosophical Transactions of the Royal Society of London*, A283, 27–42.

Wood, M. and Nicholls, G.D. (1973) Pre-Cambrian stromatolitic limestones from northern Anglesey. *Nature, Physical Science,* 241, p. 65.

Woodcock, N.H. (1976) Ludlow series slumps and turbidites and the form of the Montgomery Trough, Powys. *Proceedings of the Geologists' Association*, 87, 169–82.

Woodcock, N.H. (1984a) Early Palaeozoic sedimentation and tectonics in Wales. *Proceedings of the Geologists' Association*, 95, 323–35.

Woodcock, N.H. (1984b). The Pontesford Lineament, Welsh Borderland. *Journal of the Geological Society of London,* 141, 1001–14.

Woodcock, N.H. (1987a) Structural geology of the Llandovery Series in the type area, Dyfed, Wales. In *Sedimentation and Tectonics of the Welsh Basin.* (eds W.R. Fitches and N.H. Woodcock), Geological Journal, 22, 199–209.

Woodcock, N.H. (1987b) Kinematics of strike-slip faulting, Builth Inlier, Mid-Wales. *Journal of Structural Geology*, 9, 353–63.

Woodcock, N.H. (1988) Strike-slip faulting along the Church Stretton Lineament, Old Radnor Inlier, Powys. *Journal of the Geological Society of London*, 145, 925–33.

Woodcock, N.H. and Gibbons, W. (1988) Is the Welsh Borderland fault System a terrane boundary? *Journal of the Geological Society of London*, 145, 915–23.

Woodcock, N.H., Awan, M.A, Johnson, T.E. *et al.* (1988) Acadian transpression in Wales during Avalonia/Laurentia convergence. *Tectonics*, 7, 483–95.