Brora

[NC 896 029]-[NC 904 033]

Introduction

The coastal exposures at Brora are of Bathonian age. They yield a well-preserved, but fragmentary, flora of at least 12 species that is of considerable research potential.

The Brora region was referred to by geologists even before Murchison (1827) because of the economic importance of workable coal and building stone. Coal extraction began here in 1529 and the first pit was sunk in 1598. Since then, coal has been mined periodically until the last pit closed in 1974 (Owen, 1995). Plant fossils were first described by Konig in Murchison (1827) and Nicol (1844), and then by Judd (1873) in his memoir on the secondary rocks of Scotland. However, only *Equisetites columnaris* was named. The assemblage was not described in detail until Stopes (1907) revisited the site. The most recent contribution was by Harris and Rest (1966) who examined cuticle fragments macerated from the coal.

Description

Stratigraphy

The beds exposed at Brora range from Bathonian to Callovian in age, although the palaeobotanical interest is limited to the Brora Coal Formation (named by Neves and Selley, 1975), which is Bathonian in age (Figure 5.3). Hurst (1981) later divided the formation into the Doll Member with its fluvial succession of channel sandstones and floodplain mudstones, and the overlying Inverbrora Member of dark shales with thin coals, bituminous shales and some shell beds of lagoonal origin. The lagoonal area is thought to have extended parallel to the Helmsdale Fault system and was probably invaded periodically by the sea from the north-east (Trewin, 1993). The recovery of the dinoflagellate cyst *Tubotuberella* cf. *dangeardii* Sarjeant in the topmost shell bed has permitted the whole of the Brora Coal Formation to be dated as Bathonian, with the boundary between it and the overlying Callovian being placed at the roof of the coal. The exposure comprises the only rocks that can be compared closely, with regard to sedimentology and palynofacies, to the economically important sedimentary rocks in the Moray Firth and further into the North Sea.

Palaeobotany

The plants are drifted fragments found in association with the fresh-brackish water crustacean *Euestheria*. Stopes recorded the following species:

Equisetales: Equisetites beanii Bunbury, Equisetites broraensis Stopes, Equisetum columnaris Brongniart (Harris)

Filicales: Coniopteris hymenophylloides Brongniart, Coniopteris quinqeloba Phillips, Todites williamsonii Brongniart, Cladophlebis denticulata Brongniart, Dictyophyllum sp.

Cycadales: Zamites sp.

Bennettitales: Otozamites sp.

Ginkgoales: Ginkgo digitata Brongniart

Pinales: Cheirolepis sp.

Interpretation

The Bathonian assemblage at Brora is the youngest Jurassic flora in the area. No detailed assessment of the plants has been made for 90 years so the site has, therefore, considerable research potential.

The assemblage is very similar in composition to those of some sites in the Yorkshire Jurassic succession. It is dominated by pteridophytes and contains very few gymnosperms. This suggests that it largely represents vegetation growing fairly close to the site of deposition, most probably in a freshwater swamp. There is no seat earth below the coal, which led Trewin (1993) to infer that the coal formation was initiated by plant material that drifted into a lagoon too deep to allow plants to root. Stopes counted the individuals of each species and deduced from this that *Equisetum columnaris* and *Ginkgo digitata* were the most numerous of the plants. This, however, tells us very little about the original vegetation other than that *Equisetum columnaris* probably grew in quantity close to the area of deposition. The larger, but less perfectly known, *Equisetites beanii* is a distinct species that is never found mixed with *E. columnaris*. It must have grown away from the edges of the watercourses that fed the area of sedimentation. Stopes described *Equisetum brorarensis* (as it is preferably named) from small round discs representing nodal diaphragms dispersed from the disintegrating stems. Their size distinguishes them from the other two species. They may represent the remains of plants growing some distance from the area of sedimentation.

The *Ginkgo* leaves are the best-preserved fossils in this assemblage and agree entirely with those found in Yorkshire. Most are deeply bilobed although Stopes found one or two small unlobed leaves. She prepared cuticles from these leaves and showed that the stomata are confined to the lower surfaces. Harris *et al.* (1974) took a different view and suggested that the leaves are very similar in form and epidermal structure to his *Sbhenobaiera* Byron from Broughton (Hasty) Bank.

Most of the plant remains are poorly preserved, suggesting that they had been transported to the site of deposition. *Ginkgo* leaves do not decay rapidly and appear to fossilize well, so they could also have been blown, or washed, in, from quite a distance. The comparatively few specimens of *Zamites* and *Otozamites* again suggest that they came from some distance away.

The Brora coal does not crop out on the beach, but a study of it does have a bearing on our understanding of the flora growing in the area at that time. Harris and Rest (1966) macerated coal from the Brora mine that was still operative at the time. They found the most abundant plant material to be fusainized conifer wood, which must have been washed down after forest fires to become deposited in a moderately deep lagoon. Most of the coal was formed from such wood. Anaerobic conditions would have prevailed, allowing the debris to build up. Rootlets from a dirt band within the coal suggest that swamp conditions subsequently spread over the lagoon, leading to the accumulation of plant debris that included Equisetum. There were also small fragments of the bennettitalean Pterophyllum cycadites, which probably grew on the banks of rivers. The other species, found only occasionally, were most probably carried down greater distances by rivers. Harris and Rest listed the following plants from the coal: stem cuticles of Equisetum cf. columnare, E. cf. laterale and E. sp. indet.; pteridophyte wood as fusain; leaf fragments of the cycad Pterophyllum cycadites Harris and Rest (also found in the Yorkshire Jurassic succession; see (Table 3.1)); Czekanowskia sp. indet.; conifer wood of many kinds as fusain; and leaf cuticles of the conifer Farndalea fragilis Bose. This last species is perhaps the most widespread of all the Yorkshire Jurassic plants, being always present as scattered fragments in bulk maceration of rock. However, it has never been found as a recognizable hand specimen, suggesting that it must have grown on land either far up river or away from water courses, being washed down only in times of flood and deposited as scattered and finely broken fragments. This species can almost certainly be found in the rocks exposed on the beach.

Harris and Rest also reported 'fibrous brown sacs'. Manum *et at.* (1991) have interpreted similar sacs as reproductive cocoons of annelid worms.

They also gave brief descriptions of several megaspores identified by W.G. Chaloner. The currently accepted names (Batten and Kovach, 1990) are as follows: *Minerisporites richardsonii* (Murray) Potonié emend. Harris, *Paxillitriletes phyllicus* (Murray) Hall and Nicolson, *Bacutriletes corynactis* (Harris) Marcinkiewicz, and *Triletes murrayi* Harris. These megaspores might easily be recovered from rocks exposed on the beach.

Conclusion

The Bathonian assemblage at Brora is the youngest Jurassic flora in the Moray Forth Basin. Although small, it has many similarities with those of the Yorkshire Jurassic succession. It is a nationally important site of great potential research value.

References

Stage		Member	Formation	Depositional	Coarse sandstone						
		Ardassie Limestone Member	Balintore Formation	Inshore marine	Fine sandstone						
Oxfordian		Brora Sandstone Member	interest made	Coastal bar sands	Siltstone						
		Clynelish Quarry Member Fascally Sandstone Fascally Siltstone Member	Brora Arenaceous Formation	Inshore marine	Coal Limestone						
Callovian		Brora Brick Clay Member Glauconitic Sandstone Member	Brora Argillaceous Formation	Inshore marine							
		Brora Shale Member (Roof Bed at base)	1084 might	Inshore marine							
		in and the later	1	Coal swamp							
Bathonian		a employee late device store strengt	Brora Coal Formation	Shallow water with limited ?estuarine	l access to open sea						
			Line Charles	Shallow water; inshore ma	rine						
Pliensbachian			Dunrobin Bay	?Estuarine with limited access to open sea							
-Hettangian		metres	Formation	Essentially freshwater							

(Figure 5.3) Generalized sequence of Jurassic strata in the Brora outlier. (After Lam and Porter, 1977.)

Table 3.1 Records of plant feedle from	the Welshite Jurgets GCE ares. These records have been	The second secon						-	1 12			-		-				
gleaned from published accounts, targety	bu Harris (1961a, 1964, 1969, 1979a,b, Hants at al., 1974).	and a contract of the second	_	-									-	-	-	-		-
roll of all criefs, roll and ron Konip	nonburg-ran Citers (2173), Spicer and INE (1979), van	Andrewsky Resolution Vision								CVCRD4203 - could								
Komporeburg van Cheer (1971, 1974,h)	1978, 1983, 1987, 1987, and van Kompandrung-raw Conort	d) maritupierts Wilson and Taxo								A proper Thomas and Parts								
and Morgana (1999), from an bread factor	rome is the Natural Itteness Museum (London), and bom	Party-phyllips regramme is and its		4 4		4. 4		4. 44		A generative literate			-					
expering concrete in the manual	and the Namoral Monetan and Gallers, Cardill, Bocords	Approaches (helphales (Photlaps) Theorem				+ +	P P.			A tap. R of Harris								
and the last number the boundaries of	the stark have been common, that these crief which there is	England and the State of the St					2	S 12		Jeamin granific Carrollum								
some shute tary been reliable.		Andrew States (States), and () Therein					200	2.2		A manager Thirman and Harris		1000			-			
A MARKET A ANNAL	an effective man	Alexantia anglica (Pinnica) Hamis								A set			- 2					
1. Bernard Rev	11 Andre New	Matures Insent (Corport) Harrs				* *				O contraling from								
1. Replace Transa	the second second	Materialism popperty Discoplination Indust		9.25						27. metima lihanta			. 0.					
4. Recentlers Bank (Hair Bank)	But to english	Carrier and providence and the state of the								theoperates madeii yan K. russ C.								
5. 1880enar Nah	 month for the ster. 	in anest (Rachtersk), Narts						4. 4		Reprint Contract (Perphy) Broost	100		1.1	1.20				
6. Harbarn Webr	a the only encored for 'Karkahire'.	Phidogenetic Rossell (Composed) Harris								A of industry			10.00					
7. Botton Head	x ope inside for the spectra.	P. Assistent (Schenk), Schenk					A			A revolute literto								
6. Bease Cliff (Bobie House's Bart	Ø the only record for the species;	P publications throughout	2.2.2.2.2	1000		200	C 1027		1.1	A apple them						10.00		
9 Marc Wyler	a in the Solumian Red.	Advancement includences (Text) Infords								X tenatunda (Millips) ilus heargeopt								
18. Rel CMI SCHeborge RepCarton Rel	a contra segurar de la contra de la contra contra de	Spheriogeneric metagenericales Filerite								A designed lines								
		Stadopter's gittere Percent								N on A of Serie								
		Postice distributions (Brongstart) Reserv								A up. 8 of Earth								
BRYOPHPTA		T demonstration						2.1		Paradytise clinic filadite								
Reputitives areasts (5, and 11) Harm	4 14	T and internet (Incorporat), howard						· · ·		Paradicture Access Tarts	1.2							
If Authonomia Harts	0									C. Backetter Manager				-				
.H. Ayresengtona Illanta		CONNONPERMORITIN								P. offering Viscole							-	
A DESCRIPTION OF THE OWNER.		- CAPTOREAS								Sheregenera nanu Harris								
IQUISIONIS		Angeleorigeneous pullars Tarris						1.2		it writeda Humite					-		-	
And other August (Burdwert (Barris		Capitolitation and and Charles								1. authorstein (Brongmart) Plants		_			-			
2 colonizate brongituri		6.46								Another strength and and the strength								
E. Alberte (Saulte	and the second se	Calemania Annaladial Vianna								A showcast lines			111				-	
A Jaterati Palbye		C sathrati (Temat)								Avenual in surgical and the Alexandron								
A methodate borrowski Chitampori Hafa		C. and and a Manager	1.50		1.1	100		1.1		di Joules Marrie								
Addressing an address to the state		4 phillippi December Barts				1.2		-		Anteresta pipe trend		2.1		1.0		-	1.1	1.64
LYCOPODIALES		PERMIT	-		-	-		-	-	A an R of Barra						1		-
Zanatowithis theliumer L and H.		chevelo anothe triante								Canadidate), minimum Tarris								
PERCOPSIDA.	and the second se	C Resolution Tolegram								1. Autor Name								14
Augmptoria Madel tan Citem		C. Needla Rante								1 Agene Barle								
A neglecter test Claters	 *. *. 	C. C. Strengerung Harry						10.7	2.0	C selves there			100		1.1.1.1			
Appalates thoreast there	and the second	Opposite country (Respect Married							- C	C phenomen Parts					1000			1.00
Chalipholes alteratives Turuseuve Reave		C. Indenity/ Contention National								C Managements Thanks								
C. Antiparticle in and it is becaused		C regalation famili								C up non of this at al.								
C. Barristi vas Cinori		 nanaharat Yakisana 								Milleonegania magter (5. and 10.) Photo:					1.1			
Clashraperis alicease tiele		Party and the second se		10.00						A prote thank								
Contepterts faile them	the second s	P Antibias (Thomas and Base) (Inclu-				2.121				A return (Aurgenet) forts								
C Aurgente Statestic Second		Photoset Research Factor								1) Among (), and () - Browners	1.2				1			1.00
C Annual Charles (Charles) and Real		police								O Julius Harris					1.14			
C mangamental lifetite		CYCRIMIN								O grantenet (Philips, Philips			. +					
C management (Brongstart) Recognized		And a second second second								O graphicae (anticolie) haporta				. * .		+		1.2.1.4
C amples (L and H.) Harris		A manufacture & second								Co declared of Figure .							-	
d helm demodes not be ender the Calquinks bernst to proble to bein	d Consental pair storit. A Consental pair storit. Adage of Consental pair storit.		-	-							_							
of Budies deviced and the sender that 1 Chalquillelin bernel is probably the fields	A Constant of the Alexandron Action Things of Constant of the Alexandron Action 1 2 3 4 4 4 5 5 7 4 8 10 10 10	r	1.1	_					N. N.									
of Dates desiration of the analysis of 1 Galapithic larged is pollulity for both BDNETTER(1) - could	A Consentingue Anno 1997 processo congliste anno 1998 Mage of Consentingue Adles 1 2 3 4 4 5 7 8 8 19 11 1	c	1.1	-					N. N.		-							
of Tarbon devicables and do under the 1 Carlytikle former to postably the basis BENNETTENED - could 0 provide Parity		CEREMONIALE	1.1	_					N. M.									
of Tuber deviceden out de insider dat 1. Castpillete bereut e pediate de teste BENNETTERES - const 0. parestillete Tublige 0. parest Turcis 0. parestilleter		CIERANOPOLICE - cond basaria philometric and Mile- basaria comerciana							N. N.									
of Bulley destination and do makin that 1 Carlytillate beneat a postality for bank BENNETTINGES - could C paratilities Failings C paratilities Failings C paratilities Failings C paratilities Calombia (Ballyn)	Comparison Compari	COMMUNICATI - and Communication collification Spaces and an and the set of the Spaces and an and the set of th	•			:	•••		<u>н. н</u> .									
of Paulon descendes and for another for 1 Catalynithine bernets's questionly for being ECONTINUET - countail 2) particular Pauline 2) particular Pauline 3) particular Pauline 3) particular Pauline 3) another Pauline 4)		CEDEAMOPERALED - control frameworks colore means for a second colore means for a second colore means for a second colore means for them in the form of them for a second colore and them	•			:	•••	• •	н. н. С. "		-	_						
d Tadas demodes par for under far. 1 Calegitalite termin a postality for term EXXVETTINES - could D paraflet Relign 0 percent form 0 percent for participation 0 percent form 0 percent form 0 percent for participation 0 percent for participation 0 percent form 0 percent form 0 percent for participation 0		CERANGPERISES - control dessarabilities publications theme Approaches and the terms of the second second second publications matches filters, publications (NSNE)	• .			:	•••		н. н. С. "		-							
d Taday demonstra ou for andor dar 1 Gaday table tament o pertudy for lends EXTENTION 1 - could EXTENTION 1 - could 0 pertudy from 0 pertudy from 0 another from 0 another from 0 demont from		CERROPORTICIA I const Consector estations from the logical sector of the sector of the logical sector of the sector of the Manual Manual Manual Constant of the Manual Manual Manual Constants Manual Manual Manual Constants	•			:	•••		н н									
d Tables developes or 26 analysis for Galaphilis format a periodic for BEXEETTINED - could be particle Petitips 0 periodic P		CEREANSWEELEER - unmeh Aussammliche prichtensen Hanne Augenammehanne Hanne Sphanneren mehrten Hann, soll Miller Mithauf Mith	• •	•			•••				_							
d There developes on the works for all () Calculations are provided for the second BENETTINGP - model () provide relieve () provide relieve (CERANOVALUES - cond Approximation of the Approximation of the Approximation of the Approximation of the Approximat	• •			: :	• .											
d Them developes and for under the Countril the sends or product the test EXENT TETELE - count Countril the test of test		CIENT/CIENCES - and Anazarika elefensa fan al fille Lanazarika elefensa fan al fille Lanazarika este fan al fille Sakasar este statut fan al fille Weild Hantgelen elefensa en al Rentgelen elefensa en al Rentgelen elemente fan Anazarika elefensa elemente al martingen elemente fan al martingen elemente fa	• •			: :	• •		11 II 0 1 1									
d Tables devices on the under data 1 Caspitalities work up which the data 2 Caspitalities work up which the data BEXNETTINGET - under BEXNETTINGET - u		CIDENCEPTRACES - small Researcher references in a series of the series of the series in a series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of	• •			: :	• •		1 N		-							
of Holes developed on the Article State (1) Cardpaths bear and a pointing the Kenton (2) Cardpaths bear and (3) point factors (3) point factors (4) point factor		CERNOLOGIES	• •		• •		• .		11 U 17 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									
of I shake detraction of the webler fair, I clarifythis beam in y-particip the basis EXENTITIENT - could () particle fairs () partis () particle fairs () particle fairs () particle fairs () par		CEREMOTIVALUES - unad Anazandus additional films all Miles balantis anazandus additional films balantis anazane (Miles) fains additional anazane (Miles) Miles and Miles (Miles) Miles (Miles) Anazane (Mil	· · ·		• •		• .		11 14 12 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									
of Holes developed on of the method for a Hole state the test of speciality the state () Experiment the state of the state () Experiment the state () Experiment these () Experiment these () Experiment these () Experiment these () Experiment these () Experiment () Experiment these () Experiment these () Experiment () Experiment () Experiment these () Experiment () Experime		CONTRACTOR STATES	* .		• •		• .	· · · · · · · · · · · · · · · · · · ·	······································									
of Johan developed on of the reading for a 1 Calception beam of a pendal the the feel (1) Calception beam of a pendal the the feel (1) Calception beam of the feel (1) Calception beam of the feel (1) Pendal the feel (1) Pendal the feel (1) Pendal the feel (1) Annual Tool (1) Pendal (1) Annual Tool (1) Pendal (1) (1) Pendal (1) Pendal		Classification of the second s	• •				• •		· · ·									
of Holes developed on of the read-form of Holes developed on Specific the State (1) Exercited the state of the State (1) Exercited the state of the State (1) Exercited the St		C CIESANOPORECES - unadi Massachen relatives in the second second second in the second second second massaches relative Ciesto of Ciesto Massaches relative Ciesto of Ciesto Massaches relative Ciesto di ciesto second second di ciesto second di ciesto second second di ciesto second second di ciesto second di ci	• •				• •		11 11 12 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									
d Holes demonstra of the mother fact of the Holes the two speciality the soft of the Holes the two speciality the soft of the Holes the Holes of the Holes Of the Holes of the Holes of the Office of the Holes of the Holes Office of the Holes of the Holes of the Holes Office of the Holes of the Holes of the Holes Office of the Holes		CIENCE/PERSES - and/ Annual - and a set of the Annual - and a set of the Annual - and a set of the Annual - annual - and a set of the Annual - annual - annual - annual - annual - annual - annual - annual - annual - annual - annual - annual - annual - annual - annual - annual - annual - annu	• •				• •		10 10 11									
of I shake detendents of the webs for an II shakehold the shakehold the bid I shakehold the shakehold the I shakehold the shakehold the shakehold the I shakehold the		Classification of the second s					• •		· · · · · · · · · · · · · · · · · · ·									
of Holes developed on of the method for an I definition the second point of the Method Comparison the second point of the Method Comparison the Method Compa		C CONSTRUCTION CONSTRUCTURIN CONSTRUCTURIN C	• • • • • •				• •		11 M 11 0 1 0 1 0 1 0 1 0 1 0 1 0 1									
 at a balan damagene of a fair of the second o		CIECCONTROLOGY - and/ CIECCONTROLOGY - and/ Antipaction and the antipactic and the antipactic cieccontrol and the antipactic and the antipactic cieccontrol and the antipactic and the antipactic antipactic and the antipactic antipacti antipactic antipacti antipactic antipactic antipact	• •				· . · . ·		11 M 11 M 11 M 11 M 11 M 11 M									
of I shake detendents of the sender fair, or I shake the shake of the shake the shake of the shake I shake the shake of the shake of the shake of the shake I shake the shake of the shake of the shake of the shake I shake the shake of the shake of the shake of the I shake of the shake of the shake of the shake of the I shake of the shake of the shake of the shake of the I shake of the shake of the shake of the shake of the I shake of the shake of the shake of the I shake of the shake of the shake of the I shake of the shake of the shake of the I shake of the shake of the shake of the I shake of the shake of the shake of the I shake of the shake of the shake of the I shake of the shake of the shake of the I shake of the shake of the shake of the I shake of the shake of the shake of the I shake of the shake of the shake of the I shake of the shake of the shake of the I shake of the shake of the shake of the I shake of the shake of the shake of the shake of the I shake of the shake of the shake of the shake of the I shake of the shak		C CENTRATION CONTRACTOR - remaind Annual contraction of the contractor of the cont	• •				•••		11. 14 12. a 									
at i shake admittation of the method form of i calception to ensure the specialisty the solution of the specialisty the solution of the soluti		C CONTRACTORS - small Management of the state of the st	• •				•••		· · · · · · · · · · · · · · · · · · ·									
 at a balan damagtan sed for an endow far. at a balan balan		L CIENTIFYCHICHCE - rendf Massandur skifteran Time at Mile Samar Sam	• •				· . · . · .		11 14 11 0 1 0 1 0 1 0 1 0 1 0 1 0 1									
of Holes developed on of the method for an 1 Calcelarities transition of the method for an 2 Calcelarities transition of the method of the 2 Calcelarities transition of the method of the 2 Calcelarities transition of the method of the 2 Calcelarities of the method of the method of the 2 Calcelarities of the method of the method of the 2 Calcelarities of the method of the method of the 2 Calcelarities of the method of the method of the 2 Calcelarities of the method of the method of the 2 Calcelarities of the method of the method of the 2 Calcelarities of the method of the method of the 2 Calcelarities of the method of the method of the 2 Calcelarities of the method of the method of the 2 Calcelarities of the method of the method of the 2 Calcelarities of the method of the method of the 2 Calcelarities of the method of the method of the 2 Calcelarities of the method of the method of the 2 Calcelarities of the method of the method of the 2 Calcelarities of the method of the method of the 2 Calcelarities of the method of the method of the method of the 2 Calcelarities of the method of the method of the method of the 2 Calcelarities of the method of the met		C CIENCYCYUGEGIS - small Management (Margines) States and states and states Margines	• •				• .		· · · · · · · · · · · · · · · · · · ·									
at i shake akenaten or die namber far. 1 skal pricht bester i spekalet in bester 1 skal pricht bester 1 skal pricht bester 2 ska		C CONTRACTOR CONTRACTON CONTRACTON CONTRACTON CONTRACTON CONT	• •				•••	· · · · · · · · · · · · · · · · · · ·				_						
at i shake developed on differential of the second of the		L CENTRATION CONTRACTOR - remaind Annual contraction of the second of	• •				•••		10 10 10 0 10 0 10 10 0 10 0 10 10 0 10 0 10 0 10 0 10 0 10 0 10 0 10 0 10									
af Holder Jahrenbern och för ander förstar 1 Galfrählte Honder i Spekkild för döra 2 Galfrählte Honder Honder 2 Galfrählte Hönder 2		C CONSTRUCTION CONSTRUC	• •				•••	· · · · · · · · · · · · · · · ·	11 11 11 12 11									
 at a balan damagene of a family data at a balan damagene and a family data at a balan damagene and a family data at a balan damagene and a family data at a balan data 		CONTROLOGIA - enal C	• • •			· · · · · · · · · · · · · · · · · · ·	••••		11 11 11 11 111									
d Hole developments out for each of an of the state of t		C CULLANCYCLESCIES - small Management information informa	• • •		· · · · · · · · · · · · · · · · · · ·		• •		11 11 11 11 11 11 11 11 11 11 11 11 11 1									
at i shake advectation of the match of at a i shake the shake the shake the shake the shake the i shake the shake the shake the shake the i shake the shake the shake the shake the i shake the shake the i shake the shake the shake the i shake the shake the i shake the shake the shake the i shake the shake the i shake the shake the i shake the shake the shake the i shake the shake the shake the i shake the shake the shake the shake the i shake the shake the shake the shake the i shake the shake the shake the i shake the shake the i shake the shake the shake the i shake the shake the shake the shake the shake the shake the shake the i shake the shake the shake the shake the shake the shake the i shake the shake the i shake the shak		C CONTRACTORUSCION - scand American and a scanding and a scanding and a scanding and a scanding and a scanding and a scanding and a scanding and a scanding and a scanding and a scanding and a scanding and a scanding and a scanding and a scanding and a scanding and a scanding and a scanding and a	• • •			· · · · · · · · · · · · · · · · · · ·	• • •		11 11 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1		-							
 If all what advances on the match for all If all yields the strength of the strength		CIESCONTROLOGY - email CIESCONTROLOGY - email An email of the second and the comparison of the second and the comparison of the second and the second and the second and the second	• • •		· · · · · · · · · · · · · · · · · · ·		••••		11 11 11 11 11 11 11 11 11 11 11 11 11 1		-							
 af Johnstonen och den sender skrift af Lackpritter kannen in specialty for schift af Lackpritter kannen in schift af Lackpritter		Classification of the second s	• • •				•••		11 11 11 11 11 11 11 11 11 11 11 11 11 1		-							
di Aleka deresten en d'en en mehr ferz di Carlegitto Henni en spesialet en des la di Carlegitto Henni en spesialet en des la di Carlegitto Henni en spesialet en des la di Carlegitto Henni en di Carlegitto di Carlegitto Henni en di Carlegittto di Carlegit		Construction of the second secon	• •			· · · · · · · · · · · · · · · · · · ·	•••		11 11 12 0 1 1 12 0 12 0 12 0 12 0 12 0									
 at a device sector of the machine factor of a device sector of the sector of		CICLOSOFTENENCES - const CICLOSOFTENENCES - const Amount of the second of the second amount of the second of the second of the amount of the second of the second of the second of the amount of the second of the second of the second of the amount of the second of the second of the second of the amount of the second of the second of the second of the amount of the second of the	• • • • • • • • • • • • • • • • • • • •		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		11 11 11 11 11 11 11 11 11 11 11 11 11		-							
 at a data data data data data data data		Classification of the second sec	• • • • • • • • • • • •		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	•••		11 11 11 0 11 0		-							
 a disk demonstration of the match of the control of the c		CONTROLOGIA - enal C					· · · · · · · · · · · · · · · · · · ·		11 11 11 0 1 1 1 1 1 1 1 1 1 1 1		-							
 at a load advancements and the machine factors at a load advancements and the machine factors at a load advancements and the machine factors at a load advancement and the machine factors <li< td=""><td></td><td>CICKOUPTUREST - and M Section 2014 -</td><td></td><td></td><td></td><td>· · · · · · · · · · · · · · · · · · ·</td><td>•••</td><td></td><td></td><th></th><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></li<>		CICKOUPTUREST - and M Section 2014 -				· · · · · · · · · · · · · · · · · · ·	•••											
 at a data data data data data data data		Classification of the second sec				· · · · · · · · · · · · · · · · · · ·	•••				_							
 a disk developments out for each of at a set of the specific the set of t		CONTROLOGIA - enal CONTROLOGIA - enal Control - ena				· · · · · · · · · · · · · · · · · · ·	•••											
 at a load advancements on offse marked refers at a load advancements on offse marked refersion (1998) at a load advancement of the load advancement		Classification of the second s	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	•••											
 at a load advancements on the match of at a set of a load advancements on the match of at a set of a load advancement of a		Construction of the second secon					•••		11 11 11 11 11 11 11 11 11 11 11 11 11 1									
 If a device starts and for an end-former of a device start of the start of		CISADAPTICALLS - enal. Advancement procession of the sector of	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	•••											
 at a data data data data data data data		Classification of the second s	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	•••		11 11 1417 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									
 af Johnstonentin and for analysis of the specific from th		CONSUMPLIES:	· · · · · · · · · · · · · · · · · · ·				•••											
 at I adva damages, and far analysis of the specific for the speci		CISADOPTICALCES - const. Amount of the second sec	· · · · · · · · · · · · · · · · · · ·				•••		11 11 11 11 11 11 11 11 11 11 11 11 11									

(Table 3.1) Records of plant fossils from the Yorkshire Jurassic GCR sites. These records have been gleaned from published accounts, largely by Harris (1961a, 1964, 1969, 1979a,b; Harris et al., 1974), Hill et al. (1985), Hill and van Konijnenburg-van Cittert (1973), Spicer and Hill (1979), van Konijnenburg-van Cittert (1971, 1975a,b, 1978, 1981, 1987, 1989), and van Konijnenburg-van Cittert and Morgans (1999), from archived field notes in the Natural History Museum (London), and from examining collections in that museum and the National Museum and Gallery Cardiff. Records known to fall outside the boundaries of the sites have been omitted, but those over which there is some doubt have been included.