# Hayburn Wyke

[TA 011 969]

# Introduction

The Hayburn Wyke plant beds have long been known to yield a diverse and well-preserved fossil flora of Aalenian age. It is a key Yorkshire Jurassic plant fossil locality with unique floral elements, especially of cycads. The marchantialean liverwort *Hepaticites haiburnensis* is known only from this locality.

Hayburn (or 'Haiburn') Wyke is a small bay near Cloughton (Figure 3.29) and (Figure 3.30), and is an important source of plant fossils from the Saltwick Formation (the 'Lower Deltaic Series' of earlier authors). The earliest records seem to be by Phillips (1829) and Lindley and Hutton (1837). Leckenby (1864) also collected from here and some of his specimens were mentioned by Phillips (1875) (Leckenby's specimens are stored in the Sedgwick Museum, Cambridge). The 19th century records were summarized by Seward (1900a). Hamshaw Thomas collected extensively from the section in the early 20th century, although does not appear to have published descriptions of this material. Harris (1944a, 1945a, 1948, 1949a,b, 1950, 1951, 1952a, 1953) and Bose (1955) have described various species of bennettite, ginkgophyte, czekanowskialean and conifer foliage. However, the full spectrum of the flora at Hayburn Wyke was not revealed until the publication of Harris' monograph on the Yorkshire Jurassic floras (1961a, 1964, 1969, 1979a; Harris *et al.*, 1974).

# Description

### Stratigraphy

The section exposed at Hayburn Wyke includes parts of the Saltwick and Eller Beck Formations (Figure 3.31). The plant beds are in the argillaceous floodplain sediments exposed in the centre of the small bay. The succession dips gently southwards, the Eller Beck Formation reaching beach level at lion Scar. The exposure is scattered over the rocky beach and often covered by landslip. The sandy units contain fragmentary plant remains, many of which are charcoalified. The finer-grained beds contain much abundant, more diverse, and better-preserved plants. Van Konijnenburg-van Cittert and Morgans (1999) have provided details of the field geology of this site.

Harris' unpublished notebooks refer to 12 separate plant beds in the vicinity of Hayburn Wyke (see (Table 3.3)), although some of these lie in the Cloughton Formation and are beyond the boundaries of the GCR site. The principle source of plant fossils is the main Hayburn Wyke Plant Bed, which probably corresponds to the Hayburn Beck and *Zamites* Beds of Harris.

(Table 3.3) The locations of the 'plant beds identified by T. M. Harris (in manuscript) along the coast at Hayburn Wyke

				[GR added 2023]
	Hayburn Beck Zamites Bed	54° 21' 32"	0° 26' 50"	[TA 01003 97040]
	Hayburn Beck Bed 1	54° 21' 40"	0° 27' 39"	[TA 00113 97268]
	Hayburn Beck Bed 2	54° 21' 35"	0° 27' 4"	[TA 00748 97127]
Lower Deltaic Series (= Saltwick Formation)	Hayburn Wyke <i>Zamites</i> Bed	54° 21' 27"	0° 26' 32"	[TA 01332 96893]
	Hayburn Tindall Point Plant Bed	54° 21' 25"	0° 26' 12"	[TA 01694 96839]
	Hayburn <i>Phlebopteris</i> Bed below Iron Scar	54° 21' 9"	0° 26' 4"	[TA 01849 96348]

	Hayburn Wyke 25 ft (c.8m) above Iron Scar	54° 21' 9"	0° 26' 4"	[TA 01849 96348]
Sycarham Series, Middle Deltaic Series	Hayburn Wyke 5 ft ( <i>c.</i> 2.7m) above Iron Scar Hayburn Gorse Bed	54° 21' 9"	0° 26' 4"	[TA 01849 96348]
(= Sycarham Member o	fHayburn Gorse Bed (B5)	54° 21' 3"	0° 26' 16"	[TA 01637 96157]
	Hayburn Thomas Bed 2	54° 21' 57"	0° 28' 18"	[SE 99398 97778]
	Hayburn–Top of Eller Beck Bed	54° 21' 25"	0° 26' 28"	[TA 01405 96832]

#### Palaeobotany

The complete list of about 60 plant species that have been found at Hayburn Wyke is given in (Table 3.1). It includes the marchantialean liverwort *Hepaticites haiburnensis* for which this is the type locality. The 12 ferns include *Cladophlebis haiburnensis*, which was first described from here by Lindley and Hutton. There are relatively few cycads and pteridosperms, although there are 11 bennettites, of which *Bucklandia gigas, Otozamites leckenbyi, O. mimetes, O. parallelus, O. tenuatus* (see also (Figure 3.32)), and *Weltrichia sol* were first described from here. The site is also the locality of the ginkgoalean *Baiera furcata*.

Van Konijnenburg-van Cittert (1978, 1989) used specimens of *Coniopteris hymenophylloides* (Figure 333), *C. murrayana, C. simplex* and *Todites princeps* from Hayburn Wyke in her studies of in-situ spores of these species. Morgans (1999) has described charcoalified conifer wood from floodplain mudstone and crevasse-splay sandstones at the site as *Cedroxylon* spp., *Cupressinoxylon* spp., *Taxodioxylon* spp. and *Xenoxylon* phyllocladoides Gothan, 1906.

### Interpretation

There are several horizons at Hayburn Wyke that yield different assemblages. The *Zamites* Bed is the richest and most important although it shows intense localization, both vertically and horizontally. Ferns are frequently common with *Clathropteris obovata, Coniopteris bella, C. hymenophylloides, C. murrayana, C. simplex, Matonidium goeppertii* and *Phlebopteris woodwardii.* The pteridosperm *Pachypteris lanceolata* is also common in places. At one point the only gymnosperms found by Harris (1969) were great numbers of *Zamites gigas* leaves (Figure 3.34), a few pieces of *Williamsonia (Bucklandia*) stem, a few *Williamsonia gigas* flowers and a few good specimens of *Weltrichia sol,* suggesting that these three organs were parts of a single plant species.

In contrast, the *Equisetum* bed, which is just above the Iron Scar (Figure 3.29), is only rich in *Coniopteris simplex,* possibly reflecting a very local plant community immediately surrounding a small lagoon.

## Conclusion

The Hayburn Wyke plant beds contain an important and rich flora including several species that were first described from here and the only known occurrence of the liverwort *Hepaticites haiburnensis*. A reassessment of the species content of the various horizons should reveal valuable ecological information.

#### **References**



(Figure 3.29) Location of the Hayburn Wyke GCR site. Redrawn from van Konijnenburg-van Cittert and Morgans (1999).



(Figure 3.30) Cliffs just to the north of Hayburn Wyke, where Equisetum stems can be found in situ. (Photomosaic: H. S. Morgans.)



(Figure 3.31). Stratigraphical section exposed at Hayburn Wyke, showing position of main plant beds. The locations of the logs are shown in Figure 3.29. (After van Konijnenburg-van Cittert and Morgans, 1999.)

Lower Deltaic Series	Hayburn Beck Zamites Bed	54° 21' 32", 0° 26' 50"
(= Saltwick Formation)	Hayburn Beck Bed 1	54° 21' 40", 0° 27' 39"
	Hayburn Beck Bed 2	54° 21' 35", 0° 27' 4"
	Hayburn Wyke Zamites Bed	54° 21' 27", 0° 26' 32"
	Hayburn Tindall Point Plant Bed	54º 21' 25", 0º 26' 12"
	Hayburn Phlebopteris Bed below Iron Scar	54° 21' 9", 0° 26' 4"
Sycarham Series, Middle Deltaic Series	Hayburn Wyke 25 ft (c.8m) above Iron Scar	54° 21' 9", 0° 26' 4"
(= Sycarham Member of Cloughton Formation)	Hayburn Wyke 5 ft (c. 2.7m) above Iron Scar	54° 21' 9", 0° 26' 4"
	Hayburn Gorse Bed	54º 21' 3", 0º 26' 16"
	Hayburn Gorse Bed (B5)	
	Hayburn Thomas Bed 2	54º 21' 57", 0º 28' 18"
	Hayburn-Top of Eller Beck Bed	54º 21' 25", 0º 26' 28"

(Table 3.3) The locations of the 'plant beds identified by T. M. Harris (in manuscript) along the coast at Hayburn Wyke

Table 3.1 Records of plant feedle from	the Welshite Jurgets GOE ares. These records have been	The second secon						-	1.12		-	-		-					
gleaned from published accounts, targety	be Harris (1941a, 1964, 1969, 1979a,b, Hanto at al., 1974).	and a contract of the second	_	-								-	-	-	-		-		f
roll of all criefs, roll and ron Konip	nonburg-ran Citers (2173), Spiker and INE (2273), van	Andrewsky Resolution Vision								CVCRD4203 - could									
Komporeburg van Cheer (1971, 1974,h)	1978, 1983, 1987, 1987, and van Kompandrung van Conort	d) maritupierts Wilson and Taxo								A proper Thomas and Parts			• •			•			
and Morgana (1999), from an bread factor	renew in the Natural Ittening Muneum (London), and Boss	Party-phyllips regramme is and its		4 4		4. 4		4. 44		A generative literate									
expering concrete in the manual	and the National Monetan and Gallon, Cardid, Bocords	Approaches (helphales (Photlaps) Theorem				+ +	P P.			A tap. 8 of Harris									
and the last number the boundaries of	the stark time been common, but these court which there is	England and the State of the St					2	S 12		Jeamin granific Corrolluits									
some shute tary been reliable.		Andrew States ( States ), and ( ) Therein					200	2.2		A manager Thirman and Harris		100			-				
A MARKET A ANNAL	an effective man	Alexantia anglica (Pinnica) Hamis								A set									
1. Bernard Rev	11. Souther News	Matures Insent (Corport) Harrs				* *				O contraling from						_			
1. Replace Transfer	the second second	Materialism popperty Discoplination Indust		9.25						27. metima lihanta			. 0						
4. Recentlers Bank (Hair Bank)	But to english	Carrier and providence and the state of the								theoperates madeii yan K. russ C.									
5. 1880enar Nah	<ul> <li>month for the star.</li> </ul>	in anest (Rachtersk), Narts						4. 4		Reprint Contract (Perphy) Broost	100								1
6. Harbarn Webr	<ol> <li>the only second for Yarkahim.</li> </ol>	Phidogenetic Rossell (Composed) Harris								A of industry									
7. Botton Head	x ope inside for the spectra.	P. Assistent (Schenk), Schenk					A			A revolute literto									
6. Bease Cliff (Bobie House's Bart	Ø the only record for the species;	P publications throughout	2.2.2.2.2	1000		6 C 1	C 1027		5.4	A apple them						6 X X			
9 Marc Wyler	a in the following Bed.	Advancement includences (Text) Infords								X tenatunda (Millips) itus henegenen									2
18. Rel CMI SCHeborge RepCarton Rel	a contra segurar de la contra de	Spheriogeneric metagenericales Filerite								A designed lines									0
		Stadopter's gittere Percent								N on A of Serie									
		Postice distributions (Brongstart) Reserv								A up. 8 of Earth									
BRYOPHPTA		T demonstration						2.1		Paradytise claim Fischis									
Reputitives areasts (5, and 11) Harm	4 44	T and internet (Incorporat), howard						· · ·		Paradicture Access Tarts	1.2			1.00			÷		
If Authonomia Harts										C. Backetter Manager			-	-			-		
.H. Ayresengtona Illanta		CONNONPERMORITIN								P. offering Viscole									
A DESCRIPTION OF THE OWNER.		- CAPTOREAS								Sherrogeneria nama Harris									
IQUISIONIS		Angeleorigeneous pullars Tarris						1.2		it writeda Humite							-		
And other August (Burdward, Startin		Capitolitation and and Charles								1. authorstein (Brongmart) Plants		-		_	- L				÷
2 colonies brongtost		6.46								Another strength and and the strength									
E. Alberte (Saulte		Calemania Annaladial Vianna								A showcast lines							-		
A Jaterati Palitye		C sathrati (Temat)								Avenual in surgical and the Alexandron									
A methodate borrowski Chitampori Hafa		C. and and a Manager	1.12		1.1	100		1.1		di Joules Marrie									
Addressing an address to the state		4 phillippi December Barts				1.2		-		Anteresta pipe trend		2.1	-	1.0		-			
LYCOPODIALES		PERMIT	-			-		-	_	A an R of Barra			1			1			
Zanatowithis theliumer L and H.		chevelo anothe triante								Canadidate), minimum Tarris							_		
PERCOPSIDA.	and the second	C Resolution Tolegram								1. Autor Name									
Augmptoria Madel tan Citem		C. Needla Rante								1 Agene Barle									
A neglecter test Claters	<ul> <li>A. A. A</li></ul>	C. C. Strengerung Harry						10.7		C selves there						100			
Appalates thoreast there	the second se	Opposite country (Respect Married								C phenomen Parts					100				
Chalipholes alteratives Turuseuve knows		C. Indenity/ Contention National								C Managements Thanks								1.1	
C. Antiparticle in the second state		C regalation famili								C up non of this at al.									
C. Barristi vas Cinori		<ul> <li>nanaharat Yakisana</li> </ul>								Milleonegania magter (), and (4) (Rome					1.0				3
Clashraperis alicease tiele		Party and the second se		10.00						A prote thank									
Contepterts faile them	and the second distance in second second	P Antibias (Thomas and Base) (Inclu-								A return (Aurgenet) forts									
C Aurgente (futuale) Several		Photoset Research Factor								1) Among (), and () - Browners	1.2				1				
C Annual Charles (Charles ) and Real		police								O Julius Harris					1				
C mangamental lifetime		CYCRIMIN								O grantenet (Philips, Philips			4. 4						
C management (Brongstart) Recognized		And a second second second								O graphicae (anticolie) haporta				. *		+			2
C amples (L and H.) Harris		A manufacture & second								Co declared of Figure .			~ *						
d halpstein annotation and de analier that i I Gallylikhe kernel is periods) de kelle	d Consend pair derit. A Consend pair derit. Alluge of Consend pair bills		-	-							_								
<ul> <li>d'autoristication per la conductación</li> <li>d'autoristication en de la conductación</li> <li>Chalquillable berreal la periodally de facilit</li> </ul>	A Constant of the Area and Ar	r	1.1						N. N.		-								
d Balte descelate of de moder far 1 Galgelikke kernel is prilakty to brite BONETTENDS - could	d Connections and	c	1.1	-					N. N.		-								
Chargeners developed and of content of the second seconds and the methods for a Carlophilde format a period by the family BONETTENES - content Content Termine Content Termine Content Termine		CEREMONIALE	1.1	_					N. N.		-								
Calculate account of polarity count of balance descriptions of the and/or fails Calculation for the second EXNETTINGES - count O parabolic Politys O parabolic Politys O parabolic Politys O parabolic Politys		CIERANOPOLICE - cond basarias philometric and Niles basarias comercisions							H. H.										
Campanian and according product commen- or barry destination and the analysis due Campanian and a product due therein EXTREMENTATION AND a product the therein Campanian Statement D protect Termin D anomalysis Calcionary Realized D Anomalysis Calcionary Realize	Comparison         Compari	COMMUNICATI - and Communication collification Spaces and an and the set of the Spaces and an and the set of th	•			:	•••		н. н.										
Compared and characterized products of the common of the characterized on the common of the characterized Construction between the productive for the charac- Dispersion of the common of the common of the common Compared The common of the common of the common Common of the common of the common of the common Common of the common of the common of the common Common of the common of the common of the common of the common Common of the common of the com		CEDEAMOPERALED - control frameworks colore means for a second colore means for a second colore means for a second colore means for them in the form of them for a second colore and them	•			:	•••				-	_							
Candro Annotation on the analysis for Candro Annotation on the analysis for EXENTITIENES - cound D paralises Training D paralises for D paralises f		CERANGPERISES - control dessarabilities publications theme Approaches and the terms of the second second second publications matches filters, publications (NSNE)	• .			:	•••		0 0 2 g		-								
Comparing and the second public of the common of the second		CERROPORTICIA I const Consector estations from the logical sector of the sector of the logical sector of the sector of the Manual Manual Manual Constant of the Manual Manual Manual Constants Manual Manual Manual Constants	•			:	•••		0 0 2 .										
Control of the second of		CEREANSWEELEER - unmeh Aussammliche prichtensen Hanne Augenammehanne Hanne Sphanneren mehrten Hann, soll Miller Mithauf Mith	• •	•		: :	•••		· ·										
definition developes and for sender for all definitions developed and for any developed for developed for the sender developed for the sender developed for the sender developed for the sender developed for developed for the sender developed for the sender developed for developed for the sender developed for the sender developed for the sender developed for developed for the sender developed for the sender developed for the sender developed for developed for the sender developed for the sender		CERANDOMISEUS - const. CERANDOMISEUS - const. Approximation const. There is a service of the const. CERANDOMISEUM - const. and there is a service of the const. CERANDOMISEUM - const. CERANDOM	•			:	• •		11 U										
definition detendeds per de la sector der la destantitutes de la sector de la sector de la sector destantitutes de la sector dela sector de la sector de la sector de la sector de la sector de la sector de la sector de la sector de la sector de la sector de la sector de la sector de la sector de la sector de la sector		CIENT/CIENCES - and Anamarka address fars ad tille Anamarka and the start Anamarka and the start Anamarka and the start Anamarka and the start Head and the start and Background start failed on one Anamarka and the start Anamarka	• •	-		: :	•••		11 14 11 14 11 10 11 10										
A Contraction of a sector for an end-or for an end-or for an end-of the sector of a sector for an end-of the sector of the		CIDENCEPTRACES - small Researcher references in a series of the series of the series in a series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of the series of	• •				• •		11 14 11 14 11 10 11 10		-								
Comparison of the standard state of the		CERNOLOGIES	• •		• •	: :	• .		· ·		-								
Control of the second sec		CEREMOTIVALUES - undel Anazandus additional films all Miles Anazandus additional films all Miles Anazandus additional films additions anazane (Miles) faiths additional anazane (Miles) Miles and Miles (Miles) Miles (Miles) Additional films additional films addit	· · ·		• •		• .		· · ·		-								
Comparison of the second		CONTRACTOR STATES	• •				• .	· · · · · · · · · · · · · · · · · · ·	· · ·										
Comparison of the second		Classification of the second s	• •				• •		· · ·										
Comparison of the second particle of the		C CIESANOPORECES - unadi Massachen relatives in the second second second in the second second second massaches relative Ciesto of Ciesto Massaches relative Ciesto of Ciesto Massaches relative Ciesto di ciesto second second di ciesto second di ciesto second second di ciesto se	• •				• •		11 11 11 11 11 11 11 11 11 11 11 11 11 11										
Comparison of the control of th		CIENCE/PERSES - and/ Annual - and a set of the Annual - and a set of the Annual - and a set of the Annual - annual - and a set of the Annual - annual - annual - annual - annual - annual - annual - annual - annual - annual - annual - annual - annual - annual - annual - annual - annual - annu	• •				• •	· · · · · · · · · · · · · · · · · · ·	11 14 11 14 11 19 11 19										
The second		Classification of the second s					• •		· · ·										
Comparison of the second particle of the		C CONSTRUCTION CONSTRUCTURIN CO	• • • • • •				• •		······································										
Construction of the end of the second o		CICOLOGY/VELCO - and CICOLOGY/VELCO - and A second and a second and a second feature and a second feature feature and feature feature feature and feature fea	• •				· . · . ·		11 11 11 11 11 11 11 11 11 11 11 11 11 11 11 11										
**************************************		C CENTRATION CONTRACTOR - remaind Annual contraction of the contractor of the cont	• •				•••		11 M 11 a  										
<ul> <li>and a photos developments and of the standard sectors of the stan</li></ul>		C CONTRACTOR CONT	• •				•••		· · ·										
Comparison of the second		L CIENTATION CONTRACTOR - mand Annuardulu schlinkens läme sill föller Schlinkens annune (Relinger States Schlinkens Schlinkens annune Schlinkens annune Schlinke	• •				• •		1. M.										
<ul> <li>a) a point duration of a point du</li></ul>		C CIENCY/VICECES - small managements relative and managements relative managements relat	• •				• •		· · · · · · · · · · · · · · · · · · ·										
<ul> <li>and a photocharacterized of the constraints of the constr</li></ul>		C CONTRACTORNELLES - enal CONTRACTORNELLES - enal Annual Contractornelle (Contractornelle Contractornelle (Contractornelle Contractornell	• •				• •	· · · · · · · · · · · · · · · · · · ·	11 11 										
<ul> <li>If a physical analysis of the second s</li></ul>		L CENTRATION CONTRACTOR - remaind Annuary and a statistical and a statistical design of the statistical and a statistical and a statistical design of the statistical and a statistical and a statistical design of the statistical and a statistical and a statistical design of the statistical and a statist	• •				•••		11 11 12 12 14 14 15 14 15 14 15 14 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 1										
<ul> <li>a) a specific distribution of the second seco</li></ul>		C CONSCIPTION CONSTITU	• •		· · · · · · · · · · · · · · · · · · ·		•••		11 11 11 11 11 11 11 11 11 11 11 11 11										
<ul> <li>and a phase developments and of the standard field of a standard field of</li></ul>		CONTROLOGIA - enal      C	• • •				••••		11 11 11 11 11 11 11 11 11 11 11 11 11										
A sequence of the sequenc		C CIENCYCYUGUELS - small Associate information information and associate and the measurement (Millips Inter- tion and the state and the measurement (Millips Inter- tion and the state and the state associate and the state and the measurement (Millips Inter- ation and the state and the state associate and the state and the measurement (Millips Inter- ation and the state and the measurement (Millips Inter- tion and the state and the measurement (Millips Inter- tion and the state and the measurement (Millips Inter- tion and the state and the state of the state and the state and the measurement (Millips Inter- tion and the state and the state Millips Inter- ment (Millips Inter- ment (Millips Inter- ment (Millips Inter- ment (Millips Inter- ment (Millips Inter- tion and the state and the state Millips Inter- Millips Inter- Inter- Millips Inter- Millips Inter- Millips Inter- Millips Inter- Millips Inter- Millips Inter- Inter- Millips Inter- Millips Inter- Inter- Millips Inter- I	• • •		· · · · · · · · · · · · · · · · · · ·		• •		11 11 11 11 11 11 11 11 11 11 11 11 11		-								
<ul> <li>a) a point duration of a point du</li></ul>		C CONTRACTORUSCION - scand American and a scanding and a scanding and a scanding and a scanding and a scanding and a scanding and a scanding and a scanding and a s	• • •			· · · · · · · · · · · · · · · · · · ·	• • •		11 11 11 11 11 11 11 11 11 11 11 11 11		-								
<ul> <li>and an advances and of a sub-off the sub-</li></ul>		CIECCICCUTATIONS - const CIECCICCUTATIONS - const Amount - construction - const Amount -	• • •		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	••••		11 11 11 11 11 11 11 11 11 11 11 11 11		-								
<ul> <li>a) a specific constraints of a characteristic of the specific constraints of the specific constraints</li></ul>		Classification of the second s	• • •				•••				-								
<ul> <li>and an advancement of the constraints of the constraints</li></ul>		Construction of the second secon	• •			· · · · · · · · · · · · · · · · · · ·	•••				-								
<ul> <li>a) a display discretion and characterized in the specialisty model in the specialisty m</li></ul>		CICLOSOFTENENCES - const CICLOSOFTENENCES - const Amount of the second of the second amount of the second of the second of the amount of the second of the second of the second of the amount of the second of the second of the amount of the second of the second of the amount of the second of the second of the second of the amount of the second of the second of the second of the second of the amount of the second of the sec	• • • • • • • • • • • • • • • • • • • •				· · · · · · · · · · · · · · · · · · ·				-								
<ul> <li>a) a space for the state of the</li></ul>		Classification of the second sec	• • • • • • • • • • • •		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	•••		11 11 11 0 0 0 11 11 11 11 11 11 11 11 11 11 11 1		-								
<ul> <li>a departments and characterized</li> <li>a departments and characterized</li> <li>a department and an experision of the second s</li></ul>		CONTROLOGIA - enal      C					· · · · · · · · · · · · · · · · · · ·				-								
<ul> <li>and a solution of the solution of the</li></ul>		CICKOUPTUREST - and M     Section 2014 -				• • •	•••		11 11 11 11 11 11 11 11 11 11 11 11 11										
<ul> <li>a) a space data based and a space of the spa</li></ul>		Classification of the second sec				· · · · · · · · · · · · · · · · · · ·	•••				-								
<ul> <li>a departments and characterized</li> <li>a departments and characterized</li> <li>a department and a speciality for the speciality of the specialit</li></ul>		CONTROLOGIA - enal      CONTROLOGIA - enal      Control - ena				• • •	•••												
<ul> <li>a) a) a point duration of a point</li></ul>		C CIENCYCYUGUESIS - small Management information inform	· · · · · · · · · · · · · · · · · · ·			•••	•••												
<ul> <li>a) a space data based on a factor of the space of the child of the space of the spa</li></ul>		Constructive sector of the sector of th					•••••••••••••••••••••••••••••••••••••••												
<ul> <li>and an advancement of the constraints of the constraints</li></ul>		CISADAPTICALLS - enal.     Advancement procession of the sector of	· · · · · · · · · · · · · · · · · · ·				•••												
<ul> <li>a) a departmention of a departmention</li></ul>		Classification of the second s	· · · · · · · · · · · · · · · · · · ·				•••												
<ul> <li>a) a space designed and a space of the space</li></ul>		CONSUMPLIES:	· · · · · · · · · · · · · · · · · · ·				•••												
<ul> <li>and advancements and characterized</li> <li>and advancements and advancements and characterized</li> <li>and advancements and characterized</li> <li>and advancements and advancements andvancements and advancements and advancements andvancements a</li></ul>		CISADOPTICALCES - const.     Amount of the second sec	· · · · · · · · · · · · · · · · · · ·				•••												

(Table 3.1) Records of plant fossils from the Yorkshire Jurassic GCR sites. These records have been gleaned from published accounts, largely by Harris (1961a, 1964, 1969, 1979a,b; Harris et al., 1974), Hill et al. (1985), Hill and van Konijnenburg-van Cittert (1973), Spicer and Hill (1979), van Konijnenburg-van Cittert (1971, 1975a,b, 1978, 1981, 1987, 1989), and van Konijnenburg-van Cittert and Morgans (1999), from archived field notes in the Natural History Museum (London), and from examining collections in that museum and the National Museum and Gallery Cardiff. Records known to fall outside the boundaries of the sites have been omitted, but those over which there is some doubt have been included.



(Figure 3.32) Otozamites gramineus (Phillips) Phillips. The leaves of this bennettitalean can be up to 300 mm long and 50–70 mm wide, and are composed of slender pinnae in which the upper angles of their bases are enlarged as auricles. Laboratory of Palaeobotany and Palynology, Utrecht, specimen S.6432, Saltwick Formation, Hayburn Wyke, × 0.9. (From van Konijnenburg-van Cittert and Morgans, 1999; photo: J.H.A. van Konijnenburg-van Cittert.)



(Figure 3.34) Zamites gigas (Lindley and Hutton) Morris. This common bennettite leaf is typically 300 mm long and 120 mm wide with large pinna that are parallel-sided and tapering in their upper third towards an acute apex. Laboratory of Palaeobotany and Palynology, Utrecht, specimen S.1319, Saltwick Formation, Hayburn Wyke, × 0.25. (Photo: J.H.A. van Konijnenburg-van Cittert.)