
Mesozoic and Tertiary fossil mammals and birds of Great Britain

Contents

The original source material for these web pages has been made available by the JNCC under the Open Government Licence 3.0. [Full details in the JNCC Open Data Policy](#)

[Title page and preliminaries](#)

Acknowledgements

Access to the countryside

Conserving our fossil heritage — JNCC policy statement

Preface

[1 Introduction to Mesozoic and Tertiary fossil mammals and birds](#) M.J. Benton

A history of the study of fossil mammals and birds

Bird evolution

Mammal evolution

Fossil mammal and bird sites: distribution and range

The selection of Mesozoic and Tertiary fossil mammal and bird GCR sites

[2 British Mesozoic fossil mammal GCR sites](#) M.J.. Benton, J.J. Hooker and E. Cook

Introduction: Mesozoic stratigraphy and sedimentary setting

Mammal evolution during the Mesozoic Era

British Mesozoic Mammal GCR sites

[Early Jurassic mammal and tritylodont sites](#)

[Windsor Hill Quarry, Shepton Mallet, Somerset](#)

[Holwell Quarries, Frome, Somerset](#)

[Bridgend Quarries, Glamorgan](#)

[Middle Jurassic mammal sites](#)

[Stonesfield Slate Mines, Oxfordshire](#)

[Kirtlington Old Cement Works, Kirtlington, Oxfordshire](#)

[Loch Scavaig, Skye and Lochalsh](#)

[Watton Cliff, Dorset](#)

[Late Jurassic mammal sites](#)

[Upper Chicksgrove Quarry, Wiltshire](#)

[Early Cretaceous mammal sites](#)

[Durlston Bay, Swanage, Dorset](#)

[Wealden mammal sites](#)

[Cliff End, East Sussex](#)

[3 British Tertiary fossil mammal GCR sites](#) J.J. Hooker, E. Cook and M.J. Benton

Introduction

Tertiary stratigraphy and sedimentary setting

Mammal evolution in the British Tertiary Sub-era

British Tertiary mammal sites

[Ferry Cliff; Suffolk](#)

[Abbey Wood, Greater London](#)

[Creechbarrow Hill, Dorset](#)

[Hordle Cliff Hampshire](#)

[Headon Hill, Isle of Wight](#)

[Lacey's Farm Quarry, Totland, Isle of Wight](#)

[Whitecliff Bay, Isle of Wight](#)

[Bouldnor Cliff, Isle of Wight](#)

[4 British Tertiary fossil bird GCR sites](#) M.J. Benton and E. Cook

Introduction

Bird evolution in the British Tertiary Sub-era

British Tertiary bird sites

[Abbey Wood, Greater London](#)

The London Clay Formation

[Walton-on-the-Naze, Essex](#)

[Bognor Regis, West Sussex](#)

[Warden Point and the Isle of Sheppey, Kent](#)

[Burnham-on-Crouch, Essex](#)

[Lee-on-the-Solent, Gosport, Hampshire](#)

[Hordle Cliff Hampshire](#)

[Bouldnor Cliff; Isle of Wight](#)

[**References**](#)

[**Glossary**](#)

[**Fossil index**](#)

General index

[**Figures and tables**](#)

[**Tables**](#)

[**References**](#)