
References

In this reference list the arrangement is alphabetical by author surname for works by sole author and dual authors. However, where there are references that include the first-named author with others, the sole-author works are listed chronologically first, followed by the dual author references (alphabetically) followed by the references with three or more authors listed *chronologically*, for ease of identifying 'et al.' references. Chronological order is used within each group of identical authors.

- Abbink, O.A., Callomon, J.H., Riding, J.B., Williams, P.D.B. and Wolfard, A. (2001) Biostratigraphy of Jurassic–Cretaceous boundary strata in the Terschelling Basin, The Netherlands. *Proceedings of the Yorkshire Geological Society*, 53, 275–302.
- Aguirre, E. and Pasini, G. (1985) The Plio-Pleistocene boundary. *Episodes*, 8, 116–20.
- Ali, J.R., King, C. and Hailwood, E.A. (1993) Magnetostratigraphic calibration of early Eocene depositional sequences in southern North Sea Basin. In *High Resolution Stratigraphy* (eds E.A. Hailwood and R.B. Kidd), Geological Society Special Publication, No. 70, pp. 99–125
- Allen, P. (1959) The Wealden environment: Anglo-Paris basin. *Philosophical Transactions of the Royal Society, Series B*, 242, 283–346.
- Allen, P. (1962) The Hastings Beds deltas: recent progress and Easter field trip meeting report. *Proceedings of the Geologists' Association*, 73, 219–43.
- Allen, P. (1967) Origin of the Hastings facies in north-western Europe. *Proceedings of the Geologists' Association*, 78, 27–105.
- Allen, P. (1975) Wealden of the Weald: a new model. *Proceedings of the Geologists' Association*, 86, 389–438.
- Allen, P. (1981) Pursuit of Wealden models. *Journal of the Geological Society, London*, 138, 375–405.
- Allen, P. (1989) Wealden research — ways ahead. *Proceedings of the Geologists' Association*, 100, 529–64.
- Allen, P. and Wimbledon, W.A. (1991) Correlation of NW European Purbeck–Wealden (nonmarine Lower Cretaceous) as seen from the English type areas. *Cretaceous Research*, 12, 511–26.
- Allen, P. (and 34 others) (1998). Purbeck–Wealden (early Cretaceous) climates. *Proceedings of the Geologists' Association*, 109, 197–236.
- Allport, D. (1841) *Collections Illustrative of the Geology, History, Antiquities, and Associations, of Camberwell, and the Neighbourhood*, Printed for the author, Camberwell, 255 pp.
- Alroy, J. (1999) The fossil record of North American mammals: Evidence for a Paleocene evolutionary radiation. *Systematic Biology*, 48, 107–18.
- Anderton, R., Bridges, P.H., Leeder, M.R. and Sellwood, B.W. (1979) *A Dynamic Stratigraphy of the British Isles*, George Allen and Unwin, London, 301 pp.
- Andrews, C.W. (1899) On the remains of a new bird from the London Clay of Sheppey. *Proceedings of the Zoological Society of London*, 1899, 776–85.
- Andrews, J.E. (1985) Sedimentary facies of a late Bathonian regressive episode: the Kilmaluag and Skudiburgh formations of the Great Estuarine Group, Inner Hebrides, Scotland. *Journal of the Geological Society, London*, 142,

- Anon (1983) Report on new excavations at Chicks Grove, Wiltshire. Unpublished report for the Nature Conservancy Council, Great Britain.
- Archibald, J.D. (2003) Timing and biogeography of the eutherian radiation: fossils and molecules compared. *Molecular Phylogenetics and Evolution*, 28, 350–9.
- Arkell, W.J. (1931) The Upper Great Oolite, Bradford Beds and Forest Marble of south Oxfordshire and the succession of gastropod faunas in the Great Oolite. *Quarterly Journal of the Geological Society of London*, 87, 563–629.
- Arkell, W.J. (1933) *The Jurassic System in Great Britain*, Clarendon Press, Oxford, 681 pp.
- Arkell, W.J. (1947) *The Geology of the Country around Weymouth, Swanage, Corfe and Lulworth: Explanation of sheets 341 to 343 with small portions of sheets 327 to 329*, Memoir (Sheet) of the Geological Survey of Great Britain (England and Wales) — New Series (341–343), HMSO, London, 386 pp.
- Armenteros, I., Daley, B. and Garcia, E. (1997) Lacustrine and palustrine facies in the Bembridge Limestone (Late Eocene, Hampshire Basin) of the Isle of Wight, southern England. *Palaeogeography, Palaeoecology, Palaeoclimatology*, 128, 111–32.
- Astin, T.R. (1987) Petrology (including fluorescence microscopy) of cherts from the Portlandian of Wiltshire, U.K. — evidence of an episode of meteoric water circulation. In *Diagenesis of Sedimentary Sequences* (ed. J.D. Marshall), Geological Society of London Special Publication, 36, 73–85.
- Aston, M.A. (1974) *Stonesfield Slate*, Department of Museum Services Publication, No. 5, Oxfordshire County Council, Oxford, 85 pp.
- Aubry, M.-P. (1986) Paleogene calcareous nannoplankton biostratigraphy of northwestern Europe. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 55, 267–334.
- Aubry, M.-P., Lucas, S.G. and Berggren, W.A. (1998) *Late Paleocene–Early Eocene Climatic and Biotic Events in the Marine and Terrestrial Records*, Columbia University Press, New York, 508 pp.
- Austen, J.H. (1852) *A Guide to the Geology of the Isle of Purbeck and the South Coast of Hampshire*, Blandford, London, 20 pp.
- Aymard, A. (1846) Essai monographique sur un nouveau genre de mammifère fossile trouvé dans la Haute-Loire, et nommé *Entelodon*. *Annales de la Société d'Agriculture, Sciences, Arts et Commerce de Puy*, 12, 227–67.
- Baden-Powell, D.F.W. (1950) The Pliocene–Pleistocene boundary in the British deposits. *Proceedings of the XVIII Geological Congress*, (1948) Section H, 8–10.
- Bahlo, E. (1975) Die Nagetierfauna von Heimersheim-bei-Alzey (Rheinhessen, Westdeutschland aus den Grenzbereich Mittel-/Oberligozan and ihre stratigraphische Stellung. *Abhandlungen Hessischen Landesamtes für Bodenforschung*, 71, 1–182.
- Balson, P.S. (1990) The 'Trimley Sands': A former marine Neogene deposit from eastern England. *Tertiary Research*, 11, 145–58.
- Benton, M.J. (1991) *The Rise of the Mammals*, Apple Books, London; Crescent Books, New York, 144 pp.
- Benton, M.J. (1993) Reptiles. In *The Fossil Record 2* (ed. M.J. Benton), Chapman and Hall, London, pp. 681–715.
- Benton, M.J. (2005) *Vertebrate Palaeontology*, 3rd edn, Blackwell, Oxford, 472 pp.

- Benton, M.J. and Spencer, P.S. (1995) *Fossil Reptiles of Great Britain*, Geological Conservation Review Series, No. 10, Chapman and Hall, London, 386 pp.
- Berggren, W.A., Kent, D.V., Swisher, C.C. and Aubry, M.-P. (1995) A revised Cenozoic geochronology and chronostratigraphy. In *Geochronology, Time Scales and Global Stratigraphic Correlation* (eds W.A. Berggren, D.V. Kent, M.-P. Aubry and Hardenbol, J.), SEPM Special Publication, 54, pp. 129–212
- BiochroM'97 (1997) Synthèses et tableaux de corrélations. *Mémoires et Travaux de l'Institut de Montpellier*, 21, 769–805.
- Blainville, H.M. de (1839–1864) *Ostéographie ou Description iconographique Comparée du Squelette et du Système Dentaire des Mammifères Recents et Fossiles pour Servir de Base à la Zoologie et à la Géologie*, 4 volumes, J.B. Blainville et fils, Paris.
- Boles, W.E. (1997) Fossil songbirds (Passeriformes) from the Early Eocene of Australia. *Emu*, 97, 43–50.
- Bone, D.A., Todd, J.A. and Tracey, S. (1991) Fossils from the Bracklesham Group exposed in the M27 motorway excavations, Southampton, Hampshire. *Tertiary Research*, 12, 131–7.
- Boneham, B.F.W. and Wyatt, R.J. (1993) The stratigraphical position of the Middle Jurassic (Bathonian) Stonesfield Slate of Stonesfield, Oxfordshire, UK. *Proceedings of the Geologists' Association*, 104, 123–36.
- Bonis, L. de (1964) Étude de quelques mammères du Ludien de La Débruge (Vaucluse). *Annales de Paléontologie. (Vertébrés)*, 50, 121–54.
- Bosma, A.A. (1974) *Rodent biostratigraphy of the Eocene–Oligocene transitional strata of the Isle of Wight*, *Utrecht Micropalaeontological Bulletins, Special Publication*, No. 1, pp. 1–128.
- Bosma, A.A. and de Bruijn, H. (1979) Eocene and Oligocene Gliridae (Rodentia, Mammalia) from the Isle of Wight, England. Part I. The *Gliravus priscus*–*Gliravus fordi* lineage. *Proceedings Koninklijke Nederlandse Akademie van Wetenschappen, Series B*, 82, 367–84.
- Bosma, A.A. and de Bruijn, H. (1982) Eocene and Oligocene Gliridae (Rodentia, Mammalia) from the Isle of Wight, England. Part II. *Gliravus minor* n. sp., *Gliravus daamsi* n. sp., and *Bransatoglis bahloi* n. sp. *Proceedings Koninklijke Nederlandse Akademie van Wetenschappen, Series B*, 85, 365–80
- Bosma, A.A. and Insole, A.N. (1972) Theridomyinae (Rodentia, Mammalia) from the Osborne Beds (Late Eocene), Isle of Wight, England. *Proceedings Koninklijke Nederlandse Akademie van Wetenschappen, Series B*, 75, 133–44.
- Bosma, A.A. and Insole, A.N. (1976) Prosciuridae (Rodentia, Mammalia) from the Osborne Beds (Headonian), Isle of Wight, England. *Proceedings Koninklijke Nederlandse Akademie van Wetenschappen, Series B*, 79, 1–8.
- Bosma, A.A. and Schmidt-Kittler, N. (1972) *Ectropomys exiguus* n. gen., n. sp., member of the Oltinomyinae n. subfam. (Theridomyidae, Rodentia), from Paleogene deposits of the Isle of Wight (England) and southern Germany. *Proceedings Koninklijke Nederlandse Akademie van Wetenschappen, Series B*, 75, 181–92.
- Boswell, P.G.H. (1952) The Pliocene–Pleistocene boundary in the east of England. *Proceedings of the Geologists' Association*, 63, 301–12
- Bowerbank, J.S. (1854) On the remains of a gigantic bird (*Lithornis emuinus*) from the London Clay of Sheppey. *Annals and Magazine of Natural History, Series 2*, 14, 263–4.
- Bradshaw, M.J., Cope, J.C.W., Cripps, D.W., Donovan, D.T., Howarth, M.K., Rawson, P.F., West, I.M. and Wimbledon, W.A. (1992) Jurassic. In *Atlas of Palaeogeography and Lithofacies* (eds J.C.W. Cope, J.K. Ingham and P.F. Rawson), *Geological Society of London Memoir*, No. 13, Geological Society of London, London, pp. 107–29.

- Brinkhuis, H. and Visscher, H. (1995) The upper boundary of the Eocene Series: a reappraisal based on dinoflagellate cyst biostratigraphy and sequence stratigraphy. In *Geochronology, Time Scales and Global Stratigraphic Correlation* (ed. W.A. Berggren, D. V. Kent and J. Hardenbol). *SEPM Special Publication*, 54, 295–304.
- Broderip, W.J. (1827) Observations on the jaw of a fossil mammiferous animal, found in the Stonesfield Slate. *Zoological Journal*, 3, 408–12.
- Brodkorb, P. (1978) Catalogue of fossil birds. Part 5 (Passeriformes). *Bulletin of the Florida State Museum, Biological Sciences*, 23, 141–228.
- Brunet, M. (1979) *Les grands mammifères chefs de file de l'immigration oligocene et le prob-Mille de la limite Eocene–Oligocène en Europe*. Fondation Singer-Polignac editions, Paris, 281 pp.
- Brunet, M. and Jehenne, Y. (1989) Revision des genres *Plagiolophus* Pomel, 1847 et *Paloplotherium* Owen, 1848, Mammalia, Palaeotheriidae du Paléogène d'Europe; interet biochronologique. *Annales de Paléontologie (vertébrés)*, 75, 23–52.
- Buckland, W. (1823) *Reliquae Diluvianae, or Observations on the Organic Remains contained in Caves, Fissures, and Diluvial Gravel attesting the Action of a Universal Deluge*, John Murray, London, 303 pp.
- Buckland, W. (1824) Notice on the *Megalosaurus*, or great fossil lizard of Stonesfield. *Transactions of the Geological Society of London, Series 2*, 1, 390–6.
- Buffetaut, E. (1987) *A Short History of Vertebrate Palaeontology*, Croom Helm, London, 223 pp.
- Burton, E.St.J. (1929) The horizons of Bryozoa (Polyzoa) in the Upper Eocene of Hampshire. *Quarterly Journal of the Geological Society, London*, 85, 223–39.
- Bury H. (1934) "Creech Barrow". *Proceedings of the Bournemouth Natural Science Society*, 26, 68–72.
- Butler, P.M. (1946) An arctocyonid from the English Ludian. *Annals and Magazine of Natural History, Series 11*, 13, 691–701.
- Butler, P.M. (1972) The problem of insectivore classification. In *Studies in Vertebrate Evolution: essays presented to Dr F.R. Parrington, F.R.S.* (eds K.A. Joysey and T.S. Kemp), Oliver and Boyd, Edinburgh, pp. 253–65.
- Butler, P.M. (2000) Review of the early allotherian mammals. *Acta Palaeontologica Polonica* 45, 317–42.
- Butler, P.M. and Clemens, W.A. (2001) Dental morphology of the Jurassic holotherian mammal *Amphitherium*, with a discussion of the evolution of mammalian post-canine dental formulae. *Palaeontology*, 44, 1–20.
- Butler, P.M. and Ford, R. (1977). Discovery of Cretaceous mammals on the Isle of Wight. *Proceedings of the Isle of Wight Natural History and Archaeological Society*, 6, 662–3.
- Butler, P.M. and Hooker, J.J. (2005) New teeth of allotherian mammals from the English Bathonian, including the earliest multituberculates. *Acta Palaeontologica Polonica*, 50, 185–207.
- Butler, P.M. and MacIntyre, G.T. (1994) Review of the British Haramiyidae (Mammalia, Allotheria), their molar occlusion and relationships. *Philosophical Transactions of the Royal Society, Series B*, 345, 433–58.
- Buurman, P (1980) Palaeosols in the Reading Beds (Paleocene) of Alum Bay, Isle of Wight, U.K. *Sedimentology*, 27, 593–606.
- Cande, S.O and Kent, D.V. (1995) Revised calibration of the geomagnetic polarity timescale for the Late Cretaceous and Cenozoic. *Journal of Geophysical Research*, 100, 6093–5.

- Cappetta, H. and Ward, D.J. (1977) A new Eocene shark from the London Clay of Essex. *Palaeontology*, 20, 195–202.
- Carroll, R. (1988) *Vertebrate Paleontology and Evolution*, W.H. Freeman, New York, 698 pp.
- Cassiliano, M.L. and Clemens, W.A. (1979) Symmetrodonta. In *Mesozoic Mammals: the First Two-thirds of Mammalian History* (eds J.A. Lillegraven, Z. Kielan-Jaworowska and W.A. Clemens), University of California Press, Berkeley, pp. 150–61.
- Cavelier, C. (1979) La limite Eocène–Oligocène en Europe Occidentale. *Sciences Géologiques*, 54, 1–280.
- Chandler, M.E.J. (1978) *Supplement to the Lower Tertiary floras of southern England: Part 5, Tertiary Research Special Paper*, No. 4, Tertiary Research Group, London, 47 pp.
- Chandler, R.H. (1923) The Tertiary section at Shorne Wood, Cobham, Kent. *Proceedings of the Geologists' Association*, 34, 137–41.
- Charlesworth, E. (1855) Notice on new vertebrate fossils. *Report of the British Association for the Advancement of Science*, 1854, p. 80.
- Chiappe, L.M. (1995) The first 85 million years of avian evolution. *Nature*, 378, 349–55.
- Chiappe, L.M. (2002) Basal bird phylogeny, problems and solutions. In *Mesozoic Birds: Above the Heads of Dinosaurs* (eds L.M. Chiappe and L.M. Witmer), University of California Press, Berkeley, pp. 448–72.
- Chiappe, L.M. and Witmer, L.M. (eds) (2002) *Mesozoic Birds; Above the Heads of Dinosaurs*, University of California Press, Berkeley, 532 pp.
- Chow M. and Rich, T.H.V. (1982) *Shuotheriuni dongi*, n. gen. and sp., a therian with pseudotribosphenic molars from the Jurassic of Sichuan, China. *Australian Mammalogy*, 5, 127–42.
- Cleal, C.J. and Rees, P.M. (2003) The Middle Jurassic flora from Stonesfield, Oxfordshire, UK. *Palaeontology*, 46, 739–801.
- Cleal, C.J., Thomas, B.A., Batten, D.J. and Collinson, M.E. (2001) *Mesozoic and Tertiary Palaeobotany of Great Britain*. Geological Conservation Review Series, No. 22, Joint Nature Conservation Committee, Peterborough, 558 pp.
- Clemens, W.A. (1963) Wealden mammalian fossils. *Palaeontology*, 6, 55–69.
- Clemens, W.A. (1979) A problem in morganucodontid taxonomy (Mammalia). *Zoological Journal of the Linnean Society*, 66, 1–14.
- Clemens, W.A. (1980) Rhaeto-Liassic mammals from Switzerland and West Germany. *Zitteliana*, 5, 51–92.
- Clemens, W.A. (1986) On Triassic and Jurassic mammals. In *The Beginning of the Age of Dinosaurs: Faunal Change across the Triassic–Jurassic Boundary* (ed. K. Padian), Cambridge University Press, Cambridge, pp.
- Clemens, W.A. and Kielan-Jaworowska, Z. (1979) Multituberculata. In *Mesozoic Mammals: the First Two-thirds of Mammalian History* (eds J.A. Lillegraven, Z. Kielan-Jaworowska and W.A. Clemens), University of California Press, Berkeley, pp. 99–149.
- Clemens, W.A. and Lees, P. (1971) A review of English Early Cretaceous mammals. In *Early Mammals* (eds D.M. Kermack and K.A. Kermack), *Zoological Journal of the Linnean Society*, 50, Supplement 1, Academic Press for the Linnean Society of London, London, pp. 117–30.
- Clemens, W.A., Lillegraven, J., Lindsay, E.H. and Simpson, G.G. (1979) Where, when, and what — a survey of known Mesozoic mammal distribution. In *Mesozoic Mammals: the First Two-thirds of Mammalian History* (eds J.A. Lillegraven,

Z. Kielan-Jaworowska and W.A. Clemens), University of California Press, Berkeley, pp. 7–58.

Clemens, W.A. and Mills, J.R.E. (1971) Review of *Peramus tenuirostris* Owen (Eupantotheria, Mammalia). *Bulletin of the British Museum (Natural History): Geology*, 20, 89–113.

Clements, R.G. (1993) Type-section of the Purbeck Limestone Group, Durlston Bay, Swanage, Dorset. *Proceedings of the Dorset Natural History and Archaeological Society*, 114, 181–206.

Colenutt, G.W. (1888) On a portion of the Osbourne Beds of the Isle of Wight and on some remarkable organic remains recently discovered therein. *Geological Magazine, Decade III, 5*, 358–62.

Colenutt, G.W. (1893) The Bembridge Limestone (Binstead Stone') of the Isle of Wight. *Papers and Proceedings of the Hampshire Field Club*, 2, 167–80.

Collinson, M.E. (1983a) *Fossil Plants of the London Clay, Field Guides to Fossils*, No. 1, Palaeontological Association, London, 121 pp.

Collinson, M. E. (1983b). Palaeofloristic assemblages and palaeoecology of the Lower Oligocene Bembridge Marls, Hamstead Ledge, Isle of Wight. *Botanical Journal of the Linnean Society*, 86, 177–205.

Collinson, M.E. (1996) Plant macrofossils from the Bracklesham Group (Early and Middle Eocene), Bracklesham Bay, West Sussex, England: review and significance in the context of coeval British Tertiary floras. *Tertiary Research*, 16, 175–202.

Collinson, M.E. and Hooker, J.J. (1987) Vegetational and mammalian faunal changes in the Early Tertiary of southern England. In *The Origins of Angiosperms and the Biological Consequences* (eds E.M. Fris, W.G. Chaloner and P.R. Crane), Cambridge University Press, Cambridge, pp. 259–304

Collinson, M.E. and Hooker, J.J. (2000) Gnaw marks on Eocene seeds: evidence for early rodent behaviour. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 157, 127–49.

Collinson, M.E. and Hooker, J.J. (2003) Paleogene vegetation of Eurasia: framework for mammalian faunas. *Deinsea*, 10, 41–83

Collinson, M.E., Hooker, J.J. and Grocke, D.R. (2003) Cobham Lignite Bed and penecontemporaneous macrofloras of southern England: a record of vegetation and fire across the Paleocene–Eocene Thermal Maximum. *Geological Society of America Special Publications* 369, 333–49.

Cook, E. (1995a) Sedimentology and Taphonomy of Wealden (Lower Cretaceous) Bone Accumulations. Unpublished PhD Thesis, University of Bristol.

Cook, E. (1995b) Taphonomy of two non-marine Lower Cretaceous bone accumulations from southeastern England. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 116, 263–70.

Cooper, C.F. (1925) Notes on the species of *Ancodon* from the Hampstead Beds. *Annals and Magazine of Natural History, Series 9*, 16, 113–38.

Cooper, C. F. (1926a) *Brachyodus woodi*, a new species from the Hampstead Beds. *Annals and Magazine of Natural History*, 9, 337–42.

Cooper, C.F. (1926b) *Hyaenodon aimi*, sp. n., and a note on the occurrence of *Anthracotherium minus* from the Headon Beds, at Hordle. *Annals and Magazine of Natural History, Series 9*, 18, 370–3.

Cooper, C.F. (1928) *Pseudamphimeryx hantonensis*, sp. n., with notes on certain species of artiodactyles from the Eocene deposits of Hordwell. *Annals and Magazine of Natural History, Series 10*, 2, 49–55.

- Cooper, C.F. (1932a) The genus *Hyracotherium*. A revision and description of new specimens found in England. *Philosophical Transactions of the Royal Society, Series B*, 221, 431–48.
- Cooper, C.F. (1932b) On some mammalian remains from the Lower Eocene of the London Clay. *Annals and Magazine of Natural History, Series 10*, 9, 458–67.
- Cooper, J. (1970) Report of field meeting to Walton and Frinton (Compiled). *Tertiary Times*, 1, 24–6.
- Cooper, J. (1976a) Report of Easter Field meeting to Arborfield, Berkshire, 16. viii. 1975. *Tertiary Research* 1, 9–10.
- Cooper, J. (1976b) Sections recorded by the Tertiary Research Group at Bramford, 20.11.1971. *Bulletin of the Ipswich Geology Group*, 16, 11–2.
- Cooper, J. (1977) The palaeontology of the London Clay (Lower Eocene) of the Herne Bay coastal section, Kent, England. *Proceedings of the Geologists' Association*, 88, 163–78.
- Costa, L. I. and Manum, S. B. (1988) The description of the interregional zonation of the Paleogene (D1–D15) and the Miocene (D16–D20). In *The Northwest European Tertiary Basin. Results of the International Geological Correlation Programme, Project no. 124* (ed. R. Vinken). *Geologisches Jahrbuch*, (A) 100, 321–30.
- Cracraft, J., Barker, F.K., Braun, M., Harshman, J., Dyke, G.J., Feinstein, J., Stanley, S., Cinois, A., Schikler, P., Beresford, P., Garcia-Moreno, J., Sorenson, M.D., Yuri, T. and Mindell, D.P. (2004) Phylogenetic relationships among modern birds (Neornithes): toward an avian tree of life. In *Assembling the Tree of Life* (eds J. Cracraft and M.J. Donoghue), Oxford University Press, New York, pp. 468–9.
- Cray, P.E. (1973) Marsupialia, Insectivora, Primates, Creodonta and Carnivora from the Headon Beds (Upper Eocene) of southern England. *Bulletin of the British Museum (Natural History): Geology*, 23, 1–102.
- Crochet, J.-Y. (1974) Les insectivores des Phosphorites du Quercy. *Paléovertebrata*, 6, 109–59.
- Crochet, J.-Y. (1979) Diversité systématique des Didelphidae (Marsupialia) européens tertiaires. *Geobios*, 12, 365–8.
- Crochet, J.-Y. (1980) *Les Marsupiaux du Tertiaire de l'Europe*. Éditions Singer-Poligniac, Paris, 279 pp.
- Curry D. (1958) The Barton area. In *Geology of the Southampton Area: including the coast sections at Barton, Hants and Bracklesham, Sussex* (eds D. Curry and D.E. Wisden), Geologists' Association Guide, No. 14, Benham and Co., Colchester, pp. 8–12.
- Curry, D., Adams, C.G., Boulter, M.C., Dilley, F.C., Eames, F.E., Funnell, B.M. and Wells, M.K. (1978) *A Correlation of Tertiary Rocks in the British Isles*, Geological Society of London Special Report, No. 12, Geological Society of London, London, pp. 1–72.
- Cuvier, G. (1804) Sur les espèces d'animaux dont proviennent les os fossiles répandus dans la pierre à plâtre des environs de Paris. *Annales du Muséum d'Histoire Naturelle, Paris*, 3 (1804), 275–303, 364–87, 442–72.
- Cuvier, G. (1812) *Recherches sur les ossemens fossiles de quadrupèdes: où l'on rétablit les caractères de plusieurs espèces d'animaux que les révolutions du Globe paroissent avoir détruites*, 1st edn, 4 volumes, Deterville, Paris.
- Cuvier, G. (1821–1824) *Recherches sur les ossemens fossiles, où l'on rétablit les caractères de plusieurs espèces d'animaux que les révolutions du Globe paroissent avoir détruites les espèces*, 2nd edn, 5 volumes, Chez Dufour et E. d'Ocagne, Paris.
- Cuvier, G. (1834–1836) *Recherches sur les ossemens fossiles, où l'on rétablit les caractères de plusieurs espèces d'animaux que les révolutions du Globe paroissent avoir détruites les espèces*, 4th edn, E. d'Ocagne, Paris.

- Daley, B. (1972) Macroinvertebrate assemblages from the Bembridge Marls (Oligocene) of the Isle of Wight, England and their environmental significance. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 11, 11–32.
- Daley, B. (1973) The palaeoenvironment of the Bembridge Marls (Oligocene) of the Isle of Wight. *Proceedings of the Geologists' Association*, 84, 83–93.
- Daley, B. (1989) Silica pseudomorphs from the Bembridge Limestone (Upper Eocene) of the Isle of Wight, southern England, and their palaeoclimatic significance. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 69, 233–40.
- Daley, B. (1999a) Hampshire Basin: mainland localities. In *British Tertiary Stratigraphy* (B. Daley and P. Balson), Geological Conservation Review Series, No. 15, Joint Nature Conservation Committee, Peterborough, pp. 159–208.
- Daley, B. (1999b) Palaeogene sections in the Isle of Wight. A revision of their description and significance in the light of research undertaken over recent decades. *Tertiary Research*, 19, 1–69.
- Daley, B. and Balson, P. (1999) *British Tertiary Stratigraphy*, Geological Conservation Review Series, No. 15, Joint Nature Conservation Committee, Peterborough, 388 pp.
- Daley, B. and Edwards, N. (1974) Weekend field meeting: the Upper Eocene–Lower Oligocene beds of the Isle of Wight. *Proceedings of the Geologists' Association*, 85, 281–92.
- Daley, B. and Edwards, N. (1990) The Bembridge Limestone (Late Eocene), Isle of Wight, southern England: a stratigraphical revision. *Tertiary Research*, 12, 51–64.
- Daley, B. and Insole, A.J. (1984) *The Isle of Wight*, 4th edn, Geologists' Association Guide, No. 25, Geologists' Association, London, 34 pp.
- Daniels, M. (1994) Report on birds from the Naze London Clay. *Society of Avian Paleontology and Evolution Newsletter*, 8, 10–12.
- Daniels, M.C. (1971) Report of field and project meetings to High Ongar, Essex. *Tertiary Times*, 1, 45–7.
- Darwin, C. (1859) *On the Origin of Species by Means of Natural Selection, or The Preservation of Favoured Races in the Struggle for Life*, John Murray, London.
- Davis, A.G. (1936) The London Clay of Sheppey and the location of its fossils. *Proceedings of the Geologists' Association*, 47, 328–45.
- Davis, A.G. and Elliott, G.F. (1951) The London Clay of Coastal Suffolk and Essex. *Geological Magazine*, 88, 329–37.
- Dawkins, W.B. and Reynolds, S.H. (1872–1939) *A Monograph of the British Pleistocene Mammalia*. Monographs of the Palaeontographical Society of London Palaeontographical Society, London, Volume III, pp. 116, 150, 193, 351, 371, 388, 395, 396, 413, 414.
- Dehm, R. (1937) Über die alttertiäre Nager Familie Pseudosciuridae und ihr Entwicklung. *Neues Jahrbuch für Mineralogie, Geologie und Paläontologie, Beilagebände, Abteilung B*, 77, 268–90.
- Delson, E. (1974) Preliminary review of cercopithecoid distribution in the circum Mediterranean region. *Mémoires du Bureau de Recherches Géologiques et Minières*, 78, 131–5.
- Déperet, C. (1917) Monographie de la fauna de mammifères fossiles du Ludien inférieur d'Euzet-les-Bains (Gard). *Annales de l'Université de Lyon*, 40, 1–290.
- Desmond, A.J. (1982) *Archetypes and Ancestors: Palaeontology in Victorian London 1850–1875*, Blond and Briggs, London, 287 pp.

- Dineley, D. and Metcalf S.J. (1999) *Fossil Fishes of Great Britain*, Geological Conservation Review Series, No. 16, Joint Nature Conservation Committee, Peterborough, 675 pp.
- Douglas, J.A. and Arkell, W.J. (1932) The stratigraphical distribution of the Cornbrash. II. The north-eastern area. *Quarterly Journal of the Geological Society of London*, 88, 112–32.
- Durkin, M.K. and Baldwin, S.A. (1968) Field meeting at Abbey Wood and Swanscombe, Kent. *Proceedings of the Geologists' Association*, 79, 211–8.
- Dyke, G.J. (2001a) A primitive swift from the London Clay and the relationships of fossil apodiform birds. *Journal of Vertebrate Paleontology*, 21, 195–200.
- Dyke, G.J. (2001b) The fossil waterfowl (Ayes: Anseriformes) from the Eocene of England. *American Museum Novitates*, 3354, 1–15.
- Dyke, G.J. and Cooper, J.H. (2000) A new psittaciform bird from the London Clay (Lower Eocene) of England. *Palaeontology*, 43, 271–285.
- Dyke, G.J. and Gulas, B.E. (2002) A fossil galliform bird *Paraortygoides* from the Lower Eocene of the United Kingdom. *American Museum Novitates*, 3360, 1–14.
- Dyke, G.J. and Mayr, G. (1999) Were there parrots in the Cretaceous? *Nature*, 399, 317–8.
- Dyke, G.J. and Waterhouse, D.M. (2001) A mousebird (Ayes: Coliiformes) from the Eocene of England. *Journal of Ornithology*, 142, 7–15.
- Edwards, N. (1966) A study of the Headon Beds, Osborne Beds and Bembridge Limestone (Upper Bartonian and Lattorfian), in the Isle of Wight and Hampshire, England. Unpublished PhD Thesis, University of Reading.
- Edwards, N. and Daley, B. (1997) Stratigraphy of the Totland Bay Member (Headon Hill Formation, Late Eocene) at Hordle Cliff, Hampshire, southern England. *Tertiary Research*, 18, 35–50.
- Edwards, R.A. and Freshney, E.C. (1987) Lithostratigraphical classification of the Hampshire Basin Palaeogene deposits (Reading Formation to Headon Formation). *Tertiary Research*, 8, 43–73.
- Elliott, G.F. (1970) Report of field meeting to Harwich, Essex. *Tertiary Times*, 1, 55–6.
- Ellis, N.V. (ed.), Bowen, D.Q., Campbell, S., Knill, J.L., McKirdy, A.P., Prosser, C.D., Vincent, M.A. and Wilson, R.C.L. (1996) *An Introduction to the Geological Conservation Review*, Geological Conservation Review Series, No. 1, Joint Nature Conservation Committee, Peterborough, 131 pp.
- Ellison, R.A., Knox, R.W.O., Jolley, D.W. and King, C. (1994) A revision of the lithostratigraphical classification of the early Paleogene strata of the London Basin and East Anglia. *Proceedings of the Geologists' Association*, 105, 187–97.
- Elzanowski, A. and Galton, P.M. (1991) Braincase of *Enaliornis*, an Early Cretaceous bird from England. *Journal of Vertebrate Paleontology*, 11, 90–107.
- Engelmann, G.F. and Callison, G. (1998) Mammalian faunas of the Morrison Formation. *Modern Geology*, 23, 343–79.
- Ensom, P.C. (1977) A therapsid tooth from the Forest Marble (Middle Jurassic) of Dorset. *Proceedings of the Geologists' Association*, 88, 201–5.
- Ensom, P.C. (1994) A lower molar of *Stereognathus* sp. (Reptilia, Therapsida) from the Bathonian of southern England. *Proceedings of the Dorset Natural History and Archaeological Society*, 115, 139–41.

- Ensom, P.C. and Sigogneau-Russell, D. (1998) New dryolestoid mammals from the basal Cretaceous Purbeck Limestone Group of Southern England. *Palaeontology*, 41, 35–55.
- Ensom, P.C. and Sigogneau-Russell, D. (2000) New symmetrodonts (Mammalia, Theria) from the Purbeck Limestone Group, Lower Cretaceous, southern England. *Cretaceous Research*, 21, 767–79.
- Ensom, P.C., Evans, S.E., Francis, J.E., Kielan-Jaworowska, Z. and Milner, A.R. (1994) The fauna and flora of the Sunnydown Farm footprint site and associated sites: Purbeck Limestone Formation, Dorset. *Proceedings of the Dorset Natural History and Archaeology Society*, 115, 181–2.
- Epps, F.J. and Priest, S. (1933) Field meeting at Abbey Wood, Kent. *Proceedings of the Geologists' Association*, 44, 417–21.
- Escarguel, G. (1999) Les rongeurs de l'Eocène inférieur et moyen d'Europe occidentale. Systematique, phylogénie, biochronologie et paléobiogéographie des niveaux-repères MP7 à MP14. *Palaeovertebrata*, 28, 89–351.
- Evans, S.E. (1980) The skull of a new eosuchian reptile from the Lower Jurassic of South Wales. *Zoological Journal of the Linnean Society*, 70, 203–64.
- Evans, S.E. (1981) The postcranial skeleton of the Lower Jurassic eosuchian *Gephyrosaurus bridensis*. *Zoological Journal of the Linnean Society*, 73, 81–116.
- Evans, S.E. (1990) The skull of *Cteniogenys*, a choristodere (Reptilia: Archosauromorpha) from the Middle Jurassic of Oxfordshire. *Zoological Journal of the Linnean Society*, 99, 205–37.
- Evans, S.E. and Kermack, K.A. (1994) Assemblages of small tetrapods from the Early Jurassic of Britain. In *In the Shadow of the Dinosaurs: Early Mesozoic Tetrapods* (eds N.C. Fraser and H.-D. Sues), Cambridge University Press, Cambridge, pp. 271–83.
- Evans, S.E. and Milner, A.R. (1994) Middle Jurassic microvertebrate faunas from the British Isles. In *In the Shadow of the Dinosaurs: Early Mesozoic Tetrapods* (eds N.C. Fraser and H.-D. Sues), Cambridge University Press, Cambridge, pp. 303–21.
- Fahlbusch, V. (1976) Report on the international symposium on mammalian stratigraphy. *Newsletters on Stratigraphy*, 5, 160–7.
- Falconer, H. (1857) Description of two species of the fossil mammalian genus *Plagiaulax* from Purbeck. *Quarterly Journal of the Geological Society of London*, 13, 261–82.
- Feduccia, A. (1999) *The Origin and Evolution of Birds*, 2nd edn, Yale University Press, New Haven, 480 pp.
- Feist, M., Lake, R.D. and Wood, C.J. (1995) Charophyte biostratigraphy of the Purbeck and Wealden of southern England. *Palaeontology*, 38, 407–42.
- Filhol, H. (1872) Recherches sur les mammifères fossiles des dépôts de phosphate de chaux dans les départements du Lot, du Tarn et de Tarn-et-Garonne. *Annales des Sciences Géologiques, Paris*, 3, 1–31.
- Filhol, H. (1873) Recherches sur les mammifères fossiles des dépôts de phosphate de chaux dans les départements du Lot, du Tarn, et de Tarn-et-Garonne. *Bibliothèque de l'Ecole des Hautes Etudes Paris, Section des Sciences Naturelles*, 7 (2 bis), 1–31.
- Filhol, H. (1874) Nouvelles observations sur les mammifères des gisements de phosphates de chaux. *Annales des Sciences Géologiques*, 5, 1–36.

- Filhol, H. (1877) Recherches sur les phosphorites du Quercy. Etude des fossiles qu'on y rencontre et spécialement des mammifères. *Annales des Sciences Géologiques*, 8, 1–340.
- Filhol, H. (1880) Note sur des mammifères fossiles nouveaux provenant des phosphorites du Quercy. *Bulletin de la Société Philomathématique, Ferris, Serie 7, 4*, 120–9.
- Filhol, H. (1882) Memoires relatifs à quelques mammifères fossils nouveaux provenant des dépôts de phosphate de chaux du Quercy. *Bulletin de la Société des Sciences physiques et naturelles de Toulouse*, 5, 19–156.
- Filhol, H. (1884) Note sur un nouveau genre et une nouvelle espèce de pachyderme fossile. *Bulletin de la Société Philomathématique, Paris, Serie 7, 8*, 64–5.
- Filhol, H. (1890a) Description d'un nouveau genre de mammifère. *Bulletin de la Société Philomathématique Paris, Série 8, 2*, 34–8.
- Filhol, H. (1890b) Description d'une nouvelle espèce de lémurien fossile. *Bulletin de la Société Philomathématique, Paris, Serie 8, 2*, 39–40.
- Fischer, J.B. (1829) *Synopsis Mammalium*, Stuttgart, 752 pp.
- Fisher, D.C. (1981) Crocodylian scatology, microvertebrate concentrations, and enamelless teeth. *Paleobiology*, 7, 262–75.
- Fitton, W.H. (1836) Observations on some of the strata between the Chalk and the Oxford Oolite, in the south-east of England. *Pansactions of the Geological Society of London, Series 2, 4*, 103–388.
- Flower, W.H. (1874) Description of the skull of a species of *Halitherium* (*H. cabami*) from the Red Crag of Suffolk. *Quarterly Journal of the Geological Society of London*, 30, 1–6.
- Flynn, J.J., Parrish, J.M., Rakotosamimanana, B., Simpson, W.F. and Wyss, A.R. (1999) A Middle Jurassic mammal from Madagascar. *Nature*, 401, 57–60.
- Forbes, E. (1856) *On the Tertiary Fluvio-Marine Formation of the Isle of Wight*, Memoir (District) of the Geological Survey of Great Britain, HMSO, London, 162 pp.
- Ford, R. L. E. (1972) A new fossil mammal from the Hamstead Beds (Oligocene). *Proceedings of the Isle of Wight Natural History and Archaeological Society*, 6, 400–1.
- Forsten, A. (2002) Latest *Hipparion* Christol, 1832 in Europe. A review of the Pliocene *Hipparion crassum* Gervais group and other finds (Mammalia, Equidae). *Geodiversitas*, 24, 465–86.
- Franzen, J.L. (1968) Revision der Gattung *Palaeotherium* Cuvier 1804 (Palaeotheriidae, Perissodactyla, Mammalia). Unpublished PhD Thesis, Albert-Ludwigs-Universität, Freiburg.
- Franzen, J.L. (2001) Taphonomic analysis of the Messel Formation (Germany). In *Unusual Occurrences and Rarely Sampled Habitats* (ed. G.F. Gunnell). Kluwer/Plenum, New York, pp. 197–214.
- Fraser, N.C. (1985) Vertebrate faunas from Mesozoic fissure deposits of southwest Britain. *Modern Geology*, 9, 273–300.
- Fraser, N.C., Walkden, G.M. and Stewart, V (1985) The first pre-Rhaetian therian mammal. *Nature*, 314, 161–3.
- Freeman, E.F. (1976a) Mammal teeth from the Forest Marble (Middle Jurassic) of Oxfordshire. *Science*, 194, 1053–5.
- Freeman, E.F. (1976b) A mammalian fossil from the Forest Marble (Middle Jurassic) of Dorset. *Proceedings of the Geologists' Association*, 87, 231–5.

- Freeman, E.F. (1979) A Middle Jurassic mammal bed from Oxfordshire. *Palaeontology*, 22, 135–66.
- Freudenthal, M. (1996) The Early Oligocene rodent fauna of Olalla 4A (Teruel, Spain). *Scripta Geologica*, 112, 1–67.
- Gardner, J.S., Keeping, H. and Monckton, H.W. (1888) The Upper Eocene, comprising the Barton and Upper Bagshot Formation. *Quarterly Journal of the Geological Society of London*, 44, 578–635.
- Gaudry, A. (1896) *Essai de la Paléontologie Philosophique ouvrage faisant suite aux enchainements du monde animal dans les temps géologiques*, Masson, Paris, 230 pp.
- George, W and Vincent, S. (1976) Some river exposures of London Clay in Suffolk and Essex. *Tertiary Research*, 1, 25–8.
- George, W and Vincent, S. (1977) Report of field meeting to Walton-on-the-Naze and Wrabness, Essex, 2.X.1976 with notes on the London Clay of Walton. *Tertiary Research*, 1, 83–90.
- George, W and Vincent, S. (1978) Notes on the London Clay of the Ockendon Clay Plant, South Ockendon, Essex. *Tertiary Research*, 2, 5–8.
- Gervais, P (1848–52) *Zoologie et Paléontologie. Françaises (Animaux Vertèbres)*, Paris, 271 pp.
- Gervais, P (1849) Recherches sur les mammifères fossils des genres *Palaeotherium* et *Lophiodon*, et sur les autres animaux de la meme classe que l'on a trouvé avec eux dans le midi de la France. *Compte Rendu hebdomadaire des Séances de l'Academie des Sciences*, 29, 381–4.
- Gervais, P. (1850) Nouvelles recherches relatives aux mammifères d'espèces éteintes qui sont enfouies auprès d'Apt, avec des *Palaeotheriums* identiques a ceux de Paris. *Compte Rendu hebdomadaire des Séances de l'Academie des Sciences*, 30, 602–4.
- Gill, P.G. (1974) Resorption of premolars in the early mammal *Kuehneotherium praecursoris*. *Archives of Oral Biology*, 19, 327–8.
- Gill, P.G. (2004) A new symmetrodont from the Early Cretaceous of England. *Journal of Vertebrate Paleontology*, 24, 748–52.
- Gingerich, P.D. (1976) *Cranial Anatomy and Evolution of Early Tertiary Plesiadapidae (Mammalia, Primates)*, Papers in Paleontology, No. 15, Ann Arbor, Michigan; Museum of Paleontology, University of Michigan, Michigan, 140 pp.
- Gingerich, P.D. (1977) New species of Eocene primates and the phylogeny of European Adapidae. *Folk; Primatologica*, 28, 60–80.
- Gingerich, P.D. (1984) Primate evolution. In *Mammals: notes for a short course organized by P.D. Gingerich and C.E. Badgley* (ed. T.W. Broadhead), *Studies in Geology, University of Tennessee Department of Geological Sciences*, 8, University of Tennessee, Knoxville, pp. 167–81.
- Gingerich, P.D. (1989) *New Earliest Wasatchian Mammalian Fauna from the Eocene of Northwestern Wyoming: composition and diversity in a rarely sampled high-floodplain assemblage*, Papers in Paleontology, No. 28, Ann Arbor, Michigan; Museum of Paleontology, University of Michigan, Michigan, pp. 1–97.
- Godefroit, P. and Sigogneau-Russell, D. (1999) Kuehneotheriids from Saint-Nicholas-de-Port (Late Triassic of France). *Geologica Belgica*, 2, 181–96.
- Godefroit, P. Cuny, G., Delsate, D. and Roche, M. (1998) Late Triassic vertebrates from Syren (Luxembourg). *Neues Jahrbuch für Geologie and Paläontologie, Abhandlungen*, 210, 305–43.

- Godinot, M. (1984) Un nouveau genre témoignant de la diversité des Adapinés (Primates, Adapidés) à l'Eocène terminal. *Compte Rendu hebdomadaire des Séances de l'Académie des Sciences*, (2) 299, 1291–6.
- Gradstein, F.M., Ogg, J.G. and Smith, A.G. (eds) (2004) *A Geologic Timescale 2004*. Cambridge University Press, Cambridge, 589 pp.
- Hallam, A. and Sellwood, B.W. (1976) Middle Mesozoic sedimentation in relation to tectonics in the British area. *Journal of Geology*, 84, 301–21.
- Halstead, L.B. and Middleton, J. (1972) Notes on fossil whales from the Upper Eocene of Barton, Hampshire. *Proceedings of the Geologists' Association*, 83, 185–90.
- Hansen, D.L., Blundell, D.J. and Nielsen, S.B. (2002) A model for the evolution of the Weald Basin. *Bulletin of the Geological Society of Denmark*, 49, 109–18.
- Hancock, J.M. and Rawson, P.F. (1992) Cretaceous. In *Atlas of Palaeogeography and Lithofacies* (eds J.C.W. Cope, J.K. Ingham and P.F. Rawson), *Geological Society of London Memoir*, No. 13, Geological Society of London, London, pp. 131–8.
- Harmer, F.W. (1900) The Pliocene deposits of the east of England. Part H. The Crag of Essex (Waltonian) and its relation to that of Suffolk and Norfolk. With a report on the inorganic constituents of the Crag by Joseph Lomas. *Quarterly Journal of the Geological Society of London*, 56, 705–44.
- Harmer, F.W. (1902) A sketch of the later Tertiary history of East Anglia. *Proceedings of the Geologists' Association*, 17, 415–79
- Harris, J.P. and Hudson, J.D. (1980) Lithostratigraphy of the Great Estuarine Group (Middle Jurassic), Inner Hebrides. *Scottish Journal of Geology*, 16, 231–50.
- Harrison, C.J.O. (1971) Flamingo (Phoenicopteridae) remains from the British Upper Eocene. *Bulletin of the British Ornithologists' Club*, 91, 36–9.
- Harrison, C.J.O. (1975) Ordinal affinities of the Aegialomithidae. *Ibis*, 117, 164–70.
- Harrison, C.J.O. (1976) The wing proportions of the Eocene diver *Colymboides anglicus*. *Bulletin of the British Ornithologists' Club*, 96, 64–5.
- Harrison, C.J.O. (1980a) The distribution of fossil birds of the north-west European Tertiary Basin, from countries other than Britain. *Tertiary Research*, 2, 197–200.
- Harrison, C.J.O. (1980b) A small owl from the Lower Eocene of Britain. *Tertiary Research*, 2, 83–7.
- Harrison, C.J.O. (1982a) A new tiny raptor from the Lower Eocene of England. *Ardea*, 70, 77–80.
- Harrison, C.J.O. (1982b) The earliest parrot: a new species from the British Eocene. *Ibis*, 124, 203–10.
- Harrison, C.J.O. (1982c) Cuculiform, piciform, and passeriform birds in the Lower Eocene of England. *Tertiary Research*, 4, 71–81.
- Harrison, C.J.O. (1983) Fossil birds from the Lower London Clay of Essex: The W George and S. Vincent Collections. *Tertiary Research*, 5, 81–2.
- Harrison, C.J.O. (1984a) Further additions to the fossil birds of Sheppey: a new falconid and three small rails. *Tertiary Research*, 5, 179–87.

- Harrison, C.J.O. (1984b) A revision of the fossil swifts (Vertebrata, Aves, Suborder Apodi), with descriptions of three new genera and two new species. *Mededlingen Werkgr. Tertiär Kwarternar Geologie*, 21, 157–77.
- Harrison, C.J.O. (1984c) Rail-like cursorial birds of the British Lower Eocene, with descriptions of two new species. *The London Naturalist*, 63, 14–23.
- Harrison, C.J.O. (1985) A bony-toothed bird (Odontopterygiformes) from the Palaeocene of England. *Tertiary Research*, 7, 23–6.
- Harrison, C.J.O. (1986) A re-examination of some Tertiary old world ibises, Threskiornithidae. *Tertiary Research*, 7, 139–43.
- Harrison, C.J.O. and Walker, C.A. (1971) A new ibis from the Lower Eocene of Britain. *Ibis*, 113, 367–8.
- Harrison, C.J.O. and Walker, C.A. (1972) The affinities of *Halcyornis* from the Lower Eocene. *Bulletin of the British Museum (Natural History): Geology*, 21, 151–69.
- Harrison, C.J.O. and Walker, C.A. (1973) *Wyleyla*: a new bird genus from the Lower Cretaceous of England. *Palaeontology*, 16, 721–8.
- Harrison, C.J.O. and Walker, C.A. (1975) A new swift from the Lower Eocene of Britain. *Ibis*, 117, 162–4.
- Harrison, C.J.O. and Walker, C.A. (1976a) A reappraisal of *Prophaethon shrubsolei* Andrews. *Bulletin of the British Museum (Natural History): Geology*, 27, 1–30.
- Harrison, C.J.O. and Walker, C.A. (1976b) A review of the bony-toothed birds (Odontopterygiformes): with descriptions of some new species, *Tertiary Research Special Paper*, No. 2, Tertiary Research Group, London, 62 pp.
- Harrison, C.J.O. and Walker, C.A. (1976c) Birds of the British Upper Eocene. *Zoological Journal of the Linnean Society*, 59, 323–51.
- Harrison, C.J.O. and Walker, C.A. (1977a) *Birds of the British Lower Eocene*, *Tertiary Research Special Paper*, No. 3, Tertiary Research Group, London, 52 pp.
- Harrison, C.J.O. and Walker, C.A. (1977b) A reexamination of the fossil birds from the Upper Pleistocene in the London Basin. *The London Naturalist*, 56, 6–9.
- Harrison, C.J.O. and Walker, C.A. (1979a) Birds of the British Middle Eocene. In *Studies in Tertiary Avian Palaeontology: Dr Hildegard Howard Festschrift volume* (eds C.J.O. Harrison and C.A. Walker), *Tertiary Research Special Paper*, No. 5, Backhuys, Rotterdam, pp. 19–27.
- Harrison, C.J.O. and Walker, C.A. (1979b) Birds of the British Lower Oligocene. In *Studies in Tertiary Avian Palaeontology: Dr Hildegard Howard Festschrift volume* (eds C.J.O. Harrison and C.A. Walker), *Tertiary Research Special Paper*, No. 5, Backhuys, Rotterdam, pp. 29–43.
- Harrison, D.L. (2002) A new species of dormouse (Rodentia: Gliridae) from the Creechbarrow Limestone Formation (late Middle Eocene) of Dorset, England. *Tertiary Research*, 21, 11–18.
- Harrison, D.L., Bates, P.J.J. and Thomas, N.M. (1995) The occurrence of *Acotherulum pumilum* (Stehlin 1908) (Mammalia, Artiodactyla, Cebochoeridae) in the Headonian (Upper Eocene) of England. *Tertiary Research*, 15, 139–43.
- Hastings, B. (1848) On the freshwater Eocene beds of the Hordle Cliff Hampshire. *Report of the British Association for the Advancement of Science*, 1847, 63–4.

- Hastings, B. (1852) Description géologique des falaises d'Hordle et sur la côte de Hampshire, en Angleterre. *Bulletin de la Société Géologique de France, Série 2*, 9, 191–203.
- Hastings, B. (1853) On the Tertiary beds of Hordwell, Hampshire. *London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science, Series 4*, 6, 1–11.
- Heinrich, W-D. (1999) First haramiyid (Mammalia, Allotheria) from the Mesozoic of Gondwana. *Mitteilungen aus dem Museum für Naturkunde Berlin, Geowissenschaftliche Reihe 2*, 159–70.
- Hellmund, M. (1992) Schweineartige (Suina, Artiodactyla, Mammalia) aus oligo-miozänen, Fundstellen Deutschlands, der Schweiz and Frankreichs. II Revision von *Palaeochoerus* POMEL 1847 and *Propalaeochoerus* STEHLIN 1899 (Tayassuidae). *Stuttgarter Beiträgen zur Naturkund, Serie B*, 189, 1–75.
- Hinton, M.A.C. (1906) *Gazella daviesii*, a new antelope from the Norwich Crag of Bramerton. *Proceedings of the Geologists' Association*, 19, 247–51.
- Hinton, M.A.C. (1908) Note on the discovery of a bone of a monkey in the Norfolk 'Forest-bed'. *Geological Magazine, Decade V*, 5, 440–4.
- Hinton, M.A.C. (1911) The British fossil shrews. *Geological Magazine, Decade V*, 8, 529–39.
- Hinton, M.A.C. (1926) *Monograph of the Voles and Lemmings (Microtinae): Living and Extinct*, Volume 1, British Museum (Natural History) Publications, British Museum, London, 488 pp.
- Hoedemaeker, P.J. (1991) Tethyan–Boreal correlations and the Jurassic–Cretaceous boundary. *Newsletters on Stratigraphy*, 25, 37–60.
- Holloway, S. (1983) The shell-detrital calcirudites of the Forest Marble Formation (Bathonian) of southwest England. *Proceedings of the Geologists' Association*, 94, 259–66.
- Holman, J.A. (1996) A new genus of diminutive boid snake from the Upper Eocene of Hordle Cliff, Hampshire, England. *Tertiary Research*, 17, 11–4.
- Holman, J.A. and Harrison, D.L. (1998a) A new genus of snake (Serpentes: Boidae) from the Upper Eocene of Hordle Cliff, Hampshire, England. *Acta Zoologica Cracoviensia*, 41, 23–7.
- Holman, J.A. and Harrison, D.L. (1998b) A new genus of small boid snake from the Upper Eocene of Hordle Cliff, Hampshire, England. *Acta Zoologica Cracoviensia*, 41, 29–33.
- Holmden, C. and Hudson, J.D. (2003) Sr-86/Sr-86 and Sr/Ca investigation of Jurassic mollusks from Scotland: Implications for paleosalinities and the Sr/Ca ratio of seawater. *Bulletin of the Geological Society of America*, 115, 1249–64.
- Holmes, T.V. (1890) Field meeting at Walton-on-Naze. *Essex Naturalist*, 4, 129–32.
- Holmes, T.V. (1891) Excursion to Walton-on-Naze. *Proceedings of the Geologists' Association*, 11, 150–3.
- Hooker, J.J. (1972) The first land mammals from the marine Barton Beds (Upper Eocene) of Hampshire. *Proceedings of the Geologists' Association*, 83, 179–84.
- Hooker, J.J. (1975) Report of field meeting to Abbey Wood, London. *Tertiary Times*, 2, 159–62.
- Hooker, J.J. (1977a) A mammal from the Upper Eocene of Hengistbury, Dorset. *Tertiary Research*, 1, 91–4.
- Hooker, J.J. (1977b) The Creechbarrow Limestone — its biota and correlation. *Tertiary Research*, 1, 139–45.

- Hooker, J.J. (1979) Two new condylarths (Mammalia) from the early Eocene of southern England. *Bulletin of the British Museum (Natural History): Geology*, 32, 43–56.
- Hooker, J.J. (1980) The succession of *Hyracotherium* (Perissodactyla, Mammalia) in the English early Eocene. *Bulletin of the British Museum (Natural History): Geology*, 33, 101–14.
- Hooker, J.J. (1984) A primitive ceratomorph (Perissodactyla, Mammalia) from the early Tertiary of Europe. *Zoological Journal of the Linnean Society*, 82, 229–44.
- Hooker, J.J. (1986) Mammals from the Bartonian (middle-late Eocene) of the Hampshire Basin, southern England. *Bulletin of the British Museum (Natural History): Geology*, 39, 191–478.
- Hooker, J.J. (1987) Mammalian faunal events in the English Hampshire Basin (late Eocene–early Oligocene) and their application to European biostratigraphy. *Münchner Geowissenschaftliche Abhandlungen (A)*, 10, 109–16.
- Hooker, J.J. (1989a) Character polarities in early Eocene perissodactyls and their significance for *Hyracotherium* and infraordinal relationships. In *The Evolution of Perissodactyls* (ed. D.R. Prothero and R.M. Schoch), Oxford University Press, New York, pp.79–101.
- Hooker, J.J. (1989b) British mammals in the Tertiary period. *Biological Journal of the Linnean Society*, 38, 9–21.
- Hooker, J.J. (1991a) Two new pseudosciurids (Rodentia, Mammalia) from the English Late Eocene, and their implications for phylogeny and speciation. *Bulletin of the British Museum (Natural History): Geology*, 47, 35–50.
- Hooker, J.J. (1991b) The sequence of mammals in the Thanetian and Ypresian of the London and Belgian Basins. Location of the Palaeocene–Eocene boundary. *Newsletters in Stratigraphy*, 25, 75–90.
- Hooker, J.J. (1992) British mammalian paleocommunities across the Eocene–Oligocene transition and their environmental implications. In *Eocene–Oligocene Climatic and Biotic Evolution* (eds D.R. Prothero and W.A. Berggren), Princeton Series in Geology and Paleontology, Princeton University Press, Princeton, pp. 494–515.
- Hooker, J.J. (1994a) The beginning of the equoid radiation. *Zoological Journal of the Linnean Society*, 112, 29–63.
- Hooker, J.J. (1994b) Mammalian taphonomy and palaeoecology of the Bembridge Limestone Formation (Late Eocene, S. England). *Historical Biology*, 8, 49–69.
- Hooker, J.J. (1994c) A new species of *Platychoerops* (Plesiadapiformes, Mammalia) from the latest Palaeocene of the Paris, London and Belgian basins. *Geobios*, 27, 343–52.
- Hooker, J.J. (1996a) Mammalian biostratigraphy across the Palaeocene–Eocene boundary in the Paris, London and Belgian basins. In *Correlation of the Early Paleogene in Northwest Europe* (eds R.W.O'B. Knox, R.M. Corfield and R.E. Dunay), Geological Society of London Special Publication, 101, 205–18.
- Hooker, J.J. (1996b) Mammals from the Early (late Ypresian) to Middle (Lutetian) Eocene Bracklesham Group, southern England. *Tertiary Research*, 16, 141–74.
- Hooker, J.J. (1996c) A primitive emballonurid bat (Chiroptera, Mammalia) from the earliest Eocene of England. *Palaeovertebrata*, 25, 287–300.
- Hooker, J.J. (1998) Mammalian faunal change across the Paleocene–Eocene transition in Europe. In *Late Paleocene–early Eocene Climatic and Biotic Events in the Marine and Terrestrial Records* (eds M.-P. Aubry, S.G. Lucas and W.A. Berggren), Columbia University Press, New York, pp. 419–41.
- Hooker, J.J. (2000a) Ecological response to global warming in the late Paleocene and early Eocene. *GFF*, 122, 77–9.

- Hooker, J.J. (2000b) A new specimen of the European Eocene plesiadapid *Platychoerops richardsonii* and speciation implications. *Journal of Vertebrate Paleontology*, 20, supplement, p. 49A.
- Hooker, J.J. (2001) Tarsals of the extinct insectivoran family Nyctitheriidae (Mammalia): evidence for archontan relationships. *Zoological Journal of the Linnean Society*, 132, 501–29.
- Hooker, J.J. and Dashzeveg, D. (2003) Evidence for direct mammalian faunal interchange between Europe and Asia near the Paleocene–Eocene boundary. *Geological Society of America Special Papers*, 369, 479–500.
- Hooker, J.J. and Millbank, C. (2001) A Cernaysian mammal from the Upnor Formation (Late Palaeocene, Herne Bay, UK) and its implications for correlation. *Proceedings of the Geologists' Association*, 112, 331–8.
- Hooker, J.J. and Thomas, K.M. (2001) A new species of *Amphirhagatherium* (Choeropotamidae, Artiodactyla, Mammalia) from the Late Eocene Headon Hill Formation of southern England and phylogeny of endemic European 'anthracotherioids'. *Palaeontology*, 44, 827–53.
- Hooker, J.J. and Ward, D.J. (1980) List of localities. *Tertiary Research*, 3, 3–12.
- Hooker, J.J. and Weidmann, M. (2000) The Eocene mammal faunas of Mormont, Switzerland. *Schweizerische Paläontologische Abhandlungen*, 120, 1–141.
- Hooker, J.J., Insole, A.N., Moody, R.T.J., Walker, C.A. and Ward, D.J. (1980) The distribution of cartilaginous fish, turtles, birds and mammals in the British Palaeogene. *Tertiary Research*, 3, 1–45.
- Hooker, J.J., Collinson, M.E., Van Bergen, P.F., Singer, R.L. and De Leeuw, J.W. (1995) Reconstruction of land and fresh-water palaeoenvironments near the Eocene–Oligocene boundary, southern England. *Journal of the Geological Society, London*, 152, 449–68.
- Hooker, J.J., Russell, D.E. and Phelizon, A. (1999) A new family of Plesiadapiformes (Mammalia) from the Old World lower Paleogene. *Palaeontology*, 42, 377–407.
- Hooker, J.J. (2000b). A new specimen of the European Eocene plesiadapid *Platychoerops richardsonii* and speciation implications. *Journal of Vertebrate Paleontology*, 20 (Supplement to Part 3), 49A.
- Hooker, J.J., Collinson, M.E. and Sille, N.P. (2004) Eocene–Oligocene mammalian faunal turnover in the Hampshire Basin, UK: calibration to the global time scale and the major cooling event. *Journal of the Geological Society, London*, 161, 161–72.
- Hopson, J.A. and Barghusen, H.R. (1986) An analysis of therapsid relationships. In *The Ecology and Biology of Mammal-like Reptiles* (eds N. Hotton, P.D. MacLean, J.J. Roth and E.C. Roth), Smithsonian Institution Press, Washington DC, pp. 83–106.
- Hopwood, A.T. (1927) *Dyspterna woodi*, gen. et sp. n., a carnivore from the Oligocene, Isle of Wight. *Annals and Magazine of Natural History, Series 9*, 20, 174–6.
- Houde, P. (1988) Paleognathous birds from the Early Tertiary of the Northern Hemisphere. *Publications of the Nuttall Ornithological Club*, 22, 1–148.
- Hu, Y., Wang, Y., Luo, Z. and Li, C. (1997) A new symmetrodont mammal from China and its implications for mammalian evolution. *Nature*, 390, 137–42.
- Hudleston, W.H. (1876) Excursion to Swindon and Faringdon. *Proceedings of the Geologists' Association*, 4, 543–4.
- Hudleston, W.H. (1901) West Purbeck meeting, Creechbarrow. *Proceedings of the Dorset Natural History and Antiquarian Field Club*, 22, 54–60.

- Hudleston, W.H. (1902a) Creechbarrow in Purbeck. *Geological Magazine, Decade IV*, 9, 241–56.
- Hudleston, W.H. (1902b) Creechbarrow: An essay in Purbeck Geology. *Proceedings of the Dorset Natural History and Antiquarian Field Club*, 23, 146–90.
- Hudleston, W.H. (1903) Creechbarrow in Purbeck — No. 2. *Geological Magazine, Decade IV*, 10, 149–54.
- Hudson, J.D. (1962) The stratigraphy of the Great Estuarine Series (Middle Jurassic) of the Inner Hebrides. *Transactions of the Edinburgh Geological Society*, 19, 139–65.
- Hudson, J.D. (1966) Hugh Miller's Reptile Bed and the *Mytilus* Shales, Middle Jurassic, Isle of Eigg, Scotland. *Scottish Journal of Geology*, 2, 265–81.
- Hunt, C.O. (1987) Dinoflagellate cyst and acritarch assemblages in shallow marine and marginal marine carbonates; the Portland Sand, Portland Stone and Purbeck Formations (Upper Jurassic–Lower Cretaceous) of southern England and northern France. In *Micropalaeontology of Carbonate Environments* (ed. M.B. Hart), Ellis Horwood for the British Micropalaeontological Society, Chichester, pp. 208–25.
- Insole, A.N. (1972) Upper Eocene and Lower Oligocene Mammal Faunas from Southern England. Unpublished PhD Thesis, University of Bristol.
- Insole, A.N. and Daley, B. (1985) A revision of the lithostratigraphical nomenclature of the Late Eocene and Early Oligocene strata of the Hampshire Basin, southern England. *Tertiary Research*, 7, 67–100.
- Insole, A.N., Daley, B. and Gale, A.S. (1998) *The Isle of Wight*, Geologists' Association Guide, No. 60, Geologists' Association, London, 132 pp.
- Islam, M.A. (1984) A study of early Eocene palaeoenvironments in the Isle of Sheppey as determined from microplankton assemblage composition. *Tertiary Research*, 6, 11–21.
- James, J.P. and Ward, D.J. (1976) Report of the project meeting to Yatley, Hampshire and Aborfield, Berkshire 5.X1.1972. *Tertiary Research*, 1, 7–8.
- Janis, C., Scott, K.M. and Jacobs, L.L. (1998) *Evolution of Tertiary Mammals of North America. Volume 1: Terrestrial Carnivores, Ungulates, and Ungulate-like Mammals*. Cambridge University Press, Cambridge, 691 pp.
- Jarzembowski, E.A. (1976) Report of Easter field meeting: the Lower Tertiaries of the Isle of Wight, 27–31.III.1975. *Tertiary Research*, 1, 11–16.
- Jarzembowski, E.A. (1992) Fossil insects from the London Clay (Early Eocene) of southern England. *Tertiary Research*, 13, 87–94.
- Jenkins, F.A., Jr. and Crompton, A.W. (1979) Triconodonta. In *Mesozoic Mammals: the First Two-thirds of Mammalian History* (eds J.A. Lillegraven, Z. Kielan-Jaworowska and W.A. Clemens), University of California Press, Berkeley, pp. 74–90.
- Jenkins, F.A., Jr. and Parrington, F.R. (1976) The postcranial skeletons of the Triassic mammals *Eozostrodon*, *Megazostrodon*, and *Erythrotherium*. *Philosophical Transactions of the Royal Society, Series B*, 173, 387–431.
- Jenkins, F.A. and Schaff, C.R. (1988) The Early Cretaceous mammal *Gobiconodon* (Mammalia, Triconodonta) from the Cloverly Formation in Montana. *Journal of Vertebrate Paleontology*, 8, 1–24.
- Jenkins, F.A., Jr., Gatesy, S.M., Shubin, N.H. and Amaral, W.W. (1997) Haramiyids and Triassic mammalian evolution. *Nature*, 385, 715–18.

- Jenkins, F.A., Shubin, N.H., Amaral, W.W., Gatesy, S.M., Schaff, C.R., Clemmensen, L.B., Downs, W.R., Davidson, A.R., Bonde, N. and Osbaeck, F. (1994) Late Triassic continental vertebrates and depositional environments of the Fleming Fjord Formation, Jameson Land, East Greenland. *Meddelelser om Grønland, Geoscience*, 32, 1–25.
- Ji Q., Luo Z.X. and Ji S.A. (1999) A Chinese triconodont mammal and mosaic evolution of the mammalian skeleton. *Nature*, 398, 326–30.
- Ji Q., Luo Z.-X., Yuan, C.-X., Wible, J.R., Zhang, J.-P. and Georgi, J.A. (2002) The earliest known eutherian mammal. *Nature*, 416, 816–22.
- Jolley, D.W. and Spinner, E. (1991) Spore-pollen associations from the lower London Clay (Eocene), East Anglia, England. *Tertiary Research*, 13, 11–25.
- Judd, J.W. (1880) On the Oligocene strata of the Hampshire Basin. *Quarterly Journal of the Geological Society of London*, 36, 137–77.
- Keeping, H. (1910) On the discovery of Bembridge Limestone fossils on Creechbarrow Hill, Isle of Purbeck. *Geological Magazine, Decade V*, 7, 436–9.
- Kellogg, R. (1936) *A Review of the Archaeoceti*, Carnegie Institution of Washington Publication, 482, Carnegie Institution of Washington, Washington, 366 pp.
- Kemp, D.J. (1984) M27 motorway excavations near Westend Southampton (Hants). *Tertiary Research*, 6, 157–63.
- Kemp, D.J. (1985) The Selsey Division (Bracklesham Group) at Lee-on-Solent, Gosport (Hants). *Tertiary Research*, 7, 35–44.
- Kemp, D.J., King, A.D., King, C. and Quayle, W.J. (1979) Stratigraphy and biota of the Elmore Formation (Huntingbridge division, Bracklesham Group) at Lee-on-Solent, Gosport, Hampshire. *Tertiary Research*, 2, 93–103.
- Kemp, T.S. (1982) *Mammal-like Reptiles and the Origin of Mammals*, Academic Press, London, 363 pp.
- Kermack, K.A. (1988) British Mesozoic mammal sites. In *Special Papers in Palaeontology*, (eds P.R. Crowther and W.A. Wimbledon), *Special Papers in Palaeontology*, No. 40, Palaeontological Society, London, pp. 85–93.
- Kermack, K.A., Lees, P.M. and Mussett, F. (1965) *Aegialodon dawsoni*, a new trituberculosectorial tooth from the Lower Wealden. *Proceedings of the Royal Society, Series B*, 162, 535–54.
- Kermack, D.M., Kermack, K.A. and Mussett, F. (1968) The Welsh pantothere *Kuehneotherium praecursoris*. *Zoological Journal of the Linnean Society*, 47, 407–23.
- Kermack, K.A., Mussett, F. and Rigney, H.W. (1973) The lower jaw of *Morganucodon*. *Zoological Journal of the Linnean Society*, 53, 87–175.
- Kermack, K.A., Mussett, F. and Rigney, H.W. (1981) The skull of *Morganucodon*. *Zoological Journal of the Linnean Society*, 71, 1–158.
- Kermack, K.A., Lee, A.J., Lees, P.M. and Mussett, F. (1987) A new docodont from the Forest Marble. *Zoological Journal of the Linnean Society*, 89, 1–39.
- Kermack, K.A., Kermack, D.M., Lees, P.M. and Mills, J.R.E. (1998) New multituberculate-like teeth from the Middle Jurassic of England. *Acta Palaeontologica Polonica*, 43, 581–606.
- Kielan-Jaworowska, Z. (1992) Interrelationships of Mesozoic mammals. *Historical Biology*, 6, 185–202.

- Kielan-Jaworowska, Z. and Ensom, P.C. (1992) Multituberculate mammals from the Upper Jurassic Purbeck Limestone Formation of southern England. *Palaeontology*, 35, 95–126.
- Kielan-Jaworowska, Z. and Gambaryan, P.P. (1994) Postcranial anatomy and habits of Asian multituberculate mammals. *Fossils and Strata*, 36, 1–92.
- Kielan-Jaworowska, Z. and Hurum, J.H. (2001) Phylogeny and systematics of multituberculate mammals. *Palaeontology*, 44, 389–429.
- Kielan-Jaworowska, Z., Bown, T.M. and Lillegraven, J.M. (1979) Eutheria. In *Mesozoic Mammals: the First Two-thirds of Mammalian History* (eds J.A. Lillegraven, Z. Kielan-Jaworowska and W.A. Clemens), University of California Press, Berkeley, pp. 221–58.
- Kielan-Jaworowska, Z., Novacek, M.J., Trofimov, B.A. and Dashzeveg, D. (2000) Mammals from the Mesozoic of Mongolia. In *The Age of Dinosaurs in Russia and Mongolia* (eds M.J. Benton, M.A. Shishkin, D.M. Unwin and E.N. Kurochkin), Cambridge University Press, Cambridge, pp. 573–626.
- Kielan-Jaworowska, Z., Cifelli, R.L. and Luo Zhe-Xi (2004) *Mammals from the Age of Dinosaurs. Origins, Evolution, and Structure*. Columbia University Press, New York, 630 pp.
- King, C. (1981) The stratigraphy of the London Clay and associated deposits, *Tertiary Research Special Paper*, No. 6, Backhuys, Rotterdam, 158 pp.
- King, C. (1984) The stratigraphy of the London Clay Formation and Virginia Water Formation in the coastal sections of the Isle of Sheppey (Kent, England). *Tertiary Research*, 5, 121–60.
- Kirby, R.I. (1974) Report of a field meeting to Burnham-on-Crouch, Essex. *Tertiary Times*, 2, 9–13.
- Kirkaldy, J.F. (1963) The Wealden and marine Lower Cretaceous beds of England. *Proceedings of the Geologists' Association*, 74, 127–46.
- Kirsch, J.A.'W., Lapointe, F.J. and Springer, M.S. (1997) DNA-hybridisation studies of marsupials and their implications for metatherian classification. *Australian Journal of Zoology*, 45, 211–80.
- Klaassen, H.M. (1883) On a section of the Lower London Tertiaries at Park Hill, Croydon. *Proceedings of the Geologists' Association*, 8, 226–49.
- Knox, R.W.O'B. (1990) Thanetian and early Ypresian chronostratigraphy in southeast England. *Tertiary Research*, 11, 57–64.
- Koenig, E. (1825) *Icones Fossilium Sectiles*, London, 44 pp.
- Koenigswald, W v. and Schieming, H.-P (1987) The ecological niche of an extinct group of mammals, the early Tertiary apatemyids. *Nature*, 326, 595–7.
- Koenigswald, W von and Storch, G. (1983) *Pholidocercus hiissiacus*, ein Amphilemuride aus dem Eozan der 'Grube Messel' bei Darmstadt (Mammalia, Lipotyphla). *Senckenbergiana Lethaea*, 64, 447–95.
- Kovalevskii, V.O. (1873a) Sur l'*Anchitherium aurelianense* Cuv. et sur l'histoire paléontologique des chevaux. *Mémoires de l'Académie Impériale des Sciences de St Pétersbourg*, (7) 20, 1–73.
- Kovalevskii, V.O. (1873b) On the osteology of the Hyopotamidae. *Philosophical Transactions of the Royal Society of London*, 163, 19–94.

- Kraus, M.J. (1979) Eupantotheria. In *Mesozoic Mammals: the First Two-thirds of Mammalian History* (eds J.A. Lillegraven, Z. Kielan-Jaworowska and W.A. Clemens), University of California Press, Berkeley, pp. 162–72.
- Krause, D.W. (1982) Jaw movement, dental function, and diet in the Paleocene multituberculate *Ptilodus*. *Paleobiology* 8, 265–81.
- Krause, D.W. (1984) Mammalian evolution in the Paleocene: beginning of an era. In *Mammals: notes for a short course organized by P.D. Gingerich and C.E. Badgley* (ed. T.W. Broadhead), *Studies in Geology, University of Tennessee Department of Geological Sciences*, 8, University of Tennessee, Knoxville, pp. 87–109.
- Krause, D.W. and Jenkins, F.A. Jr. (1983) The postcranial skeleton of North American multituberculates. *Bulletin of the Museum of Comparative Zoology*, 150, 199–246.
- Kretzoi, M. (1940) Alttertiäre Perissodactylen aus Ungarn. *Annales historico-naturales Musei Nationalis Hungarici, (Mineralogica, Geologica, Palaeontologica)* 33, 87–98.
- Kretzoi, M. (1960) Zur Benennung des ältesten Symmetrodonten. *Vertebrata Hungarica*, 2, 307–9.
- Kron, D.G. (1979) Docodonta. In *Mesozoic Mammals: the First Two-thirds of Mammalian History* (eds J.A. Lillegraven, Z. Kielan-Jaworowska and W.A. Clemens), University of California Press, Berkeley, pp. 91–8.
- Kühne, W.G. (1946) The geology of the fissure-filling 'Holwell 2'; the age-determination of the mammalian teeth therein; and a report on the technique employed when collecting the teeth of *Eozostrodon* and Microcleptidae. *Proceedings of the Zoological Society, London*, 116, 729–33.
- Kühne, W.G. (1949a) Work in the British Mesozoic. *News Bulletin, Society of Vertebrate Paleontology*, 25, 10–11.
- Kühne, W.G. (1949b) On a triconodont tooth of a new pattern from a fissure-filling in south Glamorgan. *Proceedings of the Zoological Society, London*, 119, 345–50.
- Kühne, W.G. (1950) A symmetrodont tooth from the Rhaeto-Lias. *Nature*, 166, 696–7.
- Kühne, W.G. (1956) *The Liassic therapsid Oligokyphus*, British Museum (Natural History), London, 149 pp.
- Kühne, W.G. (1969) A multituberculate from the Eocene of the London Basin. *Proceedings of the Geological Society, London*, 1658, 199–202.
- Lagaaij, R. (1952) The Pliocene Bryozoa of the Low Countries and their bearing on the marine stratigraphy of the North Sea region. *Mededelingen van de Geologische Stichting*, ser c-v-no 5, 1–233.
- Lake, R.D. (1986) Geology of the country around Southend and Foulness. *Memoir for 1:50 000 geological sheets 258 and 259 (England and Wales)*, Memoir (Sheet) of the British Geological Survey (England and Wales) (258 and 259), HMSO, London, 85 pp.
- Lake, R.D. and Shephard-Thorn, E.R. (1987) *Geology of the Country around Hastings and Dungeness: Memoir for 1:50 000 geological sheets 320 and 321 (England and Wales)*, Memoir (Sheet) of the British Geological Survey (England and Wales) (320 and 321), HMSO, London, 81 pp.
- Lake, R.D., Ellison, R.A., Henson, M.R. and Conway, B.W. (1986). *Geology of the Country around Southend and Foulness: Memoir for 1:50 000 geological sheets 258 and 259*. Memoir (Sheet) of the British Geological Survey (England and Wales) (258 and 259), HMSO, London, 85 pp.
- Lankester, E.R. (1899) Note on the molar of a trilophodont mastodon from the base of the Suffolk Crag. *Geological Magazine, Decade IV*, 6, 289–92.

- Lartet, M. E. (1869) Sur le *Trechomys bonduelli* et sur deux autres rongeurs fossiles de l'Eocène. *Annales des Sciences Naturelles, Paris*, 12, 155–66.
- Laurain, M., Barta, L., Bolin, C., Guernet, C., Gruas-Cavagnetto, C., Louis, P., Perreau, M., Riveline, J. and Thiry, M. (1983) Le sondage et la coupe du Mont Bemon a Epernay (Marne). Étude sédimentologique et paléontologique du stratotype du Sparnacien et de la série éocène. *Géologie de France*, 3, 235–54.
- Laurillard, C.L. (1849) [Various articles on fossil vertebrates.] In *Dictionnaire Universel d'Historie Naturelle*, dirigé par M. Charles d'Orbigny, 13 vols, (1842–1849), Paris.
- Lavocat, R. (1952) *Revision de la faune des mammifères oligocènes d'Auvergne et du Velay*, Paris, 153 pp.
- Legendre, S. (1989) Les communautés de mammifères du Paléogène (Eocène supérieur et Oligocène) d'Europe occidentale: structures, milieux et evolution. *Münchner Geowissenschaftliche Abhandlungen. Reihe A. Geologie and Paläontologie*, 16, 1–110.
- Legendre, S. and Hartenberger, J.L. (1992) Evolution of mammalian faunas in Europe during the Eocene and Oligocene. In *Eocene–Oligocene Climatic and Biotic Evolution* (eds D.R. Prothero and W.A. Berggren), Princeton University Press, Princeton, pp. 516–28.
- Liengjaren, M., Costa, L.I., and Downie, C. (1980) Dinoflagellate cysts from the Upper Eocene–Lower Oligocene of the Isle of Wight. *Palaeontology*, 23, 475–99.
- Lillegraven, J.A., Kielan-Jaworowska, Z. and Clemens, W.A. (eds) (1979) *Mesozoic Mammals: the First Two-thirds of Mammalian History*, University of California Press, Berkeley, 311 pp.
- Lister, A.M. (1996) Evolution and taxonomy of Eurasian mammoths. In *The Proboscidea. Evolution and Palaeoecology of Elephants and their Relatives*. (ed. H. Shoshani and P. Tassy), Oxford University Press, Oxford, pp. 203–13.
- Lister, A.M. (1999) The Pliocene deer of the Red Crag Nodule Bed (UK). *Deinsea*, 7, 215–21.
- Lister, A.M. and Van Essen, H. (2004) The earliest mammoths in Europe. *Terra Nostra, Schriften der Alfred-Wegener-Stiftung*, 2004/2, 14–15.
- Louis, P. and Sudre, J. (1975) Nouvelles données sur les primates de l'Éocène supérieur européen. *Colloque Internationale du Centre National des Recherches Scientifiques*, 218, 805–28.
- Lucas, S.G. (1998) Fossil mammals and the Paleocene/ Eocene Series boundary in Europe, North America, and Asia. In *Late Paleocene–Early Eocene Climatic and Biotic Events in the Marine and Terrestrial Records* (eds M.-P. Aubry, S. G. Lucas and W.A. Berggren), Columbia University Press, New York, pp. 451–500.
- Lucas, S.G. and Luo, Z. (1993) *Adelobasileus* from the Upper Triassic of West Texas: the oldest mammal. *Journal of Vertebrate Paleontology*, 13, 309–14.
- Luo Z.X. and Sun, A. (1993) *Oligokyphus* (Cynodontia:Tritylodontidae) from the Lower Lufeng Formation (Lower Jurassic) of Yunnan, China. *Journal of Vertebrate Paleontology*, 13, 477–82.
- Luo Z.-X., Cifelli, R.L. and Kielan-Jaworowska, Z. (2001) Dual origin of tribosphenic mammals. *Nature*, 409, 53–7.
- Luo Z.-X., Cifelli, R.L. and Kielan-Jaworowska, Z. (2002) In quest for a phylogeny of Mesozoic mammals. *Acta Palaeontologica Polonica*, 47, 1–78.
- Luo Z.-X., Ji Q., Wible, J.R. and Yuan C.X. (2003) An Early Cretaceous tribosphenic mammal and metatherian evolution. *Science*, 302, 1934–40.

- Lydekker, R. (1884a) Notes on some fossil Carnivora and Rodentia. *Geological Magazine, Decade III*, 1, 442–5.
- Lydekker, R. (1884b) Note on the Anthracotheriidae of the Isle of Wight. *Geological Magazine, Decade III*, 1, 547–8.
- Lydekker, R. (1885a) Notes on three genera of fossil Artiodactyla, with descriptions of a new species. *Geological Magazine, Decade III*, 2, 63–73.
- Lydekker, R. (1885b) Note on the zoological position of the genus *Microchoerus*, Wood, and its apparent identity with *Hyopsodus*, Leidy. *Quarterly Journal of the Geological Society of London*, 41, 529–31.
- Lydekker, R. (1886) Note on some Vertebrata from the Red Crag. *Quarterly Journal of the Geological Society of London*, 42, 364–9.
- Lydekker, R. (1887) *Catalogue of the Fossil Mammalia In the British Museum (Natural History). Part V. The Group Tillodontia, the Orders Sirenia, Cetacea, Edentata, Marsupialia, Monotremata, and Supplement*, British Museum (Natural History), London, 345 pp.
- Lydekker, R. (1891) *Catalogue of Fossil Birds in the British Museum (Natural History)*, British Museum (Natural History), London, 368 pp.
- Lydekker, R. (1893) On a mammalian incisor from the Wealden of Hastings. *Quarterly Journal of the Geological Society of London*, 49, p. 28.
- Maisch, M.W., Matzke, A.T., Grossmann, F., Stahr, H., Pflötzschner, H.-U. and Sun Ge (2005). The first haramiyoid mammal from Asia. *Naturwissenschaften*, 92, 40–4.
- Major, C.I.F. (1873) Nagerüberreste aus Nöhnerzen Süddeutschlands und der Schweiz. *Palaeontographica*, 22, 75–130.
- Martin, T. and Krebs, B. (eds) (2000) *Guimarota, a Jurassic Ecosystem*. Pfeil, München, 155 pp.
- Mathis, C. (1987) Précisions sur le genre *Paramiacis* Mathis (Carnivora, Miacidae). *Bulletin du Muséum National d'Histoire Naturelle. Section C: Sciences de la Terre: Paléontologie; Géologie, Minéralogie, (Serie 4)*, 9, 313–26.
- Matthew, W.D. (1915) A revision of the Lower Eocene Wasatch and Wind River faunas. Part I: Order Ferae (Carnivora). Suborder Creodonta. *Bulletin of the American Museum of Natural History*, 34, 1–103.
- Matthew, W.D. (1937) Paleocene faunas of the San Juan Basin, New Mexico. *Transactions of the American Philosophical Society*, 30, 1–510.
- Mayhew, D.F. (1978) Reinterpretation of the extinct beaver *Trogontherium* (Mammalia, Rodentia). *Philosophical Transactions of the Royal Society, London*, (B) 281, 407–38.
- Mayr G. (1998) "Coraciiforme" und "piciforme" Kleinvogel aus dem Mittel-Eozän der Grube Messel (Hessen, Deutschland). *Courier Forschungsinstitut Senckenberg* 205, 1–101.
- Mayr, G. (2000) A new basal galliform bird from the Middle Eocene of Messel (Hessen, Germany). *Senckenbergiana lethaea*, 80, 45–57.
- Mayr, G. (2001a) The relationships of fossil apodiform birds — a comment on Dyke (2001), *Senckenbergiana Lethaea*, 81, 1–2.
- Mayr, G. (2001b) Comments on the systematic position of the putative Lower Eocene parrot *Pulchrapollia gracilis*, *Senckenbergiana Lethaea*, 81, 339–41.
- Mayr, G. (2002) On the osteology and phylogenetic affinities of the Pseudasturidae — Lower Eocene stem-group representatives of the parrots (Ayes, Psittaciformes). *Zoological Journal of the Linnean Society*, 136, 715–29.

- Mayr, G. (2003) Phylogeny of early Tertiary swifts and hummingbirds (Ayes: Apodiformes). *The Auk*, 120, 145–51.
- Mayr, G. and Daniels, M. (1998) Eocene parrots from Messel (Hessen, Germany) and the London Clay of Walton-on-the-Naze (Essex, England). *Senckenbergiana Lethaea*, 78, 157–77.
- Mayr, G. and Smith, R. (2001) Ducks, rails, and limicoline waders (Ayes: Anseriformes, Gruiformes, Charadriiformes) from the lowermost Oligocene of Belgium. *Geobios*, 34, 547–61.
- Mayr, G., Peters, D.S. and Rietschel, S. (2002) Petrel-like birds with a peculiar foot morphology from the Oligocene of Germany and Belgium (Ayes: Procellariiformes). *Journal of Vertebrate Paleontology*, 22, 667–76.
- McGowan, G.J. and Ensom, P.C. (1997) Albanerpetonitid amphibians from the Lower Cretaceous of the Isle of Purbeck, Dorset. *Proceedings of the Dorset Natural History and Archaeological Society*, 118, 113–17.
- McKerrow, W.S. and Baker, S. (1988) Field meeting to Charlbury and Stonesfield, Oxfordshire. *Proceedings of the Geologists' Association*, 99, 61–5.
- McKerrow, W.S., Johnson, R.T. and Jakobson, M.E. (1969) Palaeoecological studies in the Great Oolite at Kirtlington. *Palaeontology*, 12, 56–83.
- Metcalf, S.J., Vaughan, R.F., Benton, M.J., Cole, J., Simms, M.J. and Dartnall, D.L. (1992) A new Bathonian (Middle Jurassic) microvertebrate site, within the Chipping Norton Limestone Formation at Hornsleasow Quarry, Gloucestershire. *Proceedings of the Geologists' Association*, 103, 321–42.
- Meyer, H. von (1852) *Ueber die Reptilien and Säugethiere der Verschiedenen Zeiten der Erde. Zwei Reden*, Frankfurt-am-Main, 150 pp.
- Michaux, J. (1964) Diagnose de quelques paramyides de l'Éocène inférieur du Bassin de Paris. *Comptes Rendus Sommaires des Séances de la Société Géologique de France*, 4, 153–4.
- Milne-Edwards, A. (1867–1871) *Recherches Anatomiques et Paléontologiques pour servir a l'Histoire des Oiseaux Fossiles de la France*, Masson, Paris, 1108 pp.
- Milner, A.C., Milner, A.R. and Estes, R. (1982) Amphibians and squamates from the Upper Eocene of Hordle Cliff, Hampshire. *Tertiary Research*, 4, 149–54.
- Misonne, X. (1957) Mammifères Oligocènes de Hoogbutsel et de Hoeleden. I. Rongeurs et Ongules. *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique*, 33(51), 1–61.
- Moody, R.T.J. and Walker, C.A. (1970) A new trionychid turtle from the British Lower Eocene. *Palaeontology*, 13, 503–10.
- Moore, C. (1867) On abnormal conditions of Secondary deposits when connected with the Somersetshire and South Wales coal basin; and on the age of the Sutton and Southerndown Series. *Quarterly Journal of the Geological Society of London*, 23, 449–568.
- Morter, A.A. (1984) Purbeck–Wealden beds Mollusca and their relationship to ostracod biostratigraphy, stratigraphical correlation and palaeoecology in the Weald and adjacent areas. *Proceedings of the Geologists' Association*, 95, 217–34.
- Mourer-Chauvire, C. (1982) Les oiseaux fossiles des Phosphorites de Quercy (Éocène supérieure a Oligocène inférieure): implications biogéographiques. In *Phylogénie et Paleobiogéographie. Livre jubilaire en l'honneur de R. Hoffstetter* (eds E. Buffetaut, P. Janvier, J.-C. Rage and P Tassy), *Geobios Mémoire Speciale*, 6, Edition de l'Université Claude Bernard, Lyon, pp. 413–26.
- Movius, H.L. (1949) Villafranchian stratigraphy in southern and southwestern Europe. *Journal of Geology*, 57, 380–412.

- Murata, Y., Nikaido, M., Sasaki, T., Cao, Y., Fukumoto, Y., Hasegawa, M. and Okada, N. (2003) Afrotherian phylogeny as inferred from complete mitochondrial genomes. *Molecular Phylogenetics and Evolution*, 28, 253–60.
- Murphy, W.J., Eizirik, E., O'Brien, S.J., Madsen, O., Scally, M., Douady, C.J., Teeling, E., Ryder, O.A., Stanhope, M.J., de Jong, W.W. and Springer, M.S. (2001) Resolution of the early placental mammal radiation using Bayesian phylogenetics. *Science*, 294, 2348–51.
- Murray, J.W. (1992) Palaeogene and Neogene. In *Atlas of Palaeogeography and Lithofacies* (eds J.C.W. Cope, J.K. Ingham and P.F. Rawson), *Geological Society of London Memoir*, No. 13, Geological Society of London, London, pp. 141–7.
- Murray, J.W. and Wright, C.A. (1974) *Palaeogene Foraminiferida and Palaeoecology, Hampshire and Paris basins, and the English Channel*, *Special Papers in Palaeontology*, No. 14, Palaeontological Association, London, 171 pp.
- Newell, A.J. (2001) Construction of a Palaeogene tide-dominated shelf: influence of Top Chalk topography and sediment supply (Wessex Basin, UK). *Journal of the Geological Society*, 158, 379–90.
- Newton, E.T. (1882) *The Vertebrata of the Forest Bed Series of Norfolk and Suffolk*, Memoir of the Geological Survey of the United Kingdom, HMSO, London, 143 pp.
- Newton, E.T. (1886) On the remains of a gigantic species of bird (*Gastornis klaasseni* n. sp.) from the Lower Eocene Beds near Croydon. *Transactions of the Zoological Society of London*, 12, 143–60.
- Newton, E.T. (1891) *The Vertebrata of the Pliocene Deposits of Britain*, Memoir of the Geological Survey of the United Kingdom, HMSO, London, 137 pp.
- Norris, C.A. and Harrison, D.L. (1998a) A possible omomyid (Primates: Omomyidae) periotic from the Eocene deposits at Hordle, Hampshire. *Acta Zoologica Cracoviensia*, 41, 61–8.
- Norris, C.A. and Harrison, D.L. (1998b) Mammalian periotic bones from the Eocene deposits at Hordle, Hampshire. *Acta Zoologica Cracoviensia*, 41, 69–77.
- Novacek, M. J. (1992) Mammalian phylogeny: shaking the tree. *Nature*, 356, 121–15.
- Novacek, M.J. (1999) 100 million years of land vertebrate evolution: the Cretaceous–early Tertiary transition. *Annals of the Missouri Botanical Garden*, 86, 230–58.
- Oakley, K.P. (1949) The Plio-Pleistocene boundary. Proceedings of the XVIII Geological Congress. Section H. *Geological Magazine*, 86, 18–21
- Odling, M. (1913) The Bathonian rocks of the Oxford district. *Quarterly Journal of the Geological Society of London*, 69, 484–513.
- Olson, S.L. (1985) The fossil record of birds. In *Avian Biology*, Volume 8 (eds D.S. Farner, J.R. King, and K.C. Parkes), Academic Press, Orlando, pp. 79–238.
- Olson, S.L. (1999) The anseriform relationships of *Anatalavis* Olson and Parris (Anseranatidae), with a new species from the Lower Eocene London Clay. *Smithsonian Contributions to Paleobiology*, 89, 231–243.
- Osborn, H.F. (1888) On the structure and classification of the Mesozoic Mammalia *Journal of the Academy of Natural Sciences, Philadelphia*, 2, 186–265.
- Osborn, H.F. (1892) *The classification of the Perissodactyla*. In *Fossil Mammals of the Wasatch and Wind River Beds. Collection of 1891* (eds H.F. Osborn and J.L. Wortman), *Bulletin of the American Museum of Natural History*, 4, 81–147.

- Ostrom, J. H. (1976) *Archaeopteryx* and the origin of birds. *Zoological Journal of the Linnean Society*, 8, 91–182.
- Owen, R. (1841a) Description of some fossil remains of *Chaeropotanzus*, *Palaeotherium*, *Anoplotherium* and *Dichobune*, from the Eocene formation, Isle of Wight. *Transactions of the Geological Society of London*, 6, 41–5.
- Owen, R. (1841b) Description of the fossil remains of a mammal (*Hyracotherium leporinum*) and of a bird (*Lithornis vulturinus*) from the London Clay. *Transactions of the Geological Society of London, New Series*, 6, 203–8.
- Owen, R. (1842) Description of some molar teeth from the Eocene sand at Kyson in Suffolk, indicative of a new species of *Hyracotherium* (*Hyr. cuniculus*). *Annals and Magazine of Natural History*, 8, 1–2.
- Owen, R. (1845) *Odontography: or a Treatise in the Comparative Anatomy of the Teeth; their Physiological Relations, Mode of Development, and Microscopic Structure, in the Vertebrate Animals*, Hippolyte Balliere, London, 3, xli–lxxiv, 289–655.
- Owen, R. (1846) *A History of British Fossil Mammals and Birds*, Van Voorst, London, 560 pp.
- Owen, R. (1848a) On the fossils obtained by the Marchioness of Hastings from the freshwater Eocene beds of the Hordle Cliffs. *Report of the British Association for the Advancement of Science*, 1847, 65–6.
- Owen, R. (1848b) On the fossil remains of Mammalia referable to the genus *Palaeotherium*, and to two genera *Paloplotherium* and *Dichodon*, hitherto undefined, from the Eocene Sand at Hordle, Hampshire. *Quarterly Journal of the Geological Society of London*, 4, 17–42.
- Owen, R. (1848c) Description of teeth and portions of jaws of two extinct anthracotheroid quadrupeds (*Hyopotanzus vectianus* and *H. bovinus*) discovered by the Marchioness of Hastings in the Eocene deposits on the N.W. coast of the Isle of Wight, with an attempt to develop Cuvier's idea of the classification of pachyderms by the number of their toes. *Quarterly Journal of the Geological Society of London*, 4, 104–41.
- Owen, R. (1854) On some fossil reptilian and mammalian remains from the Purbecks. *Quarterly Journal of the Geological Society of London*, 10, 420–33.
- Owen, R. (1857a) On the *Dichodon cuspidatus* Owen. *Quarterly Journal of the Geological Society of London*, 13, 190–6.
- Owen, R. (1857b) Description of the lower jaw and teeth of an anoplotherioid quadruped (*Dichobune ovina*, Ow.) of the size of *Xiphodon gracilis* Cuv., from the Upper Eocene marl, Isle of Wight. *Quarterly Journal of the Geological Society of London*, 13, 254–60.
- Owen, R. (1858) Description of a small lophiodont mammal (*Pliolophus vulpiceps* Owen) from the London Clay near Harwich. *Quarterly Journal of the Geological Society of London*, 14, 54–71.
- Owen, R. (1859) *Monograph on the Fossil Reptilia of the Wealden and Purbeck Formations. Supplement No. II: Crocodilia (Streptospondylus, etc.) (Wealden)*. Monographs of the Palaeontographical Society, Palaeontographical Society, London, pp. 20–44.
- Owen, R. (1869) On the distinction between *Castor* and *Trogontherium*. *Geological Magazine, Decade I*, 6, 49–56.
- Owen, R. (1870) On *Dinornis* (Part 14), containing contributions to the craniology of the genus, with a description of a fossil cranium of *Dasornis londiniensis* Ow., from the London Clay of Sheppey. *Transactions of the Zoological Society of London*, 7, 123–50.
- Owen, R. (1871) *Monograph of the fossil Mammalia of the Mesozoic formations*, Monographs of the Palaeontographical Society, Palaeontographical Society, London, 115 pp.

- Owen, R. (1870–89) *Monograph on the British Fossil Cetacea from the Red Crag*, Monographs of the Palaeontographical Society, Palaeontographical Society, London, 40 pp.
- Owen, R. (1873) Description of the skull of a dentigerous bird (*Odontopteryx toliapica*) from the London Clay of Sheppey. *Quarterly Journal of the Geological Society of London*, 29, 511–22.
- Owen, R. (1878) On *Argillornis longipennis*, a large bird of flight from the Eocene Clay of Sheppey. *Quarterly Journal of the Geological Society of London*, 34, 124–31.
- Palmer, T.J. (1979) The Hampen Marly and White Limestone formations: Florida-type carbonate lagoons in the Jurassic of Central England. *Palaeontology*, 22, 189–228.
- Parrington, F.R. (1941) On two mammalian teeth from the Lower Rhaetic of Somerset. *Annals and Magazine of Natural History, Series 8*, 11, 140–4.
- Parrington, F.R. (1946) On the cranial anatomy of cynodonts. *Proceedings of the Zoological Society of London*, 116, 181–97.
- Parrington, F.R. (1978) A further account of the Triassic mammals. *Philosophical Transactions of the Royal Society, Series B*, 282, 177–204.
- Patterson, C. (1966) British Wealden sharks. *British Museum (Natural History): Geology*, 11, 281–350.
- Peters, S. (1992a) A new species of owl (Aves: Strigiformes) from the middle Eocene Messel Oil Shale. In *Papers in Avian Paleontology Honoring Pierce Brodkorb* (ed. K.S.W. Campbell), *Science Series, Natural History Museum of Los Angeles County*, No. 36, Natural History Museum of Los Angeles County, Los Angeles, pp. 161–9.
- Peters, S. (1992b) Messel birds: a land-based assemblage. In *Messel: an Insight into the History of Life and of the Earth* (eds S. Schaal and W. Ziegler), Clarendon Press, Oxford, pp. 135–51.
- Phillips, J. (1871) *Geology of Oxford and the Valley of the Thames*, Clarendon Press, Oxford, 523 pp.
- Pictet, F.J. (1853–1857) *Traité de Paléontologie, ou, Histoire Naturelle des Animaux Fossiles considérés dans leurs Rapports Zoologiques et Géologiques*, 2nd edn, 4 volumes, J.B. Bailliére, Paris.
- Pictet, F.J. and Humbert, A. (1869) Mémoire sur les animaux vertébrés trouvés dans le terrain sidérolithique du canton de Vaud et appartenant à la faune éocène. *Matériaux pour la Paléontologie Suisse, Serie 5*, 2, Supplement, 121–97.
- Pilleri, G. (1987) *The Cetacea of the Italian Pliocene*. Brain Anatomy Institute, Berne, 160 pp.
- Plint, A.G. (1983) Facies, environments and sedimentary cycles in the Middle Eocene Bracklesham Formation of the Hampshire Basin: evidence for global sea-level changes. *Sedimentology*, 30, 625–53.
- Plint, A.G. (1984) A regressive coastal sequence from the Upper Eocene of Hampshire, southern England. *Sedimentology*, 31, 213–25.
- Plint, A.G. (1988) Global eustacy and the Eocene sequence in the Hampshire Basin, England. *Basin Research*, 1, 11–22.
- Pomel, A. (1851) Nouvelles observations sur la structure des pieds dans les animaux de la famille des *Anoplotherium*, et dans le genre *Hyaeonoschus*. *Comptes Rendus hebdomadaires de l'Académie des Sciences, Paris*, 33, 16–17.
- Pomel, A. (1852) Catalogue méthodique et descriptif des vertébrés fossiles découverts dans les bassins de la Loire et de l'Allier (part). *Annales Scientifiques, Littéraires et Industrielles de l'Auvergne*, 25, 337–80.
- Pomel, A. (1853) Catalogue des vertébrés fossiles (suite et fin). *Annales Scientifiques, Littéraires et Industrielles de l'Auvergne*, 26, 81–229.

- Powell, A. J. (1992) Dinoflagellate cysts of the Tertiary System. In *Stratigraphic Index of Dinoflagellate Cysts*, (ed. A.J. Powell) Chapman & Hall, London, 155–229.
- Preece, R.C. (1980) The Mollusca of the Creechbarrow Limestone Formation (Eocene) of Creechbarrow Hill, Dorset. *Tertiary Research*, 2, 169–80.
- Prestwich, J. (1846) On the Tertiary or supracretaceous formations of the Isle of Wight as exhibited in the sections at Alum Bay and Whitecliff Bay. *Quarterly Journal of the Geological Society of London*, 2, 223–59.
- Prestwich, J. (1850) On the structure of the strata between the London Clay and the Chalk in the London and Hampshire Tertiary systems. *Quarterly Journal of the Geological Society of London*, 6, 252–81.
- Prestwich, J. (1854) On the thickness of the London Clay, on the relative position of the fossiliferous beds of Sheppey, Highgate &c.. *Quarterly Journal of the Geological Society of London*, 10, 401–9.
- Quinet, G.E. (1968) Les mammifères du Landenien continental beige, 2. Etude de la morphologie dentaire comparé des "carnivores" de Dormaal. *Mémoires de l'Institut Royal des Sciences Naturelles de Belgique*, 158, 1–64.
- Quinet, G.E. and Misonne, X. (1965) Les insectivores zalambdodontes de l'Oligocène inférieur Beige. *Bulletin de l'Institut Royale des Sciences Naturelles de Belgique*, 51, 1–15.
- Revilliod, P (1919) L'état actuel de nos connaissances sur les chiroptères fossiles. (Note préliminaire.). *Comptes Rendus des Séances de la Société de Physique et d'Histoire Naturelle de Geneve*, 36, 93–6.
- Revilliod, P (1922) Contribution à l'étude des chiroptères des terrains tertiaires. III. *Abhandlungen der Schweizerischen Paläontologischen Gesellschaft*, 44, 131–95.
- Reynolds, S.H. (1902–1912). A *Monograph of the British Pleistocene Mammalia*, Volume II, parts I–IV, Monographs of the Palaeontographical Society, Palaeontographical Society, London, 116 pp.
- Richardson, L., Arkell, W.J., and Dines, H.G. (1946) *Geology of the Country around Witney: Explanation of sheet 236*, Memoir (Sheet) of the Geological Survey of Great Britain (England and Wales) — New Series (236), HMSO, London, 150 pp.
- Richardson, W. (1841) Observations on the locality of *Hyracotherium*. *Transactions of the Geological Society of London, New Series*, 6, 211–4.
- Rickman, C. (1861) On discoveries in the Lower London Tertiaries at Dulwich and Peckham, during the excavations for the Effra branch of the Great South High Level Sewer. *Proceedings of the Geologists' Association*, 1, 106–15.
- Riveline, J. (1984) Les gisements à charophytes du Cénozoïque (Danien à Burdigalien) d'Europe occidentale: lithostratigraphie, bios-tratigraphie, chronostratigraphie. *Bulletin Informatique de Géologie du Bassin de Paris, (Mémoire hors Série)*, 4, 1–523.
- Robinson, P.L. (1957) The Mesozoic fissures of the Bristol Channel area and their vertebrate faunas. *Journal of the Linnean Society (Zoology)*, 43, 260–82.
- Robinson, P.L. (1971) A problem of faunal replacement on Permo-Triassic continents. *Palaeontology*, 14, 131–53.
- Rose, K.D. (1984) Evolution and radiation of mammals in the Eocene, and the diversification of modern orders. In *Mammals: notes for a short course organized by P.D. Gingerich and C.E. Badgley* (ed. T.W. Broadhead), *Studies in Geology, University of Tennessee Department of Geological Sciences*, 8, University of Tennessee, Knoxville, pp. 110–27.

- Rose, K.D. and Archibald, J.D. (eds) (2005) *The Rise of Placental Mammals. Origins and relationships of the major extant clades*. The Johns Hopkins University Press, Baltimore and London, 259 pp.
- Rougier, G.W., Wible, J.R. and Hopson, J.A. (1996) Basicranial anatomy of *Proacodon fruitaensis* (Triconodontidae, Mammalia) from the Late Jurassic of Colorado, and a reappraisal of mammaliaform relationships. *American Museum Novitates*, 3183, 1–38.
- Rowe, T (1988) Dentition, diagnosis, and origin of Mammalia. *Journal of Vertebrate Paleontology*, 8, 241–64.
- Rowe, T. (1993) Phylogenetic systematics and the early history of mammals. In *Mammal Phylogeny: Mesozoic Differentiation, Multituberculates, Monotremes, Early Therians, and Marsupials* (eds F.S. Szalay, M.J. Novacek, and M.C. McKenna), Springer-Verlag, New York, pp. 129–45.
- Rundle, A.J. (1970) Report of field meeting to Abbey Wood, Kent. *Tertiary Times*, 1, 20–3.
- Russell, D.E., Louis, P and Savage, D.E. (1967) Primates of the French early Eocene. *University of California Publications in Geological Sciences*, 73, 1–46.
- Rüttimeyer, L. (1891) Die Eocäne Säugethier-welt von Egerkingen. *Abhandlungen der Schweizerische Paläontologischen Gesellschaft*, 18, 1–153.
- Savage, D.E. and Russell, D.E. (1983) *Mammalian Paleofaunas of the World*, Addison-Wesley, London, 432 pp.
- Savage, R.J.G. (1984) Mid Jurassic mammals from Scotland. In *Third Symposium on Mesozoic Terrestrial Ecosystems, Short Papers* (eds W-E. Reif and F. Westphal), Tübingen University Press, Tübingen, pp. 211–13.
- Savage, R.J.G. (1993) Vertebrate fissure faunas with special reference to Bristol Channel Mesozoic faunas. *Journal of the Geological Society, London*, 150, 1025–34.
- Savage, R.J.G. and Long, M.R. (1986) *Mammal Evolution: an illustrated guide*, British Museum (Natural History), London, 259 pp.
- Savage, R.J.G. and Waldman, M. (1966) *Oligokyphus* from Holwell Quarry Somerset. *Proceedings of the Bristol Naturalists' Society*, 31, 185–92.
- Schlosser, M. (1884) Die Nager des europäischen Tertiärs. *Palaeontographica*, 31, 91–161.
- Schlosser, M. (1886) Beiträge zur Kenntnis der Stammesgeschichte der Hufthiere und Versuch einer Systematik der Paar- und Unpaarhufer. *Morphologisches Jahrbuch*, 12, 1–136.
- Schmidt-Kittler, N. (1970) Ein neuer Pseudosciuride von Ehrenstein westlich Ulm. *Mitteilungen der Bayerischen Staatssammlung für Paläontologie und Historische Geologie*, 10, 433–40.
- Schmidt-Kittler, N. (1971) Odontologische Untersuchungen an Pseudosciuriden (Rodentia, Mammalia) des Alttertiärs. *Abhandlungen der Bayerischen Akademie der Wissenschaften, Mathematischen-Naturwissenschaftlichen Klasse, Neue Folge*, 150, 1–133.
- Schmidt-Kistler, N. (ed.) (1987) International symposium on mammalian biostratigraphy and paleoecology of the European Paleogene — Mainz, February 18–21 1987. *Münchner Geowissenschaftliche Abhandlungen, Reihe A: Geologie und Paläontologie*, 10, 1–312.
- Schreve, D., (in prep) *Pleistocene Vertebrata of Great Britain*. Geological Conservation Review Series, JNCC, Peterborough.

- Seeley, H.G. (1876) On the British fossil Cretaceous birds. *Quarterly Journal of the Geological Society of London*, 32, 496–512.
- Sellwood, B.W. and McKerrow, W.S. (1974) Depositional environments in the lower part of the Great Oolite Group of Oxfordshire and North Gloucestershire. *Proceedings of the Geologists' Association*, 85, 189–210.
- Sigé, B. (1975) Insectivores primitifs de l'Eocene supérieur et Oligocene inférieur d'Europe occidentale: Apatemyides et Leptictides. *Colloques Internationaux du Centre National des Recherches Scientifiques*, 218, 653–73.
- Sigé, B. (1976) Insectivores primitifs de l'Éocène supérieur et Oligocène inférieur d'Europe occidentale. Nyctitherlidés. *Mémoires du Muséum National d'Histoire Naturelle, Serie C*, 34, 1–140.
- Sigé, B., Crochet, J.-Y. and Insole, A.N. (1977) Les plus vieilles taupes. In *Faunes de mammifères du Paléogène* (ed. J.L. Hartenberger), *Geobios Mémoire Spéciale*, 1, Edition de l'Université Claude Bernard, Lyon, pp. 141–57.
- Sigogneau-Russell, D. (1983) A new therian mammal from the Rhaetic locality of Saint-Nicolas-de-Port (France). *Zoological Journal of the Linnean Society*, 78, 175–86.
- Sigogneau-Russell, D. (1992) *Hypomylos phelizoni* nov. gen. nov. sp., une étape précoce de l'évolution de la molaire tribosphénique (Crétacé basal du Maroc). *Geobios*, 25, 389–93.
- Sigogneau-Russell, D. (1998) Discovery of a Late Jurassic Chinese mammal in the Upper Bathonian of England. *Comptes Rendus de l'Académie des Sciences, Série II, Fascicule A*, 237, 571–6.
- Sigogneau-Russell, D. (1999) Réévaluation des Peramura (Mammalia, Cladotheria) sur la base de nouveaux spécimens du Crétacé inférieur d'Angleterre et du Maroc. *Geodiversitas*, 21, 93–127.
- Sigogneau-Russell, D. (2001) Docodont nature of *Cyrtlatherium*, an upper Bathonian mammal from England. *Acta Palaeontologica Polonica*, 46, 427–30.
- Sigogneau-Russell, D. (2003a) Docodonts from the British Mesozoic. *Acta Palaeontologica Polonica*, 48, 357–74.
- Sigogneau-Russell, D. (2003b) Holotherian mammals from the Forest Marble (Middle Jurassic of England). *Geodiversitas*, 25, 501–37.
- Sigogneau-Russell, D. and Ensom, P.C. (1994) Oldest evidence of tribosphenic mammals discovered in the Purbeck Limestone Group (Berriasian, England). *Comptes Rendus de l'Académie des Sciences, Paris*, 319, 833–8.
- Sigogneau-Russell, D. and Ensom P.C. (1998) *Thereuodon* (Theria, Symmetrodonta) from the Lower Cretaceous of North Africa and Europe, and a brief review of symmetrodonts. *Cretaceous Research*, 19, 445–70.
- Sigogneau-Russell, D., Hooker, J.J. and Ensom, P.C. (2001) The oldest tribosphenic mammal from Laurasia (Purbeck Limestone Group, Berriasian, Cretaceous, UK) and its bearing on the 'dual origin' of Tribosphenida. *Comptes Rendus de l'Académie des Sciences, Série II, Fascicule A*, 333, 141–7.
- Simms, M.J. (1990) Triassic palaeokarst in Britain. *Cave Science*, 17, 93–101.
- Simons, E.L. (1961) Notes on some Eocene tarsioids and a revision of some Necrolemurinae. *Bulletin of the British Museum (Natural History): Geology*, 5, 45–69.
- Simons, E.L. (1962) A new Eocene primate, *Cantius*, and a revision of some allied European lemuroids. *Bulletin of the British Museum (Natural History): Geology*, 7, 1–36.
- Simpson, G.G. (1928) *A Catalogue of the Mesozoic Mammalia in the Geological Department of the British Museum of Natural History*, British Museum (Natural History), London, 215 pp.

- Simpson, G.G. (1929) American Mesozoic Mammalia. *Memoirs of the Peabody Museum, Yale*, 3, 1–235.
- Simpson, G.G. (1947) *Haramiya*, new name, replacing *Microcleptes* Simpson, 1928. *Journal of Paleontology*, 21, p. 497.
- Smith, T. and Smith, R. (2001) The creodonts (Mammalia, Ferae) from the Paleocene–Eocene transition in Belgium (Tienen Formation, MP7). *Belgian Journal of Zoology*, 131, 117–35.
- Smith, T. and Smith, R. (2003) Terrestrial mammals as biostratigraphic indicators in upper Paleocene–lower Eocene marine deposits of the southern North Sea Basin. *Geological Society of America Special Publications* 369, 513–20.
- Springer, M.S., Cleven, G.C., Madsen, O., de Jong, W.W, Waddell, V.G., Amrine, H.M. and Stanhope, M.J. (1997) Endemic African mammals shake the phylogenetic tree. *Nature*, 388, 61–4.
- Springer, M.S., Murphy, W.J., Eizirik, E. and O'Brien, S. J. (2003) Placental mammal diversification and the Cretaceous–Tertiary boundary. *Proceedings of the National Academy of Sciences, USA*, 100, 1056–61.
- Steadman, D.W. (1981) Birds of the British Lower Eocene. *Auk*, 98, 205–7.
- Stehlin, H.G. (1904) Die Säugetiere des schweizerischen Eocaens. Critischer Catalog der Materialien. 2ter Teil. *Abhandlungen der Schweizerische Paläontologischen Gesellschaft*, 31, 155–445.
- Stehlin, H.G. (1908) Die Säugetiere des schweizerischen Eocaens. Critischer Catalog der Materialien. 5ter Teil. *Abhandlungen der Schweizerische Paläontologischen Gesellschaft*, 35, 691–837.
- Stehlin, H.G. (1910) Remarques sur les faunules de mammifères des couches tœcenes et Oligocenes du Bassin de Paris. *Bulletin de la Société Géologique de France*, 9, 488–520.
- Stehlin, H.G. (1912) Die Säugetiere des schweizerischen Eocaens. Critischer Catalog der Materialien. 7ter Teil (1) *Abhandlungen der Schweizerische Paläontologischen Gesellschaft*, 38, 1165–298.
- Stehlin, H.G. (1941) Zur Stammesgeschichte der Soriciden. *Eclogae Geologicae Helvetiae*, 33, 298–306.
- Stehlin, H.G. and Schaub, S. (1951) Die Trigonodontie der simplicidentaten Nager. *Abhandlungen der Schweizerische Paläontologischen Gesellschaft*, 67, 1–385.
- Steiner, M.B. (1998). Age, correlation, and tectonic implications of Morrison Formation paleomagnetic data, including rotation of the Colorado Plateau. *Modern Geology*, 22, 261–81.
- Staubaut, E. (1992) Integrated stratigraphic analysis of lower Rupelian deposits (Oligocene) in the Belgian Basin. *Annales de la Société Géologique de Belgique*, 115, 287–306.
- Stewart, D.J. (1981) A field guide to the Wealden Group of the Hastings area and the Isle of Wight. In *Field Guides to Modern and Ancient Fluvial Systems in Britain and Spain* (ed. T Elliott), Department of Geology, University of Keele, Keele, pp. 3.1–3.32.
- Stewart, D.J. (1983) Possible suspended load channel deposits from the Wealden Group (Lower Cretaceous) of southern England. In *Modern and Ancient Fluvial Systems* (eds J.D. Collinson and J. Lewin), *Special Publication of the International Association of Sedimentologists*, 6, Blackwell Scientific, Oxford, pp. 369–84.
- Stidham, T.A. (1998) A lower jaw from a Cretaceous parrot. *Nature*, 396, 29–30.
- Stinton, F.C. and Curry D. (1979) Lithostratigraphical nomenclature of the English Palaeogene succession. *Geological Magazine*, 116, 66–7.
- Stopes, H. and Dalton, W.H. (c. 1890) *Notes on the Geology and Archaeology of the District of Walton-on-Naze and Clacton-on-Sea*.

- Strahan, A. (1898) *The Geology of the Isle of Purbeck and Weymouth*, Memoir (District) of the Geological Survey of Great Britain (17), HMSO, London, 278 pp.
- Stuart, A.J. (1982) *Pleistocene Vertebrates in the British Isles*, Longman, London, 212 pp.
- Sudre, J. (1969) Les gisements de Robiac (Eocène supérieur) et leurs faunes de mammifères. *Palaeovertebrata*, 2, 95–156.
- Sudre, J. (1978) Les artiodactyles de l'Éocène moyen et supérieur d'Europe occidentale (systématique et évolution). *Mémoires et Travaux de l'Institut de Montpellier*, 7, 1–229.
- Sudre, J., Russell, D.E., Louis, P and Savage, D.E. (1983) Les Artiodactyles de l'Éocène inférieur d'Europe. *Bulletin du Muséum National d'Histoire Naturelle, Section C (Serie 4)*, 5, 281–365.
- Sues, H.-D. (1986) The skull and dentition of two tritylodontid synapsids from the Lower Jurassic of western North America. *Bulletin of the Museum of Comparative Zoology*, 151, 215–66.
- Sutcliffe, A J. (1985) *On the Track of Ice Age Mammals*, British Museum (Natural History), London, 224 pp.
- Sutcliffe, A.J. and Collings, H.D. (1972) Gnawed bones from the Crag and Forest Bed deposits of East Anglia. *Suffolk Natural History*, 15, 497–8.
- Szalay, F.S., Novacek, M.J., and McKenna, M.C. (eds) (1993) *Mammal Phylogeny: Mesozoic Differentiation, Multituberculates, Monotremes, Early Therians, and Marsupials*, 2 Volumes, Springer-Verlag, New York.
- Tawney, E.B. and Keeping, H. (1883) On the section at Hordwell cliffs, from the top of the Lower Headon to the base of the Upper Bagshot Sands. *Quarterly Journal of the Geological Society of London*, 39, 566–74.
- Taylor, J.H. (1963) Sedimentary features of an ancient deltaic complex: the Wealden rocks of south-east England. *Sedimentology*, 2, 2–28.
- Teilhard de Chardin, P (1922) Les mammifères de l'Éocène inférieur français et leurs gisements [cont'd.] *Annales de Paléontologie*, 11, 1–108.
- Teilhard de Chardin, P. (1927) Les mammifères de l'Éocène inférieur de la Belgique. *Mémoire du Muséum Royal d'Histoire Naturelle de Belgique*, 36, 1–33.
- Thewissen, J.G.M. (1990) Evolution of Paleocene and Eocene Phenacodontidae (Mammalia, Condylarthra). *Papers on Paleontology*, 29, 1–107.
- Thewissen, J.G.M., Madar, S.I. and Hussain, S.T. (1998) Whale ankles and evolutionary relationships. *Nature*, 395, p. 452.
- Thiry, M., Dupuis, C., Aubry, M.-P., Berggren, W.A., Ellison, R.A., Knox, R. O'B., Sinha, A. and Stott, L. (1998) Tentative correlations between continental deposits of the Argiles Plastiques (Paris Basin) and Reading Beds (London Basin), based on chemostratigraphy. *Strata*, 9, 125–9.
- Thompson, P.G. (1911) Note on the occurrence of stony beds underlying Harwich Harbour. *Essex Naturalist*, 16, 305–9.
- Torrens, H.S. (ed.) (1969) *International Field Symposium on the British Jurassic*, Department of Geology, University of Keele, Keele.
- Turner, A. (1995) Evidence for Pleistocene contact between the British Isles and the European Continent based in distributions of larger carnivores. In *Island Britain: a Quaternary Perspective* (ed. R.C. Preece) Geological Society Special Publication No. 96, pp. 141–9.

- Unwin, D.M. (1993) Ayes. In *The Fossil Record 2* (ed. M. J. Benton), Chapman and Hall, London, pp. 717–37.
- Van der Vlerk, I.M. (1950) Correlation between the Plio-Pleistocene deposits in East Anglia and in the Netherlands.. *Report of the 18th Session, Great Britain, 1948, Part IX; Proceedings of Section H of International Geological Congress*, The Pliocene-Pleistocene boundary, p 101–6
- Van Essen, H. and Mol, D. (1996) Plio-Pleistocene proboscideans from the southern bight of the North Sea and the Eastern Scheldt, The Netherlands. In *The Proboscidea. Evolution and palaeoecology of elephants and their relatives* (ed. H. Shoshani and P Tassy) Oxford University Press, Oxford, pp. 213–24.
- Van Valen, L. (1965) Some European Proviverrini (Mammalia, Deltatheridia). *Palaeontology*, 8, 638–65.
- Venables, E.M. (1962) The London Clay of Bognor Regis. *Proceedings of the Geologists' Association*, 73, 245–71.
- Vianey-Liaud, M. (1989) Parallélisme chez les Theridomyinae (Rodentia) de l'Oligocène: étude de deux nouvelles espèces des genres *Theridomys* et *Blainvillimys*. *Neues Jahrbuch für Geologie and Paläontologie, Abhandlungen*, 178, 203–41.
- Vianey-Liaud, M. (1994) La radiation des Gliridae (Rodentia) à l'Éocène supérieur en Europe occidentale, et sa descendance Oligocène. *Münchener Geowissenschaftlichen Abhandlungen*, 26, 117–60.
- Waldman, M. and Evans, S.E. (1994) Lepidosauromorph reptiles from the Middle Jurassic of Skye. *Zoological Journal of the Linnean Society*, 112, 135–50.
- Waldman, M. and Savage, R.J.G. (1972) The first Jurassic mammal from Scotland. *Journal of the Geological Society, London*, 128, 119–25.
- Walford, E.A. (1895) Stonesfield Slate — Report of the Committee. *Report of the British Association for the Advancement of Science*, 1894, 304 6.
- Walford, E.A. (1896) Stonesfield Slate — Second report of the Committee. *Report of the British Association for the Advancement of Science*, 1895, 414–5.
- Walford, E.A. (1897) Stonesfield Slate — Third and final report of the Committee. *Report of the British Association for the Advancement of Science*, 1896, p. 356.
- Walker, C.A. (1980) The distribution of birds in the British Palaeogene. *Tertiary Research*, 3, 25–30.
- Walker, C.A. and Moody, R.T.J. (1974) A new trionychid turtle from the Lower Eocene of Kent. *Palaeontology*, 17, 901–7.
- Wang Yuanqing, Clemens, W.A., Hu Yaoming and Li Chuankuei (1998) A probable pseudo-tribosphenic upper molar from the Late Jurassic of China and the early radiation of Holotheria. *Journal of Vertebrate Paleontology*, 18, 777–87.
- Ward, D.J. (1976) A temporary exposure of Harefield Member (Palaeocene: Oldhaven Formation) at Bignell's Corner, South Mimms, Herts. *Tertiary Research*, 1, 37–40.
- Ward, D.J. and Cooper, J. (1971) Report of project meeting to Abbey Wood, Kent. *Tertiary Times*, 1, 61–6.
- Warrington, G. and Ivimey-Cook, H. (1992) Triassic. In *Atlas of Palaeogeography and Lithofacies* (eds J.C.W. Cope, J.K. Ingham and P.F. Rawson), *Geological Society of London Memoir*, No. 13, Geological Society of London, London, pp. 97–106.
- Wetherell, N.T. (1836) Observations on some of the fossils of the London Clay, and in particular those organic remains which have recently been discovered in the tunnel for the London and Birmingham railroad. *London and Edinburgh Philosophical Magazine*, 9, 462–9.

- Whitaker, W. (1877) *The Geology of the Eastern End of Essex (Walton Naze and Harwich) (Quarter sheet 48SE)*, Memoir (Sheet) of the Geological Survey of Great Britain (England and Wales) — Old Series, HMSO, London, 32 pp.
- White, E.I. (1931) *The Vertebrate Faunas of the English Eocene. Volume 1: From the Thanet Sands to the basement of the London Clay*, British Museum (Natural History), London, 123 pp.
- White, H.J.O. (1921) *A Short Account of the Geology of the Isle of Wight*, Memoir (District) of the Geological Survey of Great Britain (10), HMSO, London, 219 pp.
- Wible, J.R., Rougier, G.W., Novacek, M.J., McKenna, M.C., and Dashzeveg, D. (1995) A mammalian petrosal from the Early Cretaceous of Mongolia: implications for the evolution of the ear region and mammalian interrelationships. *American Museum Novitates*, 3149, 1–19.
- Wilkinson, H.P. (1988) Sapindaceous pyritised twigs from the Eocene of Sheppey, England. *Tertiary Research*, 9, 81–6.
- Wimbledon, W.A. (1976) The Portland Beds (Upper Jurassic) of Wiltshire. *Wiltshire Archaeological and Natural History Magazine*, 71, 3–11.
- Wimbledon, W.A. (1980) Portlandian correlation chart. In *A Correlation of Jurassic Rocks in the British Isles* (ed J.C.W Cope, K.L. Duff, C.F. Parsons, H.S. Torrens, W.A. Wimbledon and J.K. Wright), Geological Society of London Special Report, 15, pp. 85–95.
- Wong, K. (1999) Cetacean creation. *Scientific American*, 280, pp. 26, 30.
- Wood, A.E. (1970) The European paramyid rodent, *Plesiarctomys*. *Verhandlungen der Naturforschenden Gesellschaft, Basel*, 80, 237–78.
- Wood, A.E. (1976) The paramyid rodent *Ailuravus* from the middle and late Eocene of Europe, and its relationships. *Palaeovertebrata*, 7, 117–49.
- Wood, S.V. (1844) Record of the discovery of an alligator with several new Mammalia in the freshwater strata at Hordwell. *Annals and Magazine of Natural History*, 14, 319–51.
- Wood, S.V. (1846) On the discovery of an alligator and several new Mammalia in the Hordwell Cliff; with observations upon the geological phenomena at that locality. *London Geological Journal*, 1, 1–7, 117–22.
- Woodward, A.S. (1911) On some mammalian teeth of the Wealden of Hastings. *Quarterly Journal of the Geological Society of London*, 67, p. 278.
- Woodward, H.B. (1894) *The Jurassic Rocks of Britain. Volume 4: The Lower Oolite Rocks of England (Yorkshire Excepted)*. Memoir of the Geological Survey of the United Kingdom, HMSO, London 628 pp.
- Wright, T (1852) Contributions to the palaeontology of the Isle of Wight. *Proceedings of the Cotteswold Naturalists' Field Club*, 1, 229–34.
- Zagwijn, W.H. (1992) The beginning of the Ice Age in Europe and its major subdivisions. *Quaternary Science Reviews*, 11, 583–91.

[References](#)