References

Most of the references listed below are held in the libraries of the British Geological Survey at Keyworth, Nottingham and Murchison House, Edinburgh. Copies of the references can be purchased subject to the current copyright legislation.

ALLEN, P.M., COOPER, D.C., PARKER, M.E., EASTERBROOK, G.D., and HASLAM, H.W., 1982. Mineral exploration in the area of the Fore Burn igneous complex, south-west Scotland. *Mineral Reconnaissance Report, Institute of Geological Sciences*, No. 55.

ANDERSON, T.B., And OLIVER, G.J.H., 1986. The Orlock Bridge Fault: a major late Caledonian sinstral fault in the Southern Uplands terrane, British Isles. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, Vol. 77, 203–222.

BAILEY, E.B., 1926. Subterranean penetration by a desert climate. Geological Magazine, Vol. 63, 276–280.

BARNES, R.P. 1989. Geology of the Whithorn district. Memoir of the British Geological Survey, Sheet 2 (Scotland).

BARNES, R.P., Anderson, T.B., And MCCURRY, J.A. 1987. Along-strike variation in the stratigraphical and structural profile of the Southern Uplands Central Belt in Galloway and Down. *Journal of the Geological Society of London,* Vol. 144, 807–816.

BARNES, R.P., LINTERN, B.C., And STONE, P. 1989. Timing and regional implications of deformation in the Southern Uplands of Scotland. *Journal of the Geological Society of London*, Vol. 146, 905–908.

BARNES, R.P., PHILLIPS, E.R., And BOLAND, M.P. 1995. The Orlock Bridge Fault in the Southern Uplands of SW Scotland: a terrane boundary? *Geological Magazine*, Vol. 132, (in press)

BARNES, R.P., ROCK, N.M.S., and GASKARTH, J.W. 1986. Late Caledonian dyke-swarms in Southern Scotland: new field, petrological and geochemical data for the Wigtown Peninsula, Galloway. *Geological Journal*, Vol. 21, 1 0 1–125.

BERTHE, D, CHOUKROUNE, P, and JEROUZO, 1979. Orthogneiss mylonite, and non-coaxial deformation of granites: the example of the South Armorican shear zone. *Journal of Structural Geology*, vol. 1, 31–42.

BLUCK, B.J. 1978. Geology of a continental margin 1: the Ballantrae Complex. 151–162 *in* Crustal evolution in north-western Britain and adjacent regions. Bowes, D.R., and LeAlce, B E (editors). *Special Issue of the Geological Journal*, No. 10.

BLUCK, B.J., HALLIDAY, A.N., AFTALION, M, and MACINTYRE, R.M. 1980. Age and origin of Ballantrae ophiolite and its significance to the Caledonian orogeny and Ordovician time scale. *Geology*, Vol. 8, 492–495.

BLUCK, B.J., and INGHAM, J.K. 1992. The Girvan—Ballantrae district. 301–439 in *Geological excursions around Glasgow and Girvan*. LAWSON, J.D., and WEEDON, D S (editors). (Glasgow: Geological Society of Glasgow.)

Boast, A.M., HARRIS, M, and STEFFE, D. 1990. Intrusive-hosted gold mineralization at Hare Hill, Southern Uplands, Scotland. *Transactions of the Institution of Mining and Metallurgy (Section B: Applied Earth Sciences)*, Vol., 99, B106–112.

BONNEY, T.G. 1878. On the serpentine and associated igneous rocks of the Ayrshire coast. *Quarterly Journal of the Geological Society of London*, Vol. 34, 769–785.

BORTHWICK, G.W. 1992. Leadhills and Wanlockhead. 192–202 in *Scottish Borders geology: an excursion guide*. MCADAM, A.D., CIARKSON, E.N.K., and STONE P (editors). (Edinburgh: Scottish Academic Press.)

BOTT, M.H.P., and MASSON-SNArrH, D. 1960. A gravity survey of the Criffel granodiorite and the New Red Sandstone deposits near Dumfries. *Proceedings of the Yorkshire Geological Society*, Vol. 32, 317–332.

BOUMA, A.H. 1962. Sedimentology of some flysch deposits: a graphic approach to interpretation. (Amsterdam: Elsevier.)

BRAND, P.J. 1990. Pre-Westphalian biostratigraphy of the Thornhill Basin. Report on collections made in the field from locations on sheets NX89NE, NX89SE, NX99SW, NS8OSE and NS8ONE, forming part of the area of the Thornhill Basin, Sheets 9 and 15, Scotland. *British Geological Survey Technical Report*, WH/90/272R.

BRITISH GEOLOGICAL SURVEY. 1987. Whithorn. Scotland Sheet 2. Solid geology. 1:50 000. (Keyworth, Nottingham: British Geological Survey.)

BRITISH GEOLOGICAL SURVEY. 1992a. The Rhins of Galloway. Scotland Sheets 1 and 3 with parts of 7 and 4W Solid geology. 1:50 000. (Keyworth, Nottingham: British Geological Survey.)

BRITISH GEOLOGICAL SURVEY. 19926. Kirkcowan. Scotland Sheet 4W. Solid geology. 1:50 000. (Keyworth, Nottingham: British Geological Survey.)

BRITISH GEOLOGICAL SURVEY. 1992c. Wigtown. Scotland Sheet 4E. Solid geology. 1:50 000. (Keyworth, Nottingham: British Geological Survey.)

BRITISH GEOLOGICAL SURVEY. 1993a. Dalbeattie. Scotland Sheet 5E. Solid geology. 1:50 000. (Keyworth, Nottingham: British Geological Survey.)

BRITISH GEOLOGICAL SURVEY. 1993b. Kirkcudbright. Scotland Sheet 5W. Solid geology. 1:50 000. (Keyworth, Nottingham. British Geological Survey.)

BRITISH GEOLOGICAL SURVEY. 1993c. *Regional geochemistry of southern Scotland and part of northern England.* (Keyworth, Nottingham: British Geological Survey.)

BROOKFIELD, M.E. 1977a. Field guide to the Permian rocks of the Dumfries and Lochmaben Basins. *Transactions of the Dumfries and Galloway Natural History and Antiquarian Society*, Vol. 52, 1–16.

BROOKFIELD, M.E. 1977b. The origin of bounding surfaces in ancient aeolian sandstones. *Sedimentology*, Vol. 24, 303–332.

BROOKFIELD, M.E. 1978. Revision of the stratigraphy of Permian and supposed Permian rocks of southern Scotland. *Geologische Rundschati*, Vol. 67, 110–149.

BROOKFIELD, M.E. 1979. Anatomy of a lower Permian aeolian sandstone complex, southern Scotland. *Scottish Journal of Geology,* Vol. 15, 81–96.

BROOKFIELD, M.E. 1980. Permian intermontane basin sedimentation in southern Scotland. *Sedimentary Geology,* Vol. 27, 167–194.

BROOKFIELD, M.E. 1981. Field guide to the Permian rocks of the Thornhill and Moffat Basins. *Transactions of the Dumfries and Galloway Natund History and Antiquarian Society*, Vol. 56, 1–9.

BROOKFIELD, M.E. 1984. Eolian sands. 91–103 *in* Facies models. WALKER, R G (editor). *Geoscience Canada, Reprint Series,* No. 1. 2nd edition.

BROWN, M.J., LEAKE, R.C., PARKER, M.E., and FORTEY, N.J. 1979. Porphyry-style copper mineralisation at Black Stockarton Moor, south-west Scotland. *Mineral Reconnaissance Report, Institute of Geological Sciences*, No. 30.

CHARLEY, M.J. HAZELTON, R.E., and TEAR, S.J. 1989. Precious metal mineralisation associated with the Fore Burn igneous complex, Ayrshire, south-west Scotland. *Transactions of the Institution of Mining and Metallurgy (Section B: Applied Earth Sciences)*, Vol. 98, B48.

CLARKSON, C.M., CRAIG, G.Y., and WALTON, E.K. 1975. The Silurian rocks bordering Kirkcudbright Bay, South Scotland. *Transactions of the Royal Society of Edinburgh*, Vol. 69, 313–325.

COCKS, L.R.M., and TOGHILL, P. 1973. The biostratigraphy of the Silurian rocks of the Girvan district, Scotland. *Journal of the Geological Society of London*, Vol. 129, 209–243.

COLMAN-SADD, S.P., STONE, P, SWINDEN, H.S., and BARNES, R.P. 1992. Parallel geological development in the Dunnage 193 Zone of Newfoundland and the Lower Palaeozoic terranes of southern Scotland: an assessment. Transactions of the Royal Society of Edinburgh: Earth Sciences, Vol. 83, 571–594.

COWIE, J.W., and BASSETT, M.G. 1989. International Union of Geological Sciences 1989 Global Stratigraphic Chart. *Episodes,* Vol. 12, No. 2, Supplement.

CRAIG, G.Y. 1956. The Lower Carboniferous outlier of Kirkbean, Kirkcudbrightshire. *Transactions of the Geological Society of Glasgow*, Vol. 22, 113–132.

CRAIG, G.Y., and NAIRN, A.E.M. 1956. The Lower Carboniferous outliers of the Colvend and Rerrick shores, Kirkcudbrightshire. *Geological Magazine*, Vol. 93, 249–256.

CRAIG, G.Y., and WALTON, E.K. 1959. Sequence and structure in the Silurian rocks of Kirkcudbrightshire. *Geological Magazine*, Vol. 96, 209–220.

DAVIES, A. 1964. P54 in *Summary of progress of the Geological Survey of Great Britain for 1963.* (London: Her Majesty's Stationery Office.)

DAVIES, A. 1970. Carboniferous rocks of the Sanquhar Outlier. *Bulletin of the Geological Survey of Great Britain*, Vol. 31, 37–87.

DAY, J.B.W. 1970. Geology of the country around Bewcastle. Memoir of the Geological Survey of Great Britain.

DEEGAN, C.E. 1970. The petrology and sedimentology of the Lower Carboniferous rocks between White Port and Kirkbean, Kirkcudbrightshire. Unpublished PhD thesis, University College of Wales, Aberystwyth.

DEEGAN, C.E. 1973. Tectonic control of sedimentation at the margin of a Carboniferous depositional basin in Kirkcudbrightshire. *Scottish Journal of Geology*, Vol. 9, 1–28.

DEWEY, H, Firm J.S., and WILSON, G.V. 1920. Arsenic and antimony ores. Special Report on the Mineral Resources of Great Britain, Memoir of the Geological Survey of Great Britain, Vol. 15.

ELDERS, C.F. 1987. The provenance of granite boulders in conglomerates of the northern and central belts of the Southern Uplands, Scotland. *Journal of the Geological Society of London*, Vol. 144, 853–863.

ELDERS, C.F. 1990. Discussion on detrital mineral ages from the Southern Uplands using ^zi^oAr-39Ar laser probe. *Journal of the Geological Society of London*, Vol. 147, 882–884.

EVANS, J.A., STONE, P., and FLOYD, J.D. 1991. Isotopic characteristics of Ordovician greywacke provenance in the Southern Uplands of Scotland. 161–172 *in* Developments in sedimentary provenance studies. MORTON, A.C., TODD, S.P., and HAUGHTON, P.D.W (editors). *Special Publication of the Geological Society of London*, No. 57.

FLOYD, J.D. 1982. Stratigraphy of a flysch succession: the Ordovician of W Nithsdale, SW Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, Vol. 73, 1–9.

FLOYD, J.D., and STONE, P. 1992. Tweedsmuir. 147–158 in *Scottish Borders geology: an excursion guide*. McADAm, A.D.,

CLARKSON, E.N.K., and STONE, P (editors). (Edinburgh: Scottish Academic Press.)

FLOYD, J.D., and TRENCH, A. 1989. Magnetic susceptibility contrasts in Ordovician greywackes of the Southern Uplands of Scotland. *Journal of the Geological Society of London,* Vol. 146, 77–83.

FOSTER-SMITH, J.R. 1967. The nonferrous metal mines of south-west Scotland. *Northern Cavern and Mine Research Society, Individual Survey Series*, No. 2.

FROLICHER, F.J. 1977. The sedimentology and palaeoecology of the Dinantian outlier of Kirkbean, Kirkcudbrightshire, Scotland. Unpublished PhD thesis, University of Edinburgh.

GALLAGHER, M.J. 1964. Rock alteration in some mineralized basic dykes in Britain. *Transactions of the Institution of Mining and Metallurgy,* Vol. 73, 825–840.

GALLAGHER, M.J., MICHIE, U.M., SMITH, R.T., and HAYNES, L. 1971. New evidence of uranium and other mineralisation in Scotland. *Transactions of the Institution of Mining and Metallurgy (Section B: Applied Earth Sciences)*, Vol. 80, B150–173.

GALLAGHER, M.J., and 10 others. 1983. Stratabound arsenic and vein antimony mineralization in Silurian greywackes at Glendinning, south Scotland. *Mineral Reconnaissance Report, British Geological Survey,* No. 59.

GEORGE, T.N., and 6 others. 1976. A correlation of Dinantian rocks in the British Isles. *Special Report of the Geological Society of London*, No. 7.

GORDON, J.E., SUTHERLAND, D.G., BIRKS, H.J.B., JONES, V.J., and STEVENSON, A.C. 1993. Southwest Scotland. 589–613 in *Quaternary of Scotland. (Geological Conservation Review Series 6).* GORDON, J.E., and SUTHERLAND, D G (editors). (London: Chapman and Hall.)

HALLIDAY, A.N., STEPHENS, W.E., and HARMON, R.S. 1980. Rb-Sr and 0 isotopic relationships in three zoned Caledonian granitic plutons, Southern Uplands, Scotland: evidence for varied sources and hybridization of magmas. *Journal of the Geological Society of London,* Vol. 137, 329–348.

HARKNESS, R. 1850. On the New Red Sandstone of the southern portion of the Vale of the Nith. *Quarterly Journal of the Geological Society of London*, Vol. 6, 389–399.

HARRISON, R.K., STONE, P, CAMERON, I.B., ELLIOT, R.W., and HARDING, R.R. 1987. Geology, petrology and geochemistry of Ailsa Craig, Ayrshire. *Report of the British Geological Survey*, Vol. 16, No. 9.

HEPWORTH, B.C., OLIVER, G.J.H., and MCMURTRY, M.J. 1982. Sedimentology, volcanism, structure and metamorphism of the northern margin of a Lower Palaeozoic accretionary complex; Bail Hill-Abington area of the Southern Uplands of Scotland. 521–534 *in* Trench-forearc geology: sedimentation and tectonics on modern and ancient active plate margins. LEGGETT, J K (editor). *Special Publication of the Geological Society of London*, No. 10.

HITCHEN, K, and RITCHIE, J.D. 1993. New K-Ar ages and a provisional chronology for the offshore part of the British Tertiary Igneous Province. *Scottish Journal of Geology,* Vol. 29, 73–85.

HOLROYD, J. 1978. The sedimentological and geotectonic significance of Lower Palaeozoic flysch rudites. Unpublished PhD thesis, University of Wales.

INCE, D. 1984. Sedimentation and tectonism in the Middle Ordovician of the Girvan district, SW Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, Vol. 75, 225–237.

INGHAM, J.K. 1978. Geology of a continental margin 2: middle and late Ordovician transgression, Girvan. 163–176 *in* Crustal evolution in northwestern Britain and adjacent regions. BOWES, D.R., and LEAKE, B E (editors). *Special Issue of the Geological Journal* No. 10.

KELLEY, S, and BLucx, B.J. 1989. Detrital mineral ages from the Southern Uplands using ⁴⁰Ar-39Ar laser probe. *Journal of the Geological Society of London* Vol. 146, 401–403.

KILLING, G. 1962. The petrology and sedimentation of Upper Ordovician rocks in the Rhins of Galloway, south-west Scotland. *Transactions of the Royal Society of Edinburgh*, Vol. 65, 107–137.

KELLING, G, DAVIES.P., and HOLROYD, J. 1987. Style, scale and significance of sand bodies in the Northern and Central belts, south-west Southern Uplands. *Journal of the Geological Society of London,* Vol. 144, 787–805.

KEMP, A.E.S. 1986. Tectonostratigraphy of the Southern Belt of the Southern Uplands. *Scottish Journal of Geology,* Vol. 22, 241–256.

KEMP, A.E.S. 1987a. Tectonic development of the Southern Belt of the Southern Uplands accretionary complex. *Journal of the Geological Society of London*, Vol. 144, 827–838.

KEMP, A.E.S. 1987b. Evolution of Silurian depositional systems in the Southern Uplands, Scotland. Chapter 7 in *Marine elastic sedimentology*. LEGGETT, J.K., and ZUFFA, G G (editors). (London: Graham & Trotman.)

KEMP, A.E.S., OLIVER, G.J.H., and BALDWIN, J.R. 1985. Low-grade metamorphism and accretion tectonics: Southern Uplands terrain, Scotland. *Mineralogical Magazine*, Vol. 49, 335–344.

KEMP, A.E.S., and WHITE, D.E. 1985. Silurian trench sedimentation in the Southern Uplands, Scotland: implications of new age data. *Geological Magazine*, Vol. 122, 275–277.

KERRICK, D.M. 1991. Overview of contact metamorphism. 1–12 in Contact Metamorphism. Kerrick, D M (editor). *Mineralogical Society of America. Reviews in Mineralogy*, Vol. 26.

KIMBELL, G.S., and Stone, P 1992. Geophysical evidence for a concealed Caledonian intrusive body at Sandhead, Wigtownshire. *Scottish Journal of Geology*, Vol. 28, 19–25.

KING, B.C. 1937. The minor intrusives of Kirkcudbrightshire. *Proceedings of the Geologists' Association*, Vol. 48, 282–306.

LAMBERT, R.ST. 1, HOLLAND, J.G., and LEGGETT, J.K. 1981. Petrology and tectonic setting of some Ordovician volcanic rocks from the Southern Uplands of Scotland. *Journal of the Geological Society of London*, Vol. 138, 421–436.

LAPWORTH, C. 1878. The Moffat Series. Quarterly Journal of the Geological Society of London, Vol. 34, 240–346.

LEAKE, R.C., AULD, H.A., STONE, P, and JOHNSON, C.E. 1981. Gold mineralisation at the southern margin of the Loch Doon granitoid complex, south-west Scotland. *Mineral Reconnaissance Report, Institute of Geological Sciences,* No. 46.

LEAKE, R.C., and BROWN, M.J. 1979. Porphyry-style copper mineralization at Black Stockarton Moor, south-west Scotland. *Transactions of the Institution of Mining and Metallurgy (Section B: Applied Earth Sciences),* Vol. 88, B170–181.

LEAKE, R.C., and COOPER, C. 1983. The Black Stockarton Moor subvolcanic complex, Galloway. *Journal of the Geological Society of London*, Vol. 140, 665–676.

LEEDER, M.R. 1975. Lower Border Group (Tournaisian) stromatolites from the Northumberland basin. *Scottish Journal of Geology*, Vol. 11, 207–226.

LEEDER, M.R. 1976. Palaeogeographic significance of pedogenic carbonates in the topmost Upper Old Red Sandstone of the Scottish Border Basin. *Geological Journal* Vol. 11, 21–28.

LEEDER, M.R. 1982. Upper Palaeozoic basins of the British Isles: Caledonide inheritance versus Hercynian plate margin processes. *Journal of the Geological Society of London*, Vol. 139, 479–491.

LEEDER, M.R. 1988. Recent developments in Carboniferous geology: a critical review with implications for the British Isles and NW Europe. *Proceedings of the Geologists' Association*, Vol. 99, 73–100.

LEEDER, M.R., and MCMAHON, A.H. 1988. Upper Carboniferous (Silesian) basin subsidence in northern Britain. 43–52 in *Sedimentation in a synorogenic basin complex: the Upper Carboniferous of northwest Europe.* BESLEY, B.M., and KELLING, G (editors). (Glasgow and London: Blackie and Son.)

LEGGETT, J.K. 1987. The Southern Uplands as an accretionary prism: the importance of analogues in reconstructing palaeogeography. *Journal of the Geological Society of London,* Vol. 144, 737–752.

LEGGETI, J.K., MCKERROW, W.S., and EALES, M.H. 1979. The Southern Uplands of Scotland: a Lower Palaeozoic accretionary prism. *Journal of the Geological Society of London*, Vol. 136, 755–770.

LINTERN, B.C., BARNES, R.P., and STONE.P. 1992. Discussion on Silurian and early Devonian sinistral deformation of the Ratagain Granite, Scotland: constraints on the age of Caledonian movements on the Great Glen system. *Journal of the Geological Society of London*, Vol. 149, 858.

LISTER, G.S., and SNOKE, A.W. 1984. S-C mylonites. *Journal of Structural Geology*, Vol. 6, 617–638.

LONGMAN, C.D., BLUCK, B.J., and VAN BREEMEN, 0. 1979. Ordovician conglomerates and the evolution of the Midland Valley. *Nature, London,* Vol. 280, 578–581.

LOVELL, J.P.B. 1974. Sand volcanoes in the Silurian rocks of Kirkcudbrightshire. *Scottish Journal of Geology,* Vol. 10, 161–162.

LUMSDEN, G.I., TULLOCH, W, HOWELLS, M.F., and DAviEs, A. 1967. The geology of the neighbourhood of Langholm. *Memoir of the Geological Survey, Scotland.*

MACGREGOR, A.G., MACGREGOR, M, and ROBERTSON, T. 1944. Barytes in Central Scotland. *Wartime Pamphlet of the Geological Survey of Great Britain*, No. 38.

MACGREGOR, M., Lee, G.W., and WILSON, G.V. 1920. The iron ores of Scotland. *Special Report on the Mineral Resources of Great Britain, Memoir of the Geological Survey of Great Britain*, Vol. 11.

McADAM, A.D., CLARKSON, E.N.K., and STONE, P. (editors). 1992. *Scottish Borders geology.* (Edinburgh: Scottish Academic Press.)

MCCURRY, J.A. 1989. The geology of the Lower Palaeozoic rocks in the Mull of Galloway, SW Scotland: studies in an imbricate thrust terrane. Unpublished PhD thesis, University of St Andrews.

MCCURRY, J.A. 1994. The Newfoundland connection: a cautionary tale in site denotification. *Earth Heritage*, Vol. 2.10–12.

MCCURRY, J.A., and ANDERSON, T.B. 1989. Landward vergence in the lower Palaeozoic Southern Uplands-Down-Longford terrane, British Isles. *Geology*, Vol. 17, 630–633.

MCKEEVER, P.J. 1994. A new vertebrate trackway from the Permian of Dumfries and Galloway. *Scottish Journal of Geology*, Vol. 30, 11–14.

MCKERROW, W.S., and ELDERS, C E 1989. Movements on the Southern Uplands fault. *Journal of the Geological Society of London*, Vol. 146, 393–395.

MCMILLAN, A.A., and BRAND, P.J.. 1995. Depositional setting of Permian and Upper Carboniferous strata of the Thornhill Basin, Dumfriesshire. *Scottish Journal of Geology*, Vol. 31, 43–45.

MCMURTRY, M.J. 1980a. Field guide to the Bail Hill area. Southern Uplands Field Workshop Field guide (unpublished).

MCMURTRY, M.J. 1980b. The Ordovician rocks of the Bail Hill area, Sanquhar, South Scotland: volcanism and sedimentation in the lapetus Ocean. Unpublished PhD thesis, University of St Andrews.

MCMURTRY, M.J. 1980c. Discussion of: Evidence for Caledonian subduction from greywacke detritus in the Longford-Down Inlier. *Journal of Earth Sciences of the Royal Dublin Society*, Vol. 2, 209–212.

MENTEATH, J.S. 1828. A short sketch of the geology of Nithsdale. Edinburgh New Philosophical Journal, 45-60.

MERRIMAN, R J, FORTEY, N.J., and RoBERTs, B. 1991. An excursion guide to areas of very low grade metamorphism in the Lake District and Rhins of Galloway. *British Geological Survey Technical Report*, WG/91/8.

MERRIMAN, R.J., and RoBER-rs, B. 1993. The low grade metamorphism of Lower Palaeozoic strata on the Rhins of Galloway, SW Scotland. *British Geological Survey Technical Report*, WG/92/40.

MILLER, J.M., and TAYLOR, K. 1966. Uranium mineralization near Dalbeattie, Kirkcudbrightshire. *Bulletin of the Geological Survey of Great Britain*, No. 25, 1–18.

MURPHY, F.C. 1984. Fluidized breccias: a record of brittle transitions during ductile deformation. *Tectonophysics*, Vol. 104, 325–349.

MYKURA, W. 1960. The replacement of coal by limestone and the reddening of Coal Measures in the Ayrshire Coalfield. *Bulletin of the Geological Survey of Great Britain*, Vol. 16, 69–109.

MYKURA, W. 1967. The Upper Carboniferous rocks of south-west Ayrshire. *Bulletin of the Geological Survey of Great Britain*, Vol. 26, 23–98.

NADEN, J, and CAULFIELD, J.B.D. 1989. Isotopic and fluid inclusion studies of gold mineralisation in the Southern Uplands of Scotland. *Transactions of the Institution of Mining and Metallurgy (Section B: Applied Earth Sciences)*, Vol. 98, B46–48.

NEEDHAM, D.T. 1993. The structure of the western part of the Southern Uplands of Scotland. *Journal of the Geological Society of London,* Vol. 150, 341–354.

NILSEN, T H (translator). 1978. Turbidites of the northern Apennines: Introduction to facies analysis by Mum, E, and Ricci LUGGER, F. 1972. *International Geology Review,* Vol. 20, 125–166.

OLIVER, G.J.H., and LEGGETT, J.K. 1980. Metamorphism in an accretionary prism: prehnite-pumpellyite facies metamorphism of the Southern Uplands of Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences,* Vol. 71, 235–246.

ORD, D.M., CLEMMEY, H, and LEEDER, M.R. 1988. Interaction between faulting and sedimentation during Dinantian extension of the Solway basin, SW Scotland. *Journal of the Geological Society of London,* Vol. 145, 249–259.

OWEN, A.W., and CI.ARKSON, E.N.K. 1992. Trilobites from Kilbucho and Wallaces Cast and the location of the Southern Uplands during the late Ordovician. *Scottish Journal of Geology*, Vol. 28, 3–17.

PALMER, D, and RICKARDS, B (editors). 1991. *Graptolites: writing in the rocks*. (Woodbridge: The Boydell Press.)

PASSCFIIER, C.W., and SIMPSON, C. 1986. Porphyroclast systems as kinematic indicators. *Journal of Structural Geology*, Vol. 8, 831–843.

PENCE.I., B.N., and HORNE, J. 1899. The Silurian rocks of Britain, Vol. 1: Scotland. *Memoir of the Geological Survey of the United Kingdom.*

PHILLIPS, E.R. 1992. Microfabric analysis of a series of sheared metasandstones exposed within the Moniaive Shear Zone, Southern Uplands, Scotland. *British Geological Survey Technical Report*, WG/92/45.

PHILLIPS, E.R., BARNES, R.P., BOLAND, M.P., FORTEY, N.J., and MCMILLAN, A.A. 1995. The Moniaive Shear Zone: a major zone of sinistral strike-slip deformation in the Southern Uplands of Scotland. *Scottish Journal of Geology* Vol. 31 (in press).

PHILLIPS, W.J. 1956. The CriffellDalbeattie granodiorite complex. *Quarterly Journal of the Geological Society of London*, Vol. 112, 221–239.

PICKERING, K.T., Hisaimr, R.N., and HEIN, F.J. 1989. Deep marine environments: elastic sedimentation and tectonics. (Andover: Chapman and Hall.)

PLATT, J.P. 1984. Secondary cleavages in ductile shear zones. *Journal of Structural Geology*, Vol. 6, 439–442.

PLATT, J.P., and VISSERS, R.L.M. 1980. Extensional structures in anisotropic rocks. *Journal of Structural Geology*, Vol. 2, 397–410.

PRINGLE, J, and RICHEY, J.E. 1931. Carboniferous rocks of the Thornhill Basin, Dumfriesshire. 25–33 in *Summary of Progress of the Geological Survey of Great Britain for 1930*. (London: Her Majesty's Stationery Office.)

ROBERTS, B, MERRIMAN, R.J., and PRATT, W. 1991. The influence of strain, lithology and stratigraphical depth on white mica (illite) crystallinity in mudrocks from the vicinity of the Corris Slate Belt, Wales: implications for the timing of metamorphism in the Welsh Basin. *Geological Magazine*, Vol. 128, 633–645.

ROBERTSON, A.H.F., OGAWA, Y, and STONE, P. 1990. Field guide to the Ordovician Ballantrae Ophiolitic Complex and associated units, SW Scotland. Field Guide No. 21. (Nottingham: 13th International Sedimentological Congress.)

ROCK, N.M.S., COOPER, C, and GASKARTH, J.W. 1986a. Late Caledonian subvolcanic vents and associated dykes in the Kirkcudbright area, Galloway, southwest Scotland. *Proceedings of the Yorkshire Geological Society*, Vol. 46, 29–37.

ROCK, N.M.S., GASKARTH, J.W., and RUNDLE, C.C. 1986b. Late Caledonian dyke swarms in southern Scotland: a regional zone of primitive K-rich lamprophyres and associated vents. *Journal of Geology*, Vol. 94, 505–522.

RUSHTON, A.W.A., and STONE, P. 1991. Terrigenous input to the Moffat Shale sequence, Southern Uplands. *Scottish Journal of Geology*, Vol. 27, 167–169

RUSHTON, A.W.A., STONE, P, SMELLIE, J.L., and TUNNICLIFF, S.P. 1986. An early Arenig age for the Pinbain sequence, Ballantrae Complex. *Scottish Journal of Geology*, Vol. 22, 41–54.

RUST, B.R. 1965. The stratigraphy and structure of the Whithorn area of Wigtownshire, Scotland. *Scottish Journal of Geology*, Vol. 1, 101–133.

SIMPSON, J.B., and RICHEY, J.E. 1936. The geology of the Sanquhar Coalfield and adjacent basin of Thornhill. *Memoirs of the Geological Survey, Scotland*.

Smrtm, J.L., and STONE, P. 1992. Geochemical control on the evolutionary history of the Ballantrae Complex, SW Scotland, from comparisons with recent analogues. 171–178 in Ophiolites and their modern oceanic analogues. PARSON, L.M., MURTON, B.J., and BROWNING, P (editors). *Special Publication of the Geological Society of London*,

SMITH, J. 1910. Carboniferous rocks of the Solway, Scotland. *Transactions of the Geological Society of Glasgow*, Vol. 114, 30–59.

SOPER, N.J., and HUTTON, D.H.W. 1984. Late Caledonian sinistral displacements in Britain: implications for a three-plate collision model. *Tectonics*, Vol. 3, 781–794.

SOPER, N.J., STRACHAN, R.A., HOLDSWORTI.I., R.E., GAYER, R.A., and GREILING, R 0. 1992. Sinistral transpression and the Silurian closure of lapetus. *Journal of the Geological Society of London*, Vol. 149, 871–880.

STANLEY, C.J., SYMES, R.F., and JONES.G.C. 1987. Copper-nickel mineralisation at Talnotry, Newton Stewart, Scotland. *Mineralogy and Petrology*, Vol. 37, 293–313.

STEPHENS, W.E., and HALLIDAY, A.N. 1984. Geochemical contrasts between late Caledonian granitoid plutons of northern, central and southern Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, Vol. 75, 259–273.

STEPHENS, W.E., WHITLEY, J.E., THIRLWALL, M.F., and HALLIDAY, A.N. 1985. The Criffell zoned pluton: correlated behaviour of rare earth element abundances with isotopic systems. *Contributions to Mineralogy and Petrology*, Vol. 89, 226–238.

STONE, P. 1988. The Permian successions at Ballantrae and Loch Ryan, south-west Scotland. *Report of the British Geological Survey*, Vol. 19, No. 2, 13–18.

STONE, P. 1995. Geology of the Rhins of Galloway district. Memoir of the British Geological Survey, Sheets 1 and 3 (Scotland).

STONE, P, COOK, J.M., MCDERMOTT, C, ROBINSON, J.J., and SIMPSON, P.R. 1995. Lithostratigraphic and structural controls on the distribution of As and Au in the SW Southern Uplands, Scotland. Transactions of the Institution of Mining and Metallurgy (Section B: Applied Earth Sciences), Vol. 104, B11 I -120.

STONE, P, FLOYD, J.D., BARNES, R.P., and LINTERN, B.C. 1987. A sequential back-arc and foreland basin thrust duplex model for the Southern Uplands of Scotland. Journal of the Geological Society of London, Vol. 144, 753–764.

STONE, P, GUNN, A.G., COATS, J.S., and CARRUTHERS, R.M. 1986. Mineral exploration in the Ballantrae complex, southwest Scotland. 265–278 in Metallogeny of basic and ultrabasic rocks. GALLAGER, M.J., IXER, R.A., NEARY, C.R., and PRICHARD, H M (editors). (London: Institution of Mining and Metallurgy.)

STONE, P, and LEAKE, R.C. 1984. Disseminated and epigenetic Pb-Zn mineralisation in Ordovician mudstone, Galloway. *Scottish Journal of Geology*, Vol. 20, 181–190.

STONE, P, LEAKE, R.C., JONES, R.C., FORTEY, N.J., and GALLAGHER, M.J. 1984. Base metal mineralisation associated with Ordovician shales in south-west Scotland. Mineral Reconnaissance Report, British Geological Survey, No. 69.

STONE, P, and RUSHTON, A.W.A. 1983. Graptolite faunas from the Ballantrae Ophiolite Complex and their structural implications. *Scottish Journal of Geology*, Vol. 19, 297–310

STONE, P, and SMELLIE, JL. 1988. Classical areas of British geology: the Ballantrae area: description of the solid geology of parts of 1:25 000 sheets NXO8, 18 and 19. (London: HMSO for British Geological Survey.)

STYLES, M.T., STONE, P, and FLOYD, J.D. 1989. Arc detritus in the Southern Uplands: mineralogical characterization of a 'missing' terrane. Journal of the Geological Society of London, Vol. 146, 397–400.

STRINGER, P, and TREAGUS, JE. 1980. Non-axial planar Si cleavage in the Hawick rocks of the Galloway area, Southern Uplands, Scotland. Journal of Structural Geology, Vol. 2, 317–331.

STRINGER, P, and TREAGUS, J.E. 1981. Asymmetrical folding in the Hawick Rocks of the Galloway area, Southern Uplands. *Scottish Journal of Geology*, Vol. 17, 129–147.

THIRLWALL, M.F. 1988. Geochronology of late Caledonian magmatism in northern Britain. *Journal of the Geological Society of London*, Vol. 145, 951–967.

THIRLWALL, M.F., and BIUCK, B.J. 1984. Sr-Nd isotope and geochemical evidence that the Ballantrae `ophiolite', SW Scotland, is polygenetic. 215–230 in Ophiolites and oceanic lithosphere. GASS, I.G., LII'PARD, S.J., and SHELION, A W (editors). Special Publication of the Geological Society of London, No. 13.

TREAGUS, J.E. 1992. Southern Uplands. 9–42 in Caledonian structures in Britain south of the Midland Valley. (Geological Conservation Review Series 3). TREAGUS, J E (editor). (London and Glasgow: Chapman and Hall.)

WALKER, R.G., and Murrl, E. 1973. Turbidite facies and facies associations. 119–157 in Turbidites and deep-water sedimentation. Society of Economic Palaeontology and Mineralogy Pacific Section Short Course Notes. MIDDLETON, G.V., and BOUMA, A H (editors). (Anaheim: Society of Economic Palaeontology and Mineralogy.)

WEIR, J.A. 1968. Structural history of the Silurian rocks of the coast west of Gatehouse, Kirkcudbrightshire. *Scottish Journal of Geology*, Vol. 4, 31–52.

WEIR, J.A. 1974. The sedimentology and diagenesis of the Silurian rocks on the coast west of Gatehouse, Kirkcudbrightshire. *>Scottish Journal of Geology*, Vol. 10, 165–186.

WEIR, J.A. 1979. Tectonic contrasts in the Southern Uplands. Scottish Journal of Geology, Vol. 15, 169–186.

WHITE, D.E., BARRON, H.F., BARNES, R.P., and LINTERN, B.C. 1992 (for 1991). Biostratigraphy of late Llandovery (Telychian) and Wenlock turbiditic sequences in the SW Southern Uplands, Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, Vol. 82, 297–322.

WHITE, S.H., BRETAN, P.G., and RUTFER, E.H. 1986. Fault zone reactivation: kinematics and mechanisms. *Philosophical Transactions of the Royal Society of London Series A*, Vol. 317, 82–97.

WILLIAMS, A. 1959. A structural history of the Girvan district, south-west Ayrshire. *Transactions of the Royal Society of Edinburgh*, Vol. 63, 629–667.

WILLIAMS, S.H. 1994. Revision and definition of the *C wilsoni* graptolite Zone (middle Ordovician) of southern Scotland. Transactions of the Royal Society of Edinburgh: Earth Sciences, Vol. 85, 143–157.

WILSON, G.V. 1921. The lead, zinc, copper and nickel ores of Scotland. Special Report on the Mineral Resources of Great Britain, Memoir of the Geological Survey of Great Britain, Vol. 17.

WILSON, G.V., EASTWOOD, T, POCOCK, R.W., WRAY, D.A., and ROBERTSON, T. 1922. Barytes and witherite (3rd edition). Special Report on the Mineral Resources of Great Britain, Memoir of the Geological Survey of Great Britain, Vol. 2