References

Abbot, S. and Murgatroyd, R. (1988) Digging through to Maytime. Descent, 81, 20-3.

Adams, A.E., Abdel Aziz, A.A. and Horbury, A.D. (1990) Controls on Dinantian sedimentation in South Cumbria and surrounding areas of Northwest England. *Proceedings of the Geologists' Association*, 101, 19–30.

Adams, J. and Jones, K. (1984) Ogof Glan Gwenlais. Isca Caving Club Journal, 2, 53-9.

Aitkenhead, N., Chisholm, J.I. and Stevenson, I.P. (1985) *The Geology of the Country around the Towns of Buxton, Leek and Bakewell*, British Geological Survey Memoir, Sheet 111.

Alexander, J.M. and Jones, J.C. (1959) The Survey of Pant Mawr Pot, South Wales. *Cave Research Group Publication* 9

Allwright, P., Holmes, R., Rushforth, A. and Shepley, D. (1993) Ibbeth Peril: Upstream Downstream Passage. *Caves and Caving*, 62, 6–8.

Andrews, J.E., Dennis, P.F. and Pedley, H.M. (1994) Stable isotope record of palaeoclimatic change in a British Holocene tufa. *The Holocene*, 4, 349–55.

Andrews, P. (1990) Owls, Caves and Fossils Predation, Preservation and Accumulation of Small Mammal Bones in Caves, with an Analysis of the Pleistocene Cave Faunas from Westbury-sub-Mendip, Somerset, UK Natural History Museum, London.

Appleton, P. (1974) Subterranean courses of the River Alyn, including Ogof Hesp Alyn, North Wales. *Transactions of the British Cave Research Association*, 1, 29–42.

Appleton, P. (1984) Ogof Hesp Alyn. Caves and Caving, 24, 21-4.

Appleton, P. (1986) Ogof Llyn Du, North Wales the rediscovery of the 'Llyn Du Cavern'. Caves and Caving, 33, 4-6.

Appleton, P. (1987) The discovery of Ogof Llyn Parc, North Wales. Caves and Caving, 37, 30-3.

Appleton, P. (1989) Limestones and caves of North Wales. In *Limestones and Caves of Wales* (ed. T.D. Ford), Cambridge University Press, Cambridge, 217–54.

Arkell, W.J. (1947) The Geology of Oxford, Oxford University Press, Oxford.

Arthurton, R.S., Johnson, E.W. and Mundy, D.J. (1988) *Geology of the Country around Settle,* British Geological Survey Memoir, Sheet 60.

Ashmead, P. (1967) The origin and development of Ease Gill Caverns. *Transactions of the Cave Research Group of Great Britain*, 9, 104–12.

Ashmead, P. (1969) The origin and development of caves in the Morecambe Bay area. *Transactions of the Cave Research Group of Great Britain*, 11, 201–8.

Ashmead, P. (1974a) The caves and karst of the Morecambe Bay area. In *The Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 201–26.

Ashmead, P. (1974b) Development of the Caves of Casterton Fell. In *The Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 250–72.

Atkinson, F. (1950) The Cavern, Ireby Fell. Cave Science, 2 (9), 21-7.

Atkinson, F. (1963) Some notes on the formation of caverns in the Craven area of North-west Yorkshire. *Proceedings of the British Speleological Association*, 1, 67–75.

Atkinson, T.C. (1967) The geomorphology of Longwood Swallet, Charterhouse-on-Mendip. *Proceedings of the University of Bristol Speleological Society*, 11, 161–85.

Atkinson, T.C. (1968a) The earliest stages of underground drainage in limestones — a speculative discussion. *Proceedings of the British Speleological Association*, 6, 53–70.

Atkinson, T.C. (1968b) Tracing swallet waters using *Lycopodium* spores. *Transactions of the Cave Research Group of Great Britain*, 10, 99–106.

Atkinson, T.C. (1977) Diffuse flow and conduit flow in limestone terrain in the Mendip Hills, Somerset (Great Britain). *Journal of Hydrology*, 35, 93–110.

Atkinson, T.C., Drew, D.P. and High, C. (1967) *Mendip Karst Hydrology Research Project, Phases One and Two.* Occasional publication of the Wessex Cave Club, 2 (1).

Atkinson, T.C., Harmon, R.S., Smart, P.L. and Waltham, A.G. (1978) Palaeoclimatic and geomorphic implications of 230Th/234U dates on speleothems from Britain. *Nature*, 272, 24–8.

Atkinson, T.C., Lavis, J.J., Smith, D.I. and Whitaker, R.J. (1973) Experiments in tracing underground waters in limestones. *Journal of Hydrology*, 19, 323–49.

Atkinson, T.C., Lawson, T.J. and Hebdon, N.J. (1995) Karst geomorphology. In *The Quaternary of Assynt and Coigach: a guide* (ed. T.J. Lawson), Quaternary Research Association, Cambridge, 61–86.

Atkinson, T.C., Lawson, T.J., Smart, P.L. *et al.* (1986). New data on speleothem deposition and palaeoclimate in Britain over the last forty thousand years. *Journal of Quaternary Science*, 1, 67–72.

Atkinson, T.C. and Rowe, P.J. (1992) Applications of dating to denudation chronology and landscape evolution. In *Uranium Series Disequilibria* (2nd edn) (eds M. Ivanovich and R.S. Harmon), Clarendon Press, Oxford, 669–703.

Atkinson, T.C. and Smart, P.L. (1977) Caves and Karst of Southern England and South Wales. Guidebook for the International Congress of Speleology, British Cave Research Association.

Atkinson, T.C. and Smart, P.L. (1982) Fleet Street, Manor Farm Swallet, Charterhouse-on-Mendip, ST 498.556. *Proceedings of the University of Bristol Speleological Society*, 16, 85–91.

Atkinson, T.C., Smart, P.L. and Andrews, J.N. (1984) Uranium series dating of speleothems from Mendip Caves. 1: Rhino Rift, Charterhouse-on-Mendip. *Proceedings of the University of Bristol Speleological Society,* 17, 55–69.

Atkinson, T.C. and Smith, D.I. (1974) Rapid groundwater flow in fissures in the Chalk: an example from south Hampshire. *Quarterly Journal of Engineering Geology*, 7, 197–205.

Bailey, C. (1992) Sweet and sour adit. Descent, 106, 8-9.

Baker, A. (1993) 'Speleothem growth rates and paleoclimates.' PhD thesis, Bristol University.

Baker, A., Barnes, W.L., Edwards, R.L. *et al.* (1995a) The Helda 3 volcanic eruption recorded in a Scottish speleothem? *Holocene*, 5, 336–42.

Baker, A., Edwards, R.L., Richards, D.A. and Smart, P.L. (1993) Annual growth banding in a cave stalagmite. *Nature*, 364, 518–20.

Baker, A., Smart, P.L. and Edwards, R.L. (1995b) Paleoclimate implications of mass spectrometric dating of a British flowstone. *Geology*, 23, 309–12.

Baker, A., Smart, P.L. and Edwards, R.L. (1996) Mass spectrometric dating of flowstones from Stump Cross Caverns and Lancaster Hole, Yorkshire: paleoclimatic implications. *Journal of Quaternary Science*, 11, 107–14.

Baker, A., Smart, P.L. and Ford, D.C. (1993) Northwest European palaeoclimate as indicated by growth frequency variations of secondary calcite deposits. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 100, 291–301.

Baksi, A.K., Hsu, V., McWilliams, E. and Farrar, E. (1992) ⁴⁰Ar/³⁹Ar dating of the Brunhes-Matuyama geomagnetic field reversal. *Science*, 256, 356–7.

Ball, T.K. and Jones, J.C. (1990) Speleogenesis in the Limestone Outcrop North of the South Wales Coalfield: the role of micro-organisms in the oxidation of sulphides and hydrocarbons. *Transactions of the British Cave Research Association*, 17, 3–8.

Bamber, H.A. (1948) The Lathkill Caverns of Derbyshire. *Transactions of the British Cave Research Association*, 1, 148–51.

Bamber, H.A. (1951) The hydrology of the Lathkill Dale area of Derbyshire. *Transactions of the British Cave Research Association*, 2, 293–304.

Banks, D., Davies, C. and Davies, W. (1995) The chalk as a karstic aquifer: evidence from a tracer test at Stanford Dingley, Berkshire, UK. *Quarterly Journal of Engineering Geology*, 28, S31-S38.

Barclay, W.J. (1989) South Wales Coalfield, Part H, the Country Around Abergavenny. British Geological Survey Coalfield Memoir.

Barclay, W.J., Taylor, K and Thomas, L.P. (1988) *South Wales Coalfield, Part V, the Country Around Merthyr Tydfil.* British Geological Survey Coalfield Memoir.

Barrington, N. and Stanton, W.I. (1977) *Mendip: The Complete Caves and a View of the Hills,* Cheddar Valley Press, Cheddar.

Battiau-Queney, Y. (1980) 'Contribution a l'étude geomorphologique du Massif Gallois'. PhD thesis, l'Université de Bretagne Occidentale, France.

Battiau-Queney, Y. (1986) Buried paleokarstic features in South Wales: examples from Vaynor and Cwar Yr Ystrad quarries, near Merthyr Tydfil. In *New Directions in Karst* (eds K. Paterson and M.M. Sweeting), Geo Books, Norwich, 551–67.

Batty, G. (1957) Hammer Pot. Northern Pennine Club Journal, 1, 26-31.

Batty, G. (1967) Gingling Hole extension. Northern Pennine Club Journal, 3, 1–5.

Baughen, D.J. and Walsh, P.T. (1980) Palaeokarst phenomena in the Carboniferous Limestone of Anglesey, North Wales. *Transactions of the British Cave Research Association*, 7, 13–30.

Beck, H.M. (1984) Gaping Gill, 150 years of exploration, Hale, London.

Beck, J.S. (1975) The caves of the Foolow–Eyam–Stoney Middleton area, Derbyshire, and their genesis. *Transactions of the British Cave Research Association*, 2, 1–11.

Beck, J.S. (1977) The caves of the Foolow–Eyam-Stoney Middleton area. In *Limestones and Caves of the Peak District* (ed. T.D. Ford), Geo Books, Norwich, 361–82.

Beck, J.S. (1980) 'Aspects of the speleogenesis in the Carboniferous Limestone of North Derbyshire.' PhD thesis, University of Lancaster.

Beck, J.S. (1990) Streaks/Merlin — the saga continues. *Descent*, 97, 10–11.

Beck, J.S. (1991) Peak Cavern: eight hours to Heaven and back. Descent, 103, 8-9.

Beckinsale, R.P. (1954) Geomorphology. In *The Oxford Region* (eds A.F. Martin and R.W. Steel), Oxford University Press, Oxford.

Bennett, A.F., Bennett, M.R. and Doyle, P. (1995) Paving the way for conservation. *Geology Today*, 11, 98–100.

Blackstock, T.H., Duigan, C.A., Stephens, D.P. and Yeo, M.J.M. (1993) Vegetation zonation and invertebrate fauna in Pant-y-llyn, an unusual seasonal lake in South Wales, UK. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 3, 253–68.

Bögli, A. (1960) Kalldosung and Karrenbildung. Zeitschrift für Geomorphologie, Supplementband, 2, 4–21.

Bögli, A. (1964) Mischungskorrosion — ein Breitag zur Verkarstungsproblem. Erdkunde, 18, 83–92.

Bögli, A. (1971) Corrosion by mixing of karst waters. Transactions of the Cave Group of Great Britain, 13, 109–14.

Bögli, A. (1980) Karst Hydrology and Physical Speleology, Springer Verlag.

Bolt, P., Garman, A., Hicks, R. and Kendall, A. (1994) Ogof Draenen. Descent, 121, 26-7.

Bolt, P., Garman, A., Lovett, B. and Munn, K. (1995) Twenty thousand metres under Pwll Du. Descent, 122, 20-3.

Booth, T. S. (1905) Jockey Hole and Rift Pot. Yorkshire Ramblers Club Journal, 6, 145–56.

Bottrell, S. and Gunn, J. (1991) Flow-switching in the Castleton karst aquifer. *Transactions of the British Cave Research Association*, 18, 47–9.

Boulter, M.C. (1971) A palynological study of two of the Neogene plant beds in Derbyshire. *Bulletin of the British Museum of Natural History (Geology)*, 19, 360–411.

Boulter, M.C., Ford, T.D., Ijtaba, M. and Walsh, P.T. (1971) Brassington Formation: a newly recognised Tertiary formation in the southern Pennines. *Nature*, 231, 134–6.

Bowen, D.Q. (1965) 'Contributions to the geomorphology of central South Wales.' PhD thesis, University of Wales.

Bowen, D. Q. (1970) Southeast and central South Wales. In *The Glaciations of Wales and Adjoining Regions* (ed. C.A. Lewis), Longman, Harlow, 197–227.

Bowen, D.Q. and Henry, A. (1984) Wales: Gower, Preseli and Fforest Fawr, Quaternary Research Association Field Guide, Cambridge.

Bowen, D.Q., Rose, J., McCabe, A.M. and Sutherland, D.G. (1986) Correlation of Quaternary glaciations in England, Ireland, Scotland and Wales. *Quaternary Science Reviews*, 5, 299–340.

Bowen, D.Q., Sykes, G.A., Reeves, A., Miller, G.H., Andrews, J.T., Brew, J.S. and Hare, P.E. (1989) Amino acid geochronology of raised beaches in southwest Britain. *Quaternary Science Reviews*, 4, 279–318.

Boylan, P.J. (1981) A new revision of the Pleistocene mammalian faunas of Kirkdale Cave, Yorkshire. *Proceedings of the Yorkshire Geological Society*, 43, 253–80.

Bramwell, D. (1964) The excavation at Elderbush Cave, Wetton, Staffs. *North Staffordshire Journal of Field Studies*, 4, 46–60.

Bramwell, D. (1977) Archaeology and palaeontology. In *Limestones and Caves of the Peak District* (ed. T.D. Ford), Geo Books, Norwich, 263–91.

Bray, L.G. and O'Reilly, P.M. (1974) Preliminary oxidation studies on some waters from the Ogof Ffynnon Ddu system, Breconshire. *Transactions of the British Cave Research Association*, 1, 75–84.

Bretz, J.H. (1942) Vadose and phreatic features of limestone caves. Journal of Geology, 50, 675–811.

Brindle, D. (1949) Car Pot breakthrough. Yorkshire Ramblers Club Journal, 7, 248-52.

Brindle, D. (1954) The Dowber Gill Passage in Dow Cave, Kettlewell. Journal of Craven · Pothole Club, 1, 263-9.

Brindle, D. (1955) The Dow Cave–Providence Pot system, Wharfedale. Journal of Craven Pothole Club, 2, 4–10.

Brindle, N. (1956) New Goyden. Journal of Craven Pothole Club, 2, 63-73.

Broadhurst, F.M. (1972) Castleton: Itinerary 6, Geologists' Association Guide, 26, 27–30

Broadhurst, F.M. and Simpson, I.M. (1973) Bathymetry on a Carboniferous Reef. Lethaia, 6, 367-81.

Brodrick, H. (1905) Notes on the geological features of Rift Pot. Yorkshire Ramblers Club Journal, 2 (6), 157–9.

Brook, A., Brook, D., Griffiths, J. and Long, M.H. (1991) Northern Caves. Volume 2: Three Peaks, Dalesman, Clapham.

Brook, D. (1969) The drainage and development of West Kingsdale. *University of Leeds Speleological Association Explorations Journal*, 1, 70–3.

Brook, D. (1971a) A note on the Black Keld System. Proceedings of the British Speleological Association, 46, 21–2.

Brook, D. (1971b) Caves and caving in Kingsdale. Journal of the British Speleological Association, 48, 33–47.

Brook, D. (1974a) Cave development in Kingsdale. In *The Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 310–34.

Brook, D. (1974b) The caves of the Black Keld drainage system. In *The Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 422–33.

Brook, D. and Crabtree, H. (eds) (1969a) Kingsdale. *University of Leeds Speleological Association Explorations Journal*, 1, 7–21.

Brook, D. and Crabtree, H. (eds) (1969b) Chapel-le-Dale. *University of Leeds Speleological Association Explorations Journal*, 1, 23–40.

Brook, D., Davies, G.M., Long, M.H. and Ryder, P.F. (1988) *Northern Caves. Volume 1: Wharfedale and the North-East,* Dalesman, Clapham.

Brook, D., Long, M.H., Griffiths, J. and Ryder, P.F. (1994) *Northern Caves. Volume* 3: *Three Counties System and the North-West,* Dalesman, Clapham.

Brown, H.A., Otlet, R.L. and Sweeting, M.M. (1986) Stable isotopes — an investigation into their application in karst hydrology in the UK, with special reference to the Malham area, north Yorkshire. In *New Directions in Karst* (eds K. Paterson and M.M. Sweeting), Geo Books, Norwich, 213–31.

Buckland, W. (1822) Account of an assemblage of fossil teeth and bones of elephant, hippopotamus, bear, tiger and hyaena, and sixteen other animals, discovered in a cave at Kirkdale, Yorkshire, in the year 1921. *Philosophical Transactions of the Royal Society*, 112, 171–236.

Bull, A.J. (1936) Studies in the geomorphology of the South Downs. *Proceedings of the Geologists' Association*, 47, 99–129.

Bull, A.J. (1940) Cold conditions and landforms in the South Downs. *Proceedings of the Geologists' Association*, 51, 53–71.

Bull, P.A. (1975) Birdseye structures in caves. Transactions of the British Cave Research Association, 2, 35–40.

Bull, P.A. (1976a) An electron microscope study of cave sediments from Agen Allwedd, Powys. *Transactions of the British Cave Research Association*, 3, 7–14.

Bull, P.A. (1976b) Cave sediment studies in South Wales. Studies in Speleology, 3, 13–24.

Bull, P.A. (1976c) Dendritic surge marks in caves. Transactions of the British Cave Research Association, 3, 1–5.

Bull, P.A. (1977) Boulder chokes and doline relationships. *Proceedings of the 7th International Speleological Congress*, British Cave Research Association, Bridgwater, 93–6.

Bull, P.A. (1978) A study of stream gravels from a cave: Agen Allwedd, Powys, South Wales. *Zeitschrift für Geomorphologie*, 22, 275–96.

Bull, P.A. (1980) Towards a reconstruction of timescales and palaeoenvironments from cave sediment studies. In *Timescales in Geomorphology* (eds R.A. Cullingford, D.A. Davidson and J. Lewin), Wiley, London, 177–87.

Bull, P.A. (1981) Some fine-grained sedimentation phenomena in caves. *Earth Surface Processes and Landforms*, 6, 11–22.

Bull, P.A. and Carpenter, I.R. (1978) Sedimentological investigations of Goatchurch Cavern and Sidcot Swallet, Burrington Coombe, Somerset. *Proceedings of the University of Bristol Speleological Society*, 15, 53–74.

Burek, C.V. (1977) The Pleistocene Ice Age and after. In *Limestones and Caves of the Peak District* (ed. T.D. Ford), Geo Books, Norwich, 87–128.

Burek, C.V. (1991) Quaternary history and glacial deposits of the Peak District. In *Glacial Deposits in Great Britain and Ireland* (eds J. Ehlers, P.L. Gibbard and J. Rose), Balkema, Rotterdam, 193–201.

Burgess, I.C. and Cooper, A.H. (1993) *Geology of the Country around Harrogate*, British Geological Survey Memoir, Sheet 62.

Burke, A.R. (1967) Geomorphology and speleogenesis of vertical shafts in Carboniferous limestone at Ystradfellte, Breconshire. *Proceedings of the British Speleological Association*, 5, 17–46.

Burke, A.R. (1970) Deposition of stalactitic and related forms of peat: genesis and bacterial oxidation. *Transactions of the Cave Research Group*, 12, 247–58.

Burke, A.R. and Bird, P.F. (1966) A new mechanism for the formation of vertical shafts in Carboniferous limestone. *Nature*, 210, 831–32.

Callaway, C. (1902) The zig-zag course of Cheddar Gorge. *Geological Magazine*, 9, 67–9. Calvert, A.F. (1915) *Salt in Cheshire*, Spon, London.

Campbell, J.B. (1977) The Upper Palaeolithic of Britain: A Study of Man and Nature in the Late Ice Age, Clarendon Press, Oxford (2 vols).

Campbell, J.B. and Sampson, G.G. (1971) A new analysis of Kent's Cavern, Devon, England. *University of Oregon Anthropological Papers*, 3, 1–40.

Campbell, S. and Bowen, D.Q. (1989) Quaternary of Wales, Nature Conservancy Council, Peterborough.

Campbell, S., Gunn, J. and Hardwick, P. (1992) Pant-y-llyn — the first Welsh turlough? *Earth Science Conservation*, 31, 3–7.

Carter, W.L. and Dwerryhouse A.R. (1904) The underground waters of Northwest Yorkshire; part 2, the underground waters of Ingleborough. *Proceedings of the Yorkshire Geological Society*, 15, 248–92.

Chandler, R.H. (1909) On some dry chalk valley features. Geological Magazine, 6, 538-9.

Chapman, P. (1979) The biology of Otter Hole, near Chepstow. *Transactions of the British Cave Research Association*, 6, 159–67.

Charity, R.A.P. and Christopher, N.S.J. (1977) The stratigraphy and structure of the Ogof Ffynnon Ddu area. *Transactions of the British Cave Research Association*, 4, *4*03–16.

Christopher, N.S.J. (1980) A preliminary flood pulse study of Russett Well, Derbyshire. *Transactions of the British Cave Research Association*, 7, 1–12.

Christopher, N.S.J. (1984) Further water tracing experiments at Castleton, Derbyshire. *Transactions of the British Cave Research Association*, 11, 86–8.

Christopher, N. and Beck, J.S. (1977) A survey of Carlswark Cavern, Stoney Middleton, Derbyshire, with geological and hydrological notes. *Transactions of the British Cave Research Association*, 4, 361–6.

Christopher, N.S.J., Crabtree, R.W., Culshaw, S.M. *et al.* (1981) A hydrological study of the Castleton area, Derbyshire. *Transactions of the British Cave Research Association*, 8, 189–206.

Christopher, N. and Wilcock, J. (1991) Temporal and seasonal controls on the composition of Derbyshire resurgences. *Transactions of the British Cave Research Association*, 18, 51–4.

Clark, A. (1991) Three Deserts at Slaughter Stream Cave. Descent, 101, 11.

Clark, R. (1967) A contribution to glacial studies of the Malham Tarn area. Field Studies, 2, 479–91.

Clarke, W.G. (1903) The meres of Wretham Heath. *Transactions of the Norfolk and Norwich Naturalists Society*, 7.

Clayden, B.W. and Findlay, D.C. (1960) Mendip derived gravels and their relationship to combes (abstract). *Proceedings of the 3rd Conference on the Geology and Geomorphology of Southwest England,* Royal Geological Society of Cornwall, 24.

Clayton, K.M. (1966) The origins of the landforms of the Malham area. Field Studies, 2, 359–84.

Clayton, K.M. (1979) The Midlands and the Southern Pennines. In *The Geomorphology of the British Isles, Part II;* Eastern and Central England (eds A. Straw and K.M. Clayton), Methuen, London, 143–240.

Clayton, K.M. (1981) Explanatory description of the landforms of the Malham area. Field Studies, 5, 389–423.

Clough, P. and Clough, S. (1981) Cliff Force Cave — the Spar Shop Series. Journal of Craven Pothole Club, 6, 131–2.

Coase, A.C. (1967) Some preliminary observations on the geomorphology of the Dan yr Ogof system. *Proceedings of the British Speleological Association*, 5, 53–67.

Coase, A.C. (1975) 'The geomorphology of the Dan-yr-Ogof caves.' PhD thesis, Leicester University.

Coase, A.C. (1989) Dan yr Ogof. In *Limestones and Caves of Wales* (ed. T.D. Ford), Cambridge University Press, Cambridge, 190–207.

Coase, A.C. and Judson, D.M. (1977) Dan yr Ogof and its associated caves. *Transactions of the British Cave Research Association*, 4, 245–344.

Coe, R.G. (1968) Birks Fell Cave extensions. Journal of the Craven Pothole Club, 4, 111–20.

Cole, E.M. (1879) On the origin and formation of the Wold dales. *Proceedings of the Yorkshire Geological Society*, 7, 128–40.

Cole, E.M. (1887) Note on dry valleys in the Chalk. Proceedings of the Yorkshire Geological Society, 9, 343-6.

Coleman, A.M. and Balchin, W.G.V. (1959) The origin and development of surface depressions in the Mendip Hills. *Proceedings of the Geologists' Association*, 70, 291–309.

Collcutt, S.N. (1985) Analysis of sediments in Gough's Cave, Cheddar, Somerset, and their bearing on the Palaeolithic archaeology. *Proceedings of the University of Bristol Speleological Society*, 17, 129–40.

Cook, L.B. (1950) Stump Cross Caverns: past and present. Journal of Craven Pothole Club, 1, 70–3.

Coope, G.R. (1977) Fossil coleopteran assemblages as sensitive indicators of climatic changes during the Devensian (last) cold stage. *Philosophical Transactions of the Royal Society of London*, B280, 313–40.

Cooper, A.H. (1986) Foundered strata and subsidence resulting from the dissolution of Permian gypsum in the Ripon and Bedale areas, North Yorkshire. In *The English Zechstein and Related Topics* (eds G.M. Harwood and D.B. Smith), Geological Society of London, Special Publication, 22, 127–39.

Cooper, A.H. (1988) Subsidence resulting from the dissolution of Permian gypsum in the Ripon area: its relevance to mining and water abstraction. In *Engineering Geology of Underground Movements* (eds F.G. Bell, M.G. Culshaw, J.C. Cripps and M.A. Lovell). Geological Society Engineering Geology Special Publication, 5, 387–90.

Cooper, R.G. and Halliwell, R.A. (1976) A relict karst feature in the Hambleton Hills, North Yorkshire. *Proceedings of the Yorkshire Geological Society*, 41, 71–3.

Cooper, R.G., Ryder, P.F. and Solman, K.R. (1976) The North Yorkshire windypits: a review. *Transactions of the British Cave Research Association*, 3, 77–94.

Cooper, R.G., Ryder, P.F. and Solman, K.R. (1982) The windypits in Duncombe Park, Helmslet, North Yorkshire. *Transactions of the British Cave Research Association*, 9, 1–14.

Corbel, J. (1957) Les karsts du Nord Ouest de l'Europe Institute Etudes Rhodaniènes Université de Lyon, Memoirs et Documents, 12.

Cordingley, J. (1986) The Peak Cavern system A caver's guide, Vitagraph Books, Manchester.

Cordingley, J. (1988) Peak Cavern: further exploration in Stemple Highway. Descent, 85, 28-31.

Cordingley, J. (1989) Peak Cavern: progress in Far Sump extension. *Descent*, 86, 28–9.

Cordingley, J. (1990) Probing the secrets behind Malham Cove. Descent, 93, 32–3.

Coxon, C.E. (1986) A study of the hydrology and geomorphology of turloughs. PhD thesis, Trinity College, Dublin.

Coxon, C.E. (1987a) The spatial distribution of turloughs. Irish Geography, 20, 11–23.

Coxon, C.E. (1987b) An examination of the characteristics of turloughs using multivariate techniques. *Irish Geography*, 20, 24–42.

Crabtree, R.W. (1979) Quantitative fluorometric dye tracing, Rickford and Langford resurgences, Northern Mendip. *Proceedings of the University of Bristol Speleological Society*, 15, 129–41.

Crowther, J. (1989) Karst geomorphology of South Wales. In *Limestones and Caves of Wales* (ed. T.D. Ford), Cambridge University Press, Cambridge, 20–39.

Currant, A.P. (1987) Late Pleistocene Saiga Antelope Saiga tatarica on Mendip. *Proceedings of the University of Bristol Speleological Society*, 18, 74–80.

Cviji■, J. (1893) Das Karstphanomen. Geographische Abhandlungen herausgegeben von A. Penck, 5 (3), 218–329.

Cviji■, J. (1918) Hydrographie souterraine et evolution morphologique du karst. *Recu Travaux d'Institute de Geographie Alpine*, 6 (40), 376–420.

Davies, B. (1984) Rift Pot. Caves and Caving, 25, 2-5.

Davies, G.M. (1974a) The caves of Nidderdale. In *The Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 434–9.

Davies, G.M. (1974b) New Goyden Pot. University of Leeds Speleological Association Review, 13, 22-4.

Davies, M. (1989) Recent advances in cave archaeology in southwest Wales. In *Limestones and Caves of Wales* (ed. T.D. Ford), Cambridge University Press, Cambridge, 79–91.

Davies, R.H. and Stringer, R.N. (1991) Pant-y-Llyn: a Welsh turlough, or now you see it, now you don't. *Isca Caving Club Journal*, 13, 36–9.

Davis, W.M. (1899) The geographical cycle. Geographical Journal, 14, 481-504.

Davis, W.M. (1930) Origin of limestone caverns. Geological Society of America Bulletin, 41, 475-628.

Dawkins, W.B. (1862) On a Hyena-den at Wookey Hole near Wells. *Quarterly Journal of the Geological Society,* 18, 115–25.

Dawkins, W.B. (1875) The Mammalia found at Windy Knoll. Quarterly Journal of the Geological Society, 31, 246–55.

Day, M.J. and Goudie, A.S. (1978) Why the Devil's Punchbowl dries up. Geographical Magazine, 50, 381-5.

Daykyns, J.R., Gunn, W., Strahan, A. and Tiddeman, R.H. (1890) *The Geology of the Country around Ingleborough with Parts of Wensleydale and Wharfedale.* British Geological Survey Memoir.

De Boer, G. (1974) Physiographic evolution. In *The Geology and Mineral Resources of Yorkshire* (eds D.H. Rayner and J.E. Hemingway), Yorkshire Geological Society, Leeds.

De Bruijin, R.G.M. (1983) Some considerations on the factors that influence the formation of solution pipes in chalk rock. Bulletin of the International Association of Engineering Geology, 28, 141–6.

Donovan, D.T. (1969) Geomorphology and hydrology of the central Mendips. *Proceedings of the University of Bristol Speleological Society*, 12, 63–74.

Donovan, D.T. (1988) The Late Pleistocene sequence at Wells, Somerset. *Proceedings of the University of Bristol Speleological Society*, 18, 241–57.

Doughty, P.S. (1968) Joint densities and their relation to lithology in the Great Scar Limestone. *Proceedings of the Yorkshire Geological Society*, 36, 479–512.

Downing, R.A. (1994) Jurassic limestone environments. *British Cave Research Association Cave Studies Series*, 5, 25–9.

Downing, R.A. and Williams, B.P.J. (1969) *The Groundwater Hydrology of the Lincolnshire Limestone,* Water Resources Board, Reading.

Drew, D.P. (1966) The water table concept in limestones. Proceedings of the British Speleological Association, 4, 57–67.

Drew, D.P. (1968) A study of the limestone hydrology of the St Dunstan's Well and Ashwick drainage basins, eastern Mendip, Somerset. *Proceedings of the University of Bristol Speleological Society*, 11, 257–72.

Drew, D.P. (1970) Limestone solution within the East Mendip area, Somerset. *Transactions of the Cave Research Group of Great Britain*, 12, 259–70.

Drew, D.P. (1974) Quantity and rate of limestone solution on the eastern Mendip Hills. *Transactions of the British Cave Research Association*, 1, 93–100.

Drew, D.P. (1975a) The limestone hydrology of the Mendip Hills. In *Limestones and Caves of the Mendip Hills* (ed. D.I. Smith), David and Charles, Newton Abbot, 171–213.

Drew, D.P. (1975b) The caves of Mendip. In *Limestones and Caves of the Mendip Hills* (ed. D.I. Smith), David and Charles, Newton Abbot, 214–312.

Drew, D.P. and Daly, D. (1993) *Groundwater and Karstification in Mid-Galway, South Mayo and North Clare,* Geological Survey of Ireland Report Series 93/3.

Drew, D.P., Newson, M.D. and Smith, D.L. (1968) *Mendip Karst Hydrology Research Project: Phase Three,* Wessex Cave Club Occasional Publication, 2 (2).

Dreybrodt, W. (1981a) Kinetics of the dissolution of calcite and its application to karstification. *Chemical Geology*, 31, 245–69.

Dreybrodt, W. (1981b) Mixing corrosion in CaCO₃–CO₂–H₂O systems and its role in the karstification of limestone areas. *Chemical Geology*, 32, 221–36.

Dreybrodt, W. (1988) The kinetics of calcite dissolution and its consequences to karst evolution from the initial to the mature state. *National Speleological Society Bulletin*, 49, 31–49.

Duff, K.L., McKirdy, A.P. and Harley, M.J. (eds) (1985) *New Sites for Old: A Students' Guide to the Geology of the East Mendips*, Nature Conservancy Council, Peterborough.

Dunham, K.C., Hemingway, J.E., Versey, H.C. and Wilcockson, W.H. (1953) A guide to the geology of the district around Ingleborough. *Proceedings of the Yorkshire Geological Society*, 29, 77–115.

Dunham, K.C. and Stubblefield, C.J. (1945) The stratigraphy, structure and mineralization of the Greenhow mining area, Yorkshire. *Quarterly Journal of the Geological Society*, 100, 209–68.

Dunham, K.C. and Wilson, A.A. (1985) *Geology of the Northern Pennine Orefield, Volume 2, Stainmore to Craven, British Geological Survey Memoir Economic Memoir, Sheets 40, 41 and 50.*

Earp, J.R. and Taylor, B.J. (1986) *Geology of the Country around Chester and Winsford.* British Geological Survey Memoir, Sheet 109.

Ede, D. P. (1973) Aspects of karst hydrology in South Wales. Geographical Journal, 139, 285–94.

Ede, D.P. and Bull, P.A. (1989) Swallets and caves of the Gower peninsula. In *Limestones and Caves of Wales* (ed. T.D. Ford), Cambridge University Press, Cambridge, 211–16.

Edmonds, C.N. (1983) Towards the prediction of subsidence risk upon the chalk outcrop. *Quarterly Journal of Engineering Geology*, 16, 261–6.

Edwards, A.J. (1994) 'Hydrogeological aspects of waste disposal in a Carboniferous Limestone aquifer.' PhD thesis, University of Bristol.

Elliott, J.V., Westlake, C.F. and Tringham, M.E. (1979) Otter Hole, near Chepstow, Wales. *Transactions of the British Cave Research Association*, 6, 143–58.

Elliott, J.V., Westlake, C.F. and Tringham, M.E. (1989) Otter Hole, Chepstow. In *Limestones and Caves of Wales* (ed. T.D. Ford), Cambridge University Press, Cambridge, 117–23.

Embleton, C. (1964) Sub-glacial drainage and supposed ice-dammed lakes in northeast Wales. *Proceedings of the Geologists' Association*, 75, 31–8.

Evans, P. (1944) Field meeting at Water End, North Mimms, Hertfordshire. *Proceedings of the Geologists' Association,* 55, 189.

Evans, W.B. (1970) The Triassic salt deposits of northwestern England. *Quarterly Journal of the Geological Society*, 126, 103–23.

Evans, W.B., Wilson, A., Taylor, B.J. and Price, D. (1968) *Geology of the Country around Macclesfield, Congleton, Crewe and Middlewich.* British Geological Survey Memoir, Sheet 110.

Eyre, J. (1989) The Ease Gill Cave System, British Cave Research Association, Speleo-history Series, 1.

Eyre, J. and Ashmead, P. (1967) Lancaster Hole and the Ease Gill Caverns. *Transactions of the Cave Research Group of Great Britain*, 9, 61–123.

Fagg, C.C. (1923) The recession of the Chalk escarpment and the development of Chalk valleys in the regional survey area. *Proceedings and Transactions of Croydon Natural History and Scientific Society*, 9, 93–112.

Fagg, C.C. (1954) The coombes and embayments of the Chalk escarpment. *Proceedings and Transactions of Croydon Natural History and Scientific Society*, 12, 117–31.

Farr, M.J. (1985) How Britain's most spectacular passage was discovered. *Descent*, 64, 12–15.

Farr, M.J. (1986) Through Llangattwg Mountain. Descent, 72, 19-26.

Farr, M.J. (1993) Busman's Holiday. *Descent*, 113, 20–21.

Farrant, A.R. (1991) The Gough's Cave system: exploration since 1985, and a reappraisal of the geomorphology. *Proceedings of the University of Bristol Speleological Society*, 19, 3–17.

Farrant, A.R. (1995) 'Long term Quaternary chronologies from cave deposits.' PhD thesis, Geography Department, University of Bristol.

Findlay, D.C. (1965) *The soils of the Mendip District of Somerset,* Agricultural Research Council, Memoir of the Soil Survey of Great Britain, England and Wales. Harpenden.

Fisher, O. (1858) On some natural pits on the heaths of Dorsetshire. Geologist, 1, 527.

Fisher, O. (1859) On some natural pits on the heaths of Dorsetshire. *Quarterly Journal of the Geological Society of London*, 15, 187–8.

Flindall, R., Swaim, J. and Hayes, A. (1981) A survey of the Masson Cave-cum-Mine complex, Matlock. *Bulletin of the Peak District Mines Historical Society*, 8, 103–8.

Foley, I. (1930) Lost John's Cave. Yorkshire Ramblers Club Journal, 6, 44-59.

Ford, D.C. (1963) 'Aspects of the geomorphology of the Mendip Hills.' PhD thesis, Oxford University.

Ford, D.C. (1964) On the geomorphic history of G.B. Cave, Charterhouse-on-Mendip, Somerset. *Proceedings of the University of Bristol Speleological Society*, 10, 149–88.

Ford, D.C. (1965a) Stream potholes as indicators of erosion phases in limestone caves. *Bulletin of the National Speleological Society of America*, 27, 27–32.

Ford, D.C. (1965b) The origin of limestone caverns: a model from the central Mendip Hills, England. *Bulletin of the National Speleological Society of America*, 27, 109–32.

Ford, D.C. (1965c) The sequence of development in Swildon's Hole. Wessex Cave Club Journal, 8, 198–205.

Ford, D.C. (1966a) Calcium carbonate evolution in some central Mendip caves. *Proceedings of the University of Bristol Speleological Society*, 11, 46–53.

Ford, D.C. (1968) Features of cavern development in central Mendip. *Transactions of the Cave Research Group of Great Britain*, 10, 11–25.

Ford, D.0 (1971) Geologic structure and a new explanation for limestone cave genesis. *Transactions of the Cave Research Group of Great Britain*, 13, 81–94.

Ford, D.C. (1988) Characteristics of dissolutional cave systems in carbonate rocks. In *Paleokarst* (eds N.P. James and P.W. Choquette), Springer Verlag, 25–57.

Ford, D.C. and Ewers, R.O. (1978) The development of limestone caves in length and depth. *Canadian Journal of Earth Sciences*, 15, 1783–98.

Ford, D.C. and Stanton, W.I. (1968) The geomorphology of the south-central Mendip Hills. *Proceedings Geologists'* Association, 79, 401–27.

Ford, D.C. and Williams, P.W. (1989) Karst Geomorphology and Hydrology, Unwin Hyman, London.

Ford, T.D. (1956) The Speedwell Cavern. Transactions of the Cave Research Group of Great Britain, 2, 97–124.

Ford, T.D. (1959) The Sutherland caves. Transactions of the Cave Research Group of Great Britain, 5, 141–90.

Ford, T.D. (1964a) Fossil karst in Derbyshire. Proceedings of the British Speleological Association, 2, 49–62.

Ford, T.D. (1964b) The Goyden Pot drainage system, Nidderdale, Yorkshire. *Transactions of the Cave Research Group of Great Britain*, 6, 81–90.

Ford, T.D. (1966b) The underground drainage systems of the Castleton area, Derbyshire, and their evolution. *Transactions of the British Cave Research Association*, 5, 369–96.

Ford, T.D. (1969) The Blue John fluorspar deposits of Treak Cliff in relation to the Boulder Bed. *Proceedings of the Yorkshire Geological Society*, 37, 153–8.

Ford, T.D. (1975) Ingleborough Cavern and Gaping Gill (cave guide), Dalesman, Clapham.

Ford, T.D. (1976) The geology of caves. In *The Science of Speleology* (eds T.D. Ford and C.H.D. Cullingford), Academic Press, 11–60.

Ford, T.D. (ed.) (1977a) Limestones and Caves of the Peak District, Geo Books, Norwich.

Ford, T.D. (1977b) The caves of the Castleton area. In *Limestones and Caves of the Peak District* (ed. T.D. Ford), Geo Books, Norwich, 297–346.

Ford, T.D. (1977c) The caves of Buxton and the upper Wye valley. In *Limestones and Caves of the Peak District* (ed. T.D. Ford), Geo Books, Norwich, 383–93.

Ford, T.D. (1978) The Speedwell Cavern (guide book), R. and D. Harrison, Castleton.

Ford, T.D. (1980) The Story of Treak Cliff Cavern (guide book), Harold Harrison, Castleton.

Ford, T.D. (1984) Palaeokarsts in Britain. Transactions of the British Cave Research Association, 11, 246–64.

Ford, T.D. (1986a) The evolution of the Castleton cave systems and related features, Derbyshire. *Mercian Geologist*, 10, 91–114.

Ford, T.D. (1986b) The evolution of the Castleton cave systems, Derbyshire. *Transactions of the British Cave Research Association*, 13, 131–48.

Ford, T.D. (1987) The origin of the Winnats Pass, Castleton, Derbyshire. *Mercian Geologist*, 10, 241–9.

Ford, T.D. (ed.) (1989a) Limestones and Caves of Wales, Cambridge University Press, Cambridge.

Ford, T.D. (1989b) Tufa — the whole dam story. Transactions of the British Cave Research Association, 16, 39–49.

Ford, T.D. (ed.) (1991) Peak and Speedwell Caverns-exploration and science. *Transactions of the British Cave Research Association*, 18, 1–58.

Ford, T.D. and Beck, J.S. (1977) The caves of the Lathkill area. In *Limestones and Caves of the Peak District* (ed. T.D. Ford), Geo Books, Norwich, 395–409.

Ford, T.D. and Burek, C.V. (1976) Anomalous limestone gorges in Derbyshire. Mercian Geologist, 6, 59–66.

Ford, T.D., Burek, C.V. and Beck, J.S. (1975) The evolution of Bradwell Dale and its caves. *Transactions of the British Cave Research Association*, 2, 133–40.

Ford, T.D., Burek, C.V. and Beck, J.S. (1977a) The caves of the Bradwell area. In *Limestones and Caves of the Peak District* (ed. T.D. Ford), Geo Books, Norwich, 347–59.

Ford, T.D., Flindall, R. and Worley, N. (1977b) The caves and mines of the Matlock and Wirksworth area. In *Limestones and Caves of the Peak District* (ed. T.D. Ford), Geo Books, Norwich, 409–33.

Ford, T.D., Gascoyne, M. and Beck, J.S. (1983) Speleothem dates and Pleistocene chronology in the Peak District of Derbyshire. *Transactions of the British Cave Research Association*, 10, 103–15.

Ford, T.D. and Gunn, J. (1990) Caves and Karst of the Peak District. BCRA Cave Studies Series, Number 3.

Ford, T.D. and Hooper, M.J. (1964) The caves of the Isle of Portland. *Transactions of the Cave Research Group of Great Britain*, 7, 11–35.

Ford, T.D. and King, R.J. (1969) The origin of the silica sand pockets in the Derbyshire Limestone. *Mercian Geologist*, 3, 51–69.

Friederich, H. (1981) 'The hydrochemistry of recharge in the unsaturated zone, with special reference to the Carboniferous Limestone aquifer of the Mendip Hills.' PhD thesis, University of Bristol.

Friederich, H. and Smart, P.L. (1981) Dye tracer studies of the unsaturated zone recharge of Carboniferous Limestone aquifer of the Mendip Hills, England. *Proceedings Eighth International Congress of Speleology, Kentucky,* National Speleological Society, Huntsville, USA, 283–6.

Friederich, H. and Smart, P.L. (1982) The classification of autogenic percolation waters in karst aquifers: a study in G.B. Cave, Mendip Hills, Somerset. *Proceedings of the University of Bristol Speleological Society*, 16, 143–60.

Gale, S.J. (1981a) 'Karst palaeoenvironments.' PhD thesis, University of Keele.

Gale, S.J. (1981b) The geomorphology of the Morecambe Bay karst and its implications for landscape chronology. *Zeitschrift für Geomorphologie*, 25, 457–69.

Gale, S.J. (1984) Quaternary hydrological development in the Morecambe Bay karst, northwest England. *Norsk Geografiske Tidsskrift*, 38, 185–92.

Gams, I. (1969) Some morphological characteristics of the Dinaric karst. Geographical Journal, 135, 563-74.

Gams, I. (1974) Kras. Izdala Slovenska.

Gams, I. (1978) The polje: the problem of its definition. Zeitschrift für Geomorphologie, 22, 170-81.

Gardener, C.G. (1983) Agen Allwedd, Trident and the missing link. Caves and Caving, 21, 20-4.

Gardener, C.G. (1984) Daren Cilau — the route to the heart of the Llangattwg Mountain. Descent, 61, 17-24.

Gardener, C.G. (1985) Daren Cilau — a new 5 km extension and the largest underground passage in Britain. *Caves and Caving*, 28, 6–11.

Gardener, C.G. (1986) Cascading water and echoes of David Bowie from the depths of Daren Cilau. *Caves and Caving*, 33, 20–6.

Gardener, C.G. (1988) The. secret depths of the Llangattock Mountains. Caves and Caving, 40, 26-31.

Gardener, C.G. and Westlake, C. (1985) Beyond the further reaches of Daren Cilau. Caves and Caving, 29, 18–22.

Gardner, J.H. (1935) Origin and development of limestone caverns. *Bulletin of the Geological Society of America*, 46, 1255–74.

Garwood, E.J. and Goodyear, E. (1924) The Lower Carboniferous succession in the northwest of England. *Quarterly Journal of the Geological Society*, 68, 449–586.

Gascoine, W. (1979) Ogof Craig a Ffynnon. Cambrian Caving Council Journal, 5, 66-9.

Gascoine, W. (1982) The formation of black deposits in some caves of Southeast Wales. *Transactions of the British Cave Research Association*, 9, 165–75.

Gascoine, W. (1989) Hydrology of the limestone outcrop north of the coalfield. In *Limestones and Caves of Wales* (ed. T.D. Ford), Cambridge University Press, Cambridge, 40–55.

Gascoine, W. (1991) Carno's secret. Descent, 102, 20-2.

Gascoine, W. (1994) Water tracing at Pwll Du. Caves and Caving, 65, 4-5.

Gascoyne, M. (ed.) (1973) The caves and potholes of East Kingsdale and Scales Moor — an area review. *Lancaster University Speleological Society Journal*, 1(3), 11–58.

Gascoyne, M., Currant, A.P. and Lord, T.C. (1981) Ipswichian fauna of Victoria Cave and the marine paleoclimatic record. *Nature*, 294, 652–4.

Gascoyne, M. and Ford, D.C. (1984) Uranium series dating of speleothems: Part 2, Results from the Yorkshire Dales and implications for cave development and Quaternary climates. *Transactions of the British Cave Research Association*, 11, 65–85.

Gascoyne, M., Ford, D.C. and Schwarcz, H.P. (1978) Uranium-series dating and stable isotope studies of speleothems: Part 1, theory and techniques. *Transactions of the British Cave Research Association*, 5, 91–111.

Gascoyne, M., Ford, D.C. and Schwarcz, H.P. (1983a) Rates of cave and landform development in the Yorkshire Dales from speleothem age data. *Earth Surface Processes and Landforms*, 8, 557–68.

Gascoyne, M., Schwarcz, H.P. and Ford, D.C. (1983b) Uranium-series ages of speleothems from northwest England: correlation with Quaternary climate. *Philosophical Transactions of the Royal Society of London, B301,* 143–64.

Gatacre, E.V., Stanton, W.I. and Winsor, D. (1980) Wookey Hole (guide book), Wookey Hole Caves Ltd.

George, T.N., Johnson, G. A. J., Mitchell, M. et al. (1976) A Correlation of Dinantian Rocks in the British Isles, Geological Society of London, Special Report, 7.

Gill, D.W. and Beck, J.S. (1991) Caves of the Peak District, Dalesman, Clapham.

Glasser, N. F. and Barber, G. (1995) Cave conservation plans: the role of English Nature. *Transactions of the British Cave Research Association*, 21, 33–6.

Glennie, E. A. (1950) Further notes on Ogof Ffynnon Ddu. *Transactions of the Cave Research Group of Great Britain*, 1(3), 1–47.

Glover, D. (1993) Ogof Cynnes. Descent, 112, 30-1.

Glover, R.R. (1974) Cave development in the Gaping Gill system. In *The Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 343–84.

Goddard, F.J. (1944) GB Cave, Charterhouse-on-Mendip. *Proceedings of the University of Bristol Speleological Society*, 5, 105–13.

Goldie, H. S. (1973) The limestone pavements of Craven. *Transactions of the Cave Research Group of Great Britain*, 15, 175–90.

Goldie, H.S. (1976) 'Limestone pavements with special reference to Northwest England.' PhD thesis, Oxford University.

Goldie, H.S. (1981) Morphometry of the limestone pavements of Farleton Knott, Cumbria. *Transactions of the British Cave Research. Association*, 8, 207–22.

Goldie, H.S. (1986) Human influence on landforms: the case of limestone pavements. In *New Directions in Karst* (eds K. Paterson and M.M. Sweeting), Geo Books, Norwich, 515–40.

Goldie, H.S. (1993) The legal protection of limestone pavements in Great Britain. Environmental Geology, 21, 160–6.

Gordon, D., Smart, P.L., Ford, D.C. *et al.* (1989) Dating of the late Pleistocene interglacial and interstadial periods in the United Kingdom from speleothem growth frequency. *Quaternary Research*, 31, 14–26.

Gordon, J.E. and Sutherland, D.G. (1993) Quaternary of Scotland, Chapman and Hall, London.

Gosden, M.S. (1968) Peat deposits of Scar Close, Ingleborough, Yorkshire. Journal of Ecology, 56, 345-53.

Goudie, A.S. and Gardner, R. (1985) Discovering Landscape in England and Wales, Allen and Unwin, London.

Graham, N. and Ryder, P.F. (1983) Sandy Hole, Isle of Portland. *Transactions of the British Cave Research Association*, 10, 171–80.

Grandison, N. (1965) Mossdale Caverns. *Proceedings of the British Speleological Association*, 3, 43–56.

Green, G.W. and Welch, F.B.A. (1965) *Geology of the Country around Wells and, Cheddar,* British Geological Survey Memoir, Sheet 280.

Green, H.S. (1984). Pontnewydd Cave: A Lower Palaeolithic Hominid site in Wales: the First Report, National Museum of Wales, Cardiff.

Gresswell, R.K. (1958) The postglacial raised beach in Furness and Lyth, North Morecambe Bay. *Transactions of the Institute of British Geographers*, 25, 79–103.

Griffiths, G.E. (1927) Juniper Gulf. Yorkshire Ramblers Club Journal, 5, 209-14.

Groom, G.E. (1971) Geomorphology. In *Swansea and its Region* (ed. W.G. Balchin), British Association Handbook, Swansea, 29–40.

Groom, G.E. and Williams, V.H. (1965) The solution of limestone in South Wales. Geographical Journal, 131, 37–41.

Grund, A. (1903) Die Karsthydrographie. Studien aus Westbosnien. *Geographisches Abhandlungen herausgegeben von A. Penck*, 7 (3), 103–200.

Grund, A. (1914) Der geographische Zyklus im Karst. Zeitschrift Geschalt Erdkunde, 1914, 621–40.

Gunn, J. (1991) Water-tracing experiments in the Castleton Karst, 1950–1990. *Transactions of the British Cave Research Association*, 18, 43–6.

Gunn, J. and Edmans, A. (1989) The Wye Head systems: some hydrological observations. Caves and Caving, 45, 35.

Halliwell, R.A. (1974) A history of karst studies in Yorkshire. *Transactions of the British Cave Research Association*, 1, 223–30.

Halliwell, R.A. (1979a) Gradual changes in the hydrology of the Yorkshire Dales demonstrated by tourist descriptions. *Transactions of the British Cave Research Association*, 6, 36–40.

Halliwell, R.A. (1979b) Influence of contrasted rock types and geological structure on solutional processes in North-west Yorkshire. In *Geographical Approaches to Fluvial Processes* (ed. A.F. Pitty), Geo Books, Norwich, 51–71.

Halliwell, R.A. (1980) Karst waters of the Ingleborough area, North Yorkshire. *Proceedings of the University of Bristol Speleological Society*, 15, 183–205.

Halliwell, R.A., Cavanagh, A.H. and Pitty, A.F. (1975) The influence of the pre-Carboniferous basement rocks on karst development in the Ingleton area of North-west Yorkshire. In *Karst Processes and Relevant Landforms* (ed. I. Gams), University of Ljubljana, 161–3.

Hancock, J.M. (1975) The petrology of the chalk. Proceedings of the Geologists' Association, 86, 499–535.

Hancock, J.M. (1993) The formation and diagenesis of chalk. In *The Hydrogeology of the Chalk of Northwest Europe* (eds R.A. Downing, M. Price and G.P. Jones), Clarendon Press, Oxford.

Hanwell, J.D. and Newson, M.D. (1969) The frequency of severe storms over the Mendip Hills, Somerset. *Transactions of the Cave Research Group of Great Britain*, 11, 209–12.

Hanwell, J.D. and Newson, M.D. (1970) *The Great Storms and Floods of July 1968 on Mendip*, Wessex Cave Club Occasional Paper, Series 2, no. 2.

Hardwick, P. and Gunn, J. (1995) Landform–groundwater interactions in the Gwenlais karst, South Wales. In *Geomorphology and groundwater* (ed. A. Brown), Wiley, Chichester.

Hartley, P. (1972) Description of Red Moss Pot. Burnley Caving Club Review, 1, 31-4.

Hawkins, A.B. and Kellaway, G.A. (1971) Field meeting at Bristol with special reference to new evidence of glaciation. *Proceedings of the Geologists' Association*, 82, 267–92.

Hennig, G.J., Grun, R. and Brunnacker, K. (1983) Speleothems, travertines and paleoclimates. *Quaternary Research*, 20, 1–29.

Herbert, M. and Langford, H. (1991) Cwm Dwr II: its rediscovery and exploration. Descent, 100, 38-40.

Heys, B. (1957) Mostly Hammer Pot. Northern Pennine Club Journal, 1, 32-9.

Hicks, P.F. (1959) The Yoredale rocks of Ingleborough, Yorkshire. *Proceedings of the Yorkshire Geological Society*, 32, 31–44.

Higginbottom, I.E. (1966) The engineering geology of chalk. *Proceedings of the Symposium on Chalk in Earthworks and Foundations* (1965), Institute of Civil Engineers, 1–13.

Hill, C.A. (1987) Geology of Carlsbad Cavern and other caves in the Guadalupe Mountains. *New Mexico Bureau of Mines and Mineral Resources Bulletin*, 117.

Hindley, R. (1965) Sinkholes on the Lincolnshire Limestone between Grantham and Stamford. *East Midlands Geographer*, 3, 454–60.

Holmes, R. (1994) The hydrology of the Ibbeth Peril Cave System. *Caves and Caving*, 65, 7. Hooper, J.H.D. (1956) The Buckfastleigh Caverns (Devon). *Cave Science*, 4, 96–121.

Hooper, J.H.D. (1960) The Buckfastleigh Caverns (Devon). Cave Science, 4, 259–72.

House, M.R. (1991) Dorset dolines: Part 1, The higher Kingston road cutting. *Proceedings of the Dorset Natural History and Archaeological Society,* 112, 105–8.

House, M.R. (1992) Dorset dolines: Part 2, Bronkham Hill. *Proceedings of the Dorset Natural History and Archaeological Society*, 112, 113, 149–55.

Howarth J.H. et al. (1900) The underground waters of north-west Yorkshire. *Proceedings of the Yorkshire Geological and Polytechnic Society*, 14, 1–44.

Howe, J.A. (1897) Notes on the pockets of sand and clay in the limestone of Derbyshire and Staffordshire. *Transactions and Annual Report of the North Staffordshire Field Club*, 31, 143–9.

Hudson, R.G.S. (1933) The scenery and geology of northwest Yorkshire. *Proceedings of the Geological Association*, 44 228–55.

Hughes, T. (1991) Wigmore Swallet. Belfry Bulletin, 462, 10-13.

Hughes, T. McK. (1909) Ingleborough Part IV. The Carboniferous rocks. *Proceedings of the Yorkshire Geological Society*, 16, 253–80.

Imbrie, J., Hayes, J.D., Martinson, D.G., McIntyre, A. *et al.* (1984) The orbital theory of Pleistocene climate: support from a revised chronology of the marine record. In *Milankovitch and Climate* (eds Burger, A.L., Imbrie, J., Hayes, J., Kukla, G., and Saltzman, B.), Klewer Academic, Amsterdam.

Ineson, P.R. and Ford, T.D. (1982) The South Pennine orefield: its genetic theories and eastward extension. *Mercian Geologist*, 8, 285–303.

Irwin, D.J. (1991) St Cuthbert's Swallet, Bristol Exploration Club.

Irwin, D.J. and Jarratt, A.R. (1992) Mendip Underground (2nd edn), Mendip Publishing, Castle Cary.

Ixer, R.A. and Vaughan, D.J. (1993) Lead–zinc–fluorite–barite deposits of the Pennines, North Wales and the Mendips. In *Mineralisation in the British Isles* (eds Pattrick, R.A.D. and Polya, D.A.), Chapman and Hall, London, 355–411.

Jackson, J.W. and Storrs, Fox, W. (1913) The occurrence of Lynx in North Wales and Derbyshire. *Geological Magazine*, 10, 159–62.

Jacobi, R.M. (1985) The history and literature of Pleistocene discoveries at Gough's Cave, Cheddar, Somerset. *Proceedings of the University of Bristol Speleological Society,* 17, 102–15.

James, A.N., Cooper, A.H. and Holliday, D.W. (1981) Solution of the gypsum cliff (Permian, Middle Marl) by the River Ure at Ripon Parks, North Yorkshire. *Proceedings of the Yorkshire Geological Society*, 43, 433–50.

Jarratt, A.R. (1991) The excavation and exploration of Wigmore Swallet. Belfry Bulletin, 460, 19-23.

Jeffreys, A.L. (1975) Uamh Coire Sheilach, Argyllshire. Bulletin of the British Cave Research Association, 10, 8–11.

Jeffreys, A.L. (1984) Scotland Underground, Oldham, Crymych.

Jeffreys, A.L. (1994) Scotland's longest cave. *Descent*, 119, 16–17.

Jenkins, D.A. (1963) Notes on the geology of Agen Allwedd and Mynydd Llangattwg. *Proceedings of the British Speleological Association Annual Conference*, 1, 49–65.

Jenkinson, R. (1989) The archaeological caves of Creswell Crags. *Transactions of the British Cave Research Association*, 16, 91–4.

Jenkinson, R.D.S. (1984) *Creswell Crags: Late Pleistocene sites in the East Midlands,* British Archaeological Reports, British Series, 122.

Jennings, J.N. (1985) Karst Geomorphology, Blackwell, Oxford.

Johnson, M.R.W. and Parsons, I. (1979) *MacGregor and Phemister's Geological Guide to the Assynt district of Sutherland,* Edinburgh Geological Society, Edinburgh.

Johnson, R.H. (1967) Some glacial, periglacial and karstic landforms in the Sparrowpit–Doveholes area of north Derbyshire. *East Midland Geographer*, 4, 224–38.

Jones, D.M.H. (1957) Fairy Hole Cave, Weardale. Yorkshire Ramblers Club Journal, 8, 118-26.

Jones, K. (1991) Hydrology of Pant-y-Llyn. Isca Caving Club Journal, 13, 40–3.

Jones, K., Bryan, G. and Adams, J. (1984) Ogof Pant-y-Llyn. Isca Caving Club Journal, 2, 14-36.

Jones, O.T. and Lewis, W.V. (1941) Water levels in Fowl Mere and other Breckland meres. *Geographical Journal*, 97, 158–66.

Judson, D.M. (1964) Mongo Gill Hole 1964 Extension. Journal of the Craven Pothole Club, 3, 172-80.

Katzer, F. (1909) *Karst and Karsthydrographie*, Zur Kunde der Balkanhalbinsel, Sarajevo, 8. Kealy, L. (1992) Dan-yr-Ogof 1991. *Caves and Caving*, 56, 15–18.

Kellaway, G.A. (1991) Structural and glacial control of thermal water emission in the Avon basin at Bath. In *Hot Springs of Bath* (ed. G.A. Kellaway), Bath City Council, Bath, 205–42.

Kendall, A. (1988) Aragonite in Ogof Daren Cilau. Transactions of the British Cave Research Association, 15, 83-4.

Kent, P.E. (1957) Triassic relics and the 1, 000 foot surface in the Southern Pennines. *East Midlands Geographer*, 1, 3–10.

Kerney, M.P., Brown, E.H. and Chandler, T.S. (1964) The Late-glacial and Post-glacial history of the Chalk escarpment near Brook, Kent. *Philosophical Transactions of the Royal Society* B248, 135–204.

King, A. (1974) A review of archaeological work in the caves of northwest England. In *Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 182–200.

King, C.A.M. (1969) Trend surface analysis of central Pennine erosion surfaces. *Transactions of the Institute of British Geographers*, 47, 47–69.

King, C.A.M. (1976) Northern England (The geomorphology of the British Isles), Methuen, London.

Kirkaldy, J.F. (1950) Solution of the Chalk in the Mimms Valley, Hertfordshire. *Proceedings of the Geological Association*, 61, 219–24.

Knighton, A.D. (1975) Form adjustment in a limestone dry valley at Castleton, Derbyshire. *East Midlands Geographer*, 6, 130–5.

Langthorne, C. (1976) The exploration and survey of the Cliff Force system. *Journal of the Moldywarp Speleological Group*, 9, 5–10.

Latham, A.G., Schwarz, H.P., Ford, D.C. and Pearce, G.W. (1979) Palaeomagnetism of stalagmite deposits. *Nature*, 280, 383–5.

Lawson, T.J. (1981) First Scottish date from the last interglacial. Scottish Journal of Geology, 17, 301–3.

Lawson, T.J. (1982) Uranium series dating of certain Assynt speleothems: preliminary results. *Grampian Speleological Group Bulletin*, Series 2, 1 (4), 8–12.

Lawson, T.J. (1983) 'Quaternary geomorphology of the Assynt area, N.W. Scotland.' PhD thesis, University of Edinburgh.

Lawson, T.J. (1986) Loch Lomond advance glaciers in Assynt, Sutherland, and their palaeoclimatic implications. *Scottish Journal of Geology*, 22, 289–98.

Lawson, T.J. (1988) Caves of Assynt, Grampian Speleological Group, Occasional Publication, 6.

Lawson, T.J. (1993) Creag nan Uamh. In *Quaternary of Scotland* (eds J.E. Gordon and D.G. Sutherland), Chapman and Hall, London, 127–33.

Lawson, T.J. (1995a) The Creag nan Uamh caves. In *The Quaternary of Assynt and Coigach: A guide* (ed. T. J. Lawson), Quarternary Research Association, 87–103.

Lawson, T.J. (1995b) An analysis of sediments in caves in the Assynt area, NW Scotland. *Cave and Karst Science*, 22, 23–30.

Leakey, R.D. (1947) The caverns of Mossdale Scar. Cave Science, 1, 7–18.

Lehmann, H. (1936) Morphologische Studien auf Java. Geographische Abhandler, 3.

Leitch, D.E. (1960) Ogof Agen Allwedd in relation to the Mynydd Llangattwg. Cave Research Association Publication, 10.

Leitch, D.E. (1973) In *A Review of the Speleogenesis of Agen Allwedd*, Hereford Caving Club 21st Anniversary Publication, 7–43.

Leroi-Gourhan, A. (1985) Pollen analysis of sediment samples from Gough's Cave, Cheddar. *Proceedings of the University of Bristol Speleological Society,* 17, 141–4.

Levitan, B.M., Audsley, A., Hawkes, C.J. *et al.* (1989) Charterhouse Warren Farm Swallet, Mendip, Somerset: exploration, geomorphology, taphonomy and archaeology. *Proceedings of the University of Bristol Speleological Society*, 18, 171–240.

Lewin, J. (1969) The Yorkshire Wolds, A Study in Geomorphology, University of Hull Occasional Paper in Geography, 11.

Lloyd, J. and King, E. (1780) An account of Eldon Hole in Derbyshire. *Philosophical Transactions of the Royal Society*, 61, 250–65.

Lloyd, O.C. (1980) Porth yr Ogof, Ystradfellte, Powys. *Proceedings of the University of Bristol Speleological Society*, 15, 259.

Long, M.H. (1969) Developments in Wharfedale and Langstrothdale. Cave Diving Group Newsletter, 117, 6–16.

Long, M.H. (1971) Dentdale — present and future. Journal of the British Speleological Association, 6, 9–17.

Long, M.H. (1974) The caves of Wharfedale. In *Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 410–21.

Long, M.H. (1992) Hydrology and flooding risks [of Sleets Gill Cave]. Descent, 106, 22.

Lowe, D.J. (1978) Farnham Cave, a rift cave in the Magnesian Limestone. *Transactions of the British Cave Research Association*, 5, 23–8.

Lowe, D.J. (1989a) Limestones and caves of the Forest of Dean. In *Limestones and Caves of Wales* (ed. T.D. Ford), Cambridge University Press, Cambridge, 106–16.

Lowe, D.J. (1989b) The geology of the Carboniferous Limestone of South Wales. In *Limestones and Caves of Wales* (ed. T.D. Ford), Cambridge University Press, Cambridge, 3–19.

Lowe, D. J. (1992a) Chalk caves revisited. Transactions of the British Cave Research Association, 19, 55–8.

Lowe, D.J. (1992b) 'The origin of limestone caverns: an inception horizon hypothesis.' PhD thesis, Manchester Metropolitan University.

Lowe, D.J. (1992c) A historical review of concepts of speleogenesis. *Transactions of the British Cave Research Association*, 19 63–90.

Lowe, D.J. (1993). The Forest of Dean caves and karst: inception horizons and iron-ore deposits. *Transactions of the British Cave Research Association*, 20, 31–43.

Lyon, M.K. (1974) The caves of Dentdale. In *The Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 227–34.

McConnel, R.B. (1939) The relic surfaces of the Howgill Fells. *Proceedings of the Yorkshire Geological Society*, 24, 152–64.

Macfadyen, W.A. (1970) Geological Highlights of the West Country, Butterworths, London.

Macklin, M.G. (1985) Floodplain sedimentation in the Upper Axe valley, Mendip, England. *Transactions of the Institute of British Geographers*, 10, 235–44.

MacTavish, A. (1975) New Portland cave — Blacknor Hole. Descent, 32, 4-9.

Malott, C.A. (1937) Invasion theory of cavern development. Proceedings of the Geological Society of America, 323.

Mansel-Pleydell, J.C. (1873) A brief memoir on the geology of Dorset. Geological Magazine, 10, 402-13, 438-47.

Marr, J.E. (1913) The meres of Breckland. *Proceedings of the Cambridge Philosophical Society for Mathematical and Physical Sciences*, 17, 58–61.

Martel, E.A. (1921) Nouveau traité des eaux souterraines, Doin, Paris.

Martin, E.A. (1920) The glaciation of the South Downs. *Transactions of the Southeast Union of Scientific Societies*, 13–30.

Martinson, D.G., Pisias, N.J., Hayes, J.D. *et al.* (1987) Age dating and the orbital theory of the Ice Ages, development of a high resolution nought to 300, 000 year chronostratigraphy. *Quaternary Research*, 27, 1–29.

Mason, E.J. (1968) Ogof yr Esgyrn, Dan-yr-Ogof Caves, Brecknock. Archaeologia Cambriensis, 117, 18-71.

Meade-King, S. (1984) Full of eastern promise — the continuing saga of Thrupe Lane Swallet. *Wessex Caving Club Journal*, 13, 47–56.

Millward, R. and Robinson, A.H.W. (1975) The Peak District, Eyre Methuen, London.

Milner, A.J. (1972) The Caves of the Alum Pot area, University of Leeds Speleological Association.

Mitchell, W.A. (ed.) (1991) Western Pennines: Field Guide, Quaternary Research Association, Cambridge.

Mitchell, W.A. (1994) Drumlins in ice sheet reconstructions, with reference to the western Pennines, northern England. *Sedimentary Geology*, 91, 313–31.

Moisley, H.A. (1955) Some karstic features in the Malham Tarn district. *Annual Report, Council for the Promotion of Field Studies*, 33–42.

Monico, P. (ed.) (1989a) Mossdale Caverns and Langcliffe Pot. *University of Leeds Speleological Association Explorations Journal*, 2, 1–41.

Monico, P. (ed.) (1989b) Sleets Gill Cave. University of Leeds Speleological Association Explorations Journal, 2, 47–52.

Monico, P. (ed.) (1989c) Penyghent Pot. University of Leeds Speleological Association Explorations Journal, 2, 65-80.

Monico, P. (1992) Underwater Dentdale. Descent, 108, 10.

Monico, P. (ed.) (1995) Northern Sump Index, Cave Diving Group.

Moore, S. (1989) The Mon Nedd Fechan caves. In *Limestones and Caves of Wales* (ed. T.D. Ford), Cambridge University Press, Cambridge, 165–76.

Morris, H.M. and Fowler, C.H. (1937) The flow and bacteriology of underground water in the Lea valley. 32nd Annual Report of the Metropolitan Water Board, London.

Mortimer, J.R. (1885) On the origin of the Chalk dales of Yorkshire. *Proceedings of the Yorkshire Geological Society*, 9, 29–42.

Mortimore, R.N. (1993) Chalk water and engineering geology. In *The Hydrogeology of the Chalk of Northwest Europe* (eds. R.A. Downing, M. Price and G.P. Jones), Clarendon Press, Oxford.

Moseley, F. (1972) A tectonic history of northwest England. Quarterly Journal of the Geological Society, 128, 561–98.

Moseley, F. (1973) Orientations and origins of joints, faults and folds in Carboniferous limestones of N.W. England. *Transactions of the. Cave Research. Group.* 15, 99–106.

Mostaghel, M.A. and Ford, T.D. (1986) A sedimentary basin evolution for ore genesis in the South Pennine Orefield. *Mercian Geologist*, 10, 209–24.

Mulholland, P. (1992) Prid's sonic survey. Descent, 107, 29.

Mulholland, P. (1994) New discoveries in Cnoc nan Uamh. *Grampian Speleological Group Bulletin,* Third Series, 3 (2), 19–22.

Mullen, G.J. (1987) Little Neath River Cave. Caves and Caving, 37, 8-11.

Mullen, G.J. (1988) The Little Neath River Cave 1971–1987. *Proceedings of the University of Bristol Speleological Society,* 18, 314–16.

Mullen, G.J. (1990) Little Neath River Cave. Transactions of the British Cave Research Association, 17, 135.

Murlis, B. (1992) Pushing Dan-yr-Ogof. Descent, 107, 20–2.

Murphy, P.J. (1993) Lithological analysis of sediment samples from the Rushup Edge–Speedwell Cavern–Peak Cavern cave system, Castleton, Derbyshire. *Transactions of the British Cave Research Association*, 20, 30.

Myers, J.O. (1948) The formation of Yorkshire caves and potholes. *Transactions of the Cave Research Group of Great Britain*, 1, 26–9.

Mylroie, J.E. and Carew, J.L. (1987) Field evidence of the minimum time for speleogenesis. *National Speleological Society Bulletin*, 49, 67–72.

Nash, D. (1991) Review of available literature. Cave Science, 18, 41–3.

NCMRS (1980) *The Mines of Grassington Moor.* Northern Cavern and Mine Research Society, British Mining Records, 13.

Neill, A. (1988) Joint Mitnor Cave, Buckfastleigh, Devon. Caves and Caving, 39, 38-9.

Newson, M.D. (1969) Some geomorphological implications of the Mendip flood of July 1968. *Transactions of the Cave Research Group of Great Britain*, 11, 213–14.

Newson, M.D. (1972) Rickford and Langford resurgences, Mendip Hills, Somerset: a problem in limestone hydrology. *Proceedings of the University of Bristol Speleological Society*, 13, 105–12.

Newson, M.D. and Atkinson, T.C. (1970) Report of water tracing in the Inchnadamph area. *Grampian Speleological Group Bulletin*, 4, 32.

Nixon, D. (1991) Shooting the White River. Descent, 101, 20-2.

Nixon, D. (1992) The White River Series, Peak Cavern. Caves and Caving, 55, 2-3.

Noel, M. (1983) The magnetic remanence and anisotropy of susceptibility of cave sediments from Agen Allwedd, South Wales. *Geophysical Journal of the Royal Astronomical Society*, 72, 557–70.

Noel, M. (1986) The palaeomagnetism and magnetic fabric of cave sediments from Pwll y Gwynt, South Wales. *Physics of the Earth and Planetary Interiors*, 44, 62–71.

Noel, M. (1987) The magnetostratigraphy of cave sediments in Masson Hill, Derbyshire. *Proceedings of the Yorkshire Geological Society*, 46, 193–201.

Noel, M. (1988) Palaeomagnetism of cave sediments from Mynydd Llangattwg. *Transactions of the British Cave Research Association*, 15, 3–9.

Noel, M., Homonko, P. and Bull, P.A. (1979) The palaeomagnetism of sediments from Agen Allwedd, Powys. *Transactions of the British Cave Research Association*, 9, 134–41.

Noel, M., Retallick, W.G. and Bull, P.A. (1981) Further palaeomagnetic studies of sediments from Agen Allwedd. *Transactions of the British Cave Research Association*, 8, 178–87.

Noel, M., Shaw, R.P. and Ford, T.D. (1984) A palaeomagnetic reversal in early Quaternary sediments in Masson Hill, Matlock, Derbyshire. *Mercian Geologist*, 9, 235–42.

North, F.J. (1952) Some geological aspects of subsidence not due to mining. *Proceedings of the South Wales Institute of Engineers*, 68, 127–53.

North, F.J. (1962) The River Scenery at the Head of the Vale of Neath (4th edn), National Museum of Wales, Cardiff.

Norton, M.G. (1966) Interim report on the Ladder Dig Series, G.B. Cave, Charterhouse-on-Mendip, Somerset. *Proceedings of the University of Bristol Speleological Society*, 11, 63–70.

Norton, M.G., Savage, D.A. and Standing, P.A. (1967) The Little Neath River Cave, South Wales. *Proceedings of the University of Bristol Speleological Society*, 11, 186–200.

O'Connor, J. (1964) The geology of the area around Malham Tarn, Yorkshire. Field Studies, 2, 53-82.

O'Connor, J., Williams, D.S.F. and Davies, G.M. (1974) Karst features of Malham and the Craven Fault zone. In *The Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 395–409.

O'Reilly, P.M. and Bray, L.G. (1974) A preliminary hydrological study in Ogof Ffynnon Ddu, Breconshire. *Transactions of the British Cave Research Association*, 1, 65–75.

O'Reilly, P.M., O'Reilly, S.E. and Fairburn, C.M. (1969) Ogof Ffynnon Ddu, South Wales Caving Club, Penwyllt.

Oakman, C.D. (1979) Derbyshire sough hydrogeology and the artificial drainage of the Stanton syncline near Matlock, Derbyshire. *Transactions of the British Cave Research Association*, 6, 169–94.

Oates, N.K. (1981) 'Wild brine extraction and related subsidence in the Cheshire saltfield.' PhD thesis, University of Aston.

Ockenden, A. (1972) An investigation of the swallet holes at Waterend. Peleobates, Croydon Caving Club, 19, 18-21.

Oldfield, F. (1960) Late Quaternary changes in climate, vegetation and sea level in lowland Lonsdale. *Transactions of the Institute of British Geographers*, 28, 99–117.

Oldham, T. (1982) Caves of Gower, Oldham, Crymych, Dyfed.

Owen, T.R. (1954) The structure of the Neath disturbance between Bryniau, Gleision and Glynneath, South Wales. *Quarterly Journal of the Geological Society of London*, 109, 333–65.

Palmer, A.N. (1975) The origin of maze caves. *National Speleological Society Bulletin*, 37, 56–76.

Palmer, A.N. (1984) Geomorphic interpretation of karst features. In *Groundwater as a Geomorphic Agent* (ed. R.G. LaFleur), Allen and Unwin, London, 173–209.

Palmer, A.N. (1987) Cave levels and their interpretation. National Speleological Society Bulletin, 49, 50-66.

Palmer, A. N. (1991) Origin and morphology of limestone caves. Geological Society of America Bulletin, 103, 1–21.

Palmer, R. (1988) Cheddar Caves '88. Descent, 83, 34-6.

Parker, J. (1978) Ogof Craig a Ffynnon — 4 miles of new cave found in South Wales. Descent, 38, 16–26.

Parkinson, D. (1953) The Carboniferous Limestone at Treak Cliff, Derbyshire with notes on the structure of the Castleton reef-belt. *Proceedings of the Geologists' Association*, 64, 251–68.

Parry, J.T. (1960) The limestone pavements of northwestern England. Canadian Geographer, 16, 14–21.

Patchett, A.N. (1953) Clapham Cave. Journal of Bradford Pothole Club, 1, 21-31.

Paterson, K. (1971) Weichselian deposits and fos sil periglacial structures in North Berkshire. *Proceedings of the Geologists' Association*, 82, 455–68.

Paterson, K. (1977) Scarp-face dry valleys near Wantage, Oxfordshire. *Transactions of the Institute of British Geographers*, 2, 192–204.

Patterson, D.A., Davey, J.C., Cooper, A.H., and Ferris, J.K. (1995) The investigation of dissolution subsidence incorporating microgravity geophysics at Ripon, Yorkshire. *Quarterly Journal of Engineering Geology*, 28, 83–94.

Pedley, H.M. (1987) The Flandrian (Quaternary) Caerwys tufa, North Wales: an ancient tufa barrage deposit. *Proceedings of the Yorkshire Geological Society*, 46, 141–52.

Pedley, H.M. (1993) Sedimentology of the Late Quaternary barrage tufas in the Wye and Lathkill valleys, north Derbyshire. *Proceedings of the Yorkshire Geological Society,* 49, 197–206.

Pentecost, A. (1981) The tufa deposits of the Malham District. Field Studies, 2, 365-87.

Pfeiffer, P. (1991). 'Geologische Einheiten eines Limestone Pavement Giebetes, Hutton Roof Complex, Cumbria, Nordwest England.' Diplomarbeit, Geographishen Instituts, Universitat Tübingen.

Pigott, C.D. (1962) Soil formation and development on the Carboniferous limestone of Derbyshire. *Journal of Ecology*, 50, 145–56.

Pigott, C.D. (1965). The structure of limestone surfaces in Derbyshire. Geographical Journal, 131, 41-4.

Pilkington, J. (1789) A View of the Present State of Derbyshire (2 vols), Derby.

Pitty, A.F. (1968) The scale and significance of solutional loss from the limestone tract of the southern Pennines. *Proceedings of the Geologists' Association*, 79, 153–77.

Pitty, A.F. (1969) Rates of seepage in Poole's Cavern, Derbyshire. *Proceedings of the British Speleological Association*, 7, 7–15.

Pitty, A.F. (1971) Evidence related to the development of caverns from karst water studies in Peak Cavern, Derbyshire. *Transactions of the British Cave Research Association*, 13, 53–5.

Pitty, A.F. (1974) Karst water studies in and around Ingleborough Cavern. In *The Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 127–39.

Pitty, A.F., Ternan, J.L., Haliwell, R.A. and Crowther, J. (1986) Karst water temperatures and the shaping of Malham Cove, Yorkshire. In *New Directions in Karst* (eds K. Paterson and M.M. Sweeting), Geo Books, Norwich, 281–91.

Pohl, E.R. (1955) Vertical shafts in limestone caves, National Speleological Society of America Occasional Paper, 2.

Potts, J. (1977) The caves of the Dove and Manifold valleys. In *Limestones and Caves of the Peak District* (ed. T.D. Ford), Geo Books, Norwich, 445–61.

Powell, J.H., Cooper, A.H. and Benfield, A.C. (1992) *Geology of the Country around Thirsk*, British Geological Survey Memoir, Sheet 52.

Powell, R. (1954) Providence Pot — Dowber Gill. Journal of the Craven Pothole Club, 1, 269–73.

Price, D. (1988) Resurrection Passage: a dry route to Maytime. Caves and Caving, 40, 11–13.

Price, G. (1977) Fairy Cave Quarry. A Study of the Caves, Cerberus Speleological Society, Occasional Publication no. 1.

Price, G. (1983) The caves of Fairy Cave Quarry. Studies in Speleology, 4, 71–6.

Price, G. (1984) Llethrid Swallet, Tooth Cave and the caves associated with the Wellhead Resurgence, Gower Peninsula. *Cerberus Speleological Society Journal*, 14, 13–19.

Price, M. (1994) Cretaceous limestone (chalk) environments. *Cave Studies Series*, British Cave Research Association, 5, 30–5.

Price, M., Downing, R.A. and Edmunds, W.M. (1993) The chalk as an aquifer. In *The Hydrogeology of the Chalk of Northwest Europe* (eds R.A. Downing, M. Price and G.P. Jones), Clarendon Press, Oxford, 35–58.

Price, M., Atkinson, T.C., Barker, J.A. *et al.* (1992) A tracer study of the danger posed to a chalk aquifer by contaminated highway runoff. *Proceedings of the Institute of Civil Engineers, Water Maritime and Energy Journal*, 96, 9–18.

Priesnitz, K. (1985) Nichtbiogene kalklosung am Lough Leane and am Muckross Lake (SW-Irland). *Berliner Geographische Studien*, 16, 55–69.

Prince, H.C. (1962) Pits and ponds in Norfolk. Erkunde, 16, 10–31.

Prince, H.C. (1964) The origin of pits and depressions in Norfolk. Geography, 49, 15–32.

Pritchard, T.O. (1961) *Management Plan, Rostherne Mere National Nature Reserve, Cheshire,* Nature Conservancy, Shrewsbury.

Proctor, C.J. (1988) Sea level related caves on Berry Head, South Devon. *Transactions of the British Cave Research Association*, 15, 39–49.

Proctor, C.J. (1995) 'A British Pleistocene chronology based on uranium series and electron spin resonance dating of speleothem.' PhD thesis, University of Bristol.

Proctor, C.J. and Smart, P.L. (1989) A new survey of Kent's Cavern, Devon. *Proceedings of the University of Bristol Speleological Society*, 18, 422–9.

Proctor, C.J. and Smart, P.L. (1991) A dated cave sediment record of Pleistocene transgressions on Berry Head, southwest England. *Journal of Quaternary Science*, 6, 233–44.

Proudlove, G.S. (1985) Recent explorations in Peak Cavern. Caves and Caving, 29, 3-12.

Quirk, D.G. (1986) Mineralisation and stress history in North Derbyshire. *Bulletin of the Peak District Mines and Historical Society*, 9, 333–86.

Quirk, D.G. (1993) Origin of the Peak District orefield. Bulletin of the Peak District Mines and Historical Society, 12, 4–15.

Railton, C.L. (1953) The Ogof Ffynnon Ddu System, Cave Research Group of Great Britain, Publication no. 6.

Raistrick, A. (1931) The glaciation of Wharfedale, Yorkshire. *Proceedings of the Yorkshire Geological Society*, 22, 9–30.

Raistrick, A. (1938) Mineral deposits in the Settle-Malham district, Yorkshire. Naturalist (1938), 119–25.

Raistrick, A. (1954) The calamine mines, Malham, Yorkshire. *Proceedings of the University of Durham Philosophical Society*, 11, 125–30.

Ramsbottom, W.H.C. (1973) Transgressions and regressions in the Dinantian: a new synthesis of British Dinantian stratigraphy. *Proceedings of the Yorkshire Geological Society*, 39, 567–607.

Ramsbottom, W.H.C. (1974) Dinantian. In *The Geology and Mineral Resources of Yorkshire* (eds D.H. Rayner and J.E. Hemingway), Yorkshire Geological Society, 47–73.

Ratcliffe, A. (ed.) (1977) A Nature Conservation Review: The Selection of Biological Sites of National Importance to Nature Conservation. Volume 2: Site Accounts, Cambridge University Press, Cambridge.

Rauch, H.W. and White, W.B. (1970) Lithologic controls on the development of solution porosity in carbonate aquifers. *Water Resources Research*, 6, 1175–92.

Rauch, H.W. and White, W.B. (1977) Dissolution kinetics of carbonate rocks: 1. Effects of lithology on dissolution rate. *Water Resources Research*, 13, 381–94.

Rayner, D.H. (1953) The Lower Carboniferous rocks in the north of England — a review. *Proceedings of the Yorkshire Geological Society*, 28, 231.

Reeve, T. (1979) Caves and Swallets in Chalk, Chelsea Speleological Society Records, 9.

Reeve, T. (1980) The discovery and exploration of Beachy Head Cave; a cave system in Cretaceous Chalk. *William Pengelly Cave Studies Trust Newsletter*, 37, 1–4.

Reid, C. (1887) On the origin of dry Chalk valleys and of Coombe rock. *Quarterly Journal of the Geological Society of London*, 43, 364–73.

Reid, C. (1892) The Pleistocene deposits of the Sussex coast and their equivalents in other districts. *Quarterly Journal of the Geological Society of London*, 48, 344–61.

Reid, C. (1899) The Geology of the Country around Dorchester, British Geological Survey Memoir, Sheet 328.

Reynolds, C.S. (1979) The limnology of the eutrophic meres of the Shropshire–Cheshire plain: a review. *Field Studies*, 5, 93–173.

Reynolds, S.M. (1927) The Mendips. Geography, 14, 187-92.

Rhoades, R. and Sinacori, N.M. (1941) Patterns of groundwater flow and solution. Journal of Geology, 49, 785–94.

Richardson, D.T. (1974) Karst waters of the Alum Pot area. In *The Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 140–8.

Richardson, J.B. (1937) A revival of lead mining at Halkyn, North Wales. *Transactions of the Institute of Mining and Metallurgy*, 46, 339–461.

Robey, J.A. (1965) The drainage of the area between the River Wye and the River Lathkill. *Proceedings of the British Speleological Association* 3, 1–10.

Rogers, N. (1992) Open Season leads to the Precious Years. Descent, 105, 20-2.

Roglie, J. (1938) Morphologie der Poljen von Kupres and Vukovsko. Zeitschrift Geschalt Erdkunde, 7/8, 291–316.

Rose, J. (1987) Status of the Wolstonian glaciation in the British Quaternary. Quaternary Newsletter, 53, 1–9.

Rose, L. and Vincent, P.J. (1986a) Alkalinity measurements in karst water studies. In *New Directions in Karst* (eds K. Paterson and M.M. Sweeting), Geo Books, Norwich, 1–15.

Rose, L. and Vincent, P.J. (1986b) The kamenitzas of Gaitbarrows National Nature Reserve, north Lancashire, England. In *New Directions in Karst* (eds K. Paterson and M.M. Sweeting), Geo Books, Norwich, 473–96.

Rose, L. and Vincent, P.J. (1986c) Some aspects of the morphometry of grikes — a mixture model approach. In *New Directions in Karst* (eds K. Paterson and M.M. Sweeting), Geo Books, Norwich, 497–514.

Rose, W.C.C. and Dunham, K.C. (1977) *Geology and Hematite Deposits of South Cumbria*, Geological Survey of Great Britain Economic Memoir, Sheets 58 and 48.

Rowe, P.J., Atkinson, T.C. and Jenkinson, R.D.S. (1989a) Uranium-series dating of cave deposits at Creswell Crags Gorge, England. *Transactions of the British Cave Research Association*, 16, 3–17.

Rowe, P.J., Austin, T. and Atkinson, T.C. (1989) The Quaternary evolution of the South Pennines. *Transactions of the British Cave Research Association*, 16, 117–21.

Rundle, S.D. (1993) The invertebrate community of Pant-y-llyn, a Welsh turlough. *Bulletin of the British Ecology Society*, 24, 215–21.

Rushton, K.R., Smith, E.J. and Tomlinson, L.M. (1982) An improved understanding of flow in a limestone aquifer using field evidence and mathematical models. *Journal of the Institute of Water Engineers and Scientists*, 36, 369–87.

Ryder, P.F. (1974) The caves of the Beinn an Dubhaich area, Isle of Skye. *Transactions of the British Cave Research Association*, 1 101–24.

Ryder, P.F. (1975) Phreatic network caves in the Swaledale area, Yorkshire. *Transactions of the British Cave Research Association*, 2, 177–92.

Ryder, P.F. (1981) Cliff Force Cave. Journal of Craven Pothole Club, 6, 132-5.

Ryder, P.F. (1982) MSG expedition to Skye and Applecross. *Grampian Speleological Group Bulletin,* Second Series, 3 (5), 30–1.

Ryder, P.F. and Cooper, A.H. (1993) A cave system in Permian gypsum at Houtsay quarry, Newbiggin, Cumbria, England. *Transactions of the British Cave Research Association*, 20, 23–8.

Sadler, H.E. (1964) The origin of the 'Beach Beds' in the Lower Carboniferous of Castleton, Derbyshire. *Geological Magazine*, 101, 360–72.

Salmon, L.B. (1956) Giant's Hole, Castleton, Derbyshire. Cave Science, 4, 1–33.

Salmon, L.B. (1959) Giant's Hole, Castleton, Derbyshire (second report). Cave Science, 4, 230-40.

Salmon, L.B. and Boldock, G. (1951a) Nettle Pot, Castleton, Derbyshire. Cave Science, 2, 331–8.

Salmon, L.B. and Boldock, G. (1951b) Oxlow Cavern, Castleton, Derbyshire. Cave Science, 3, 13-20.

Savage, D. (1969) The visible effects of the flood of July 10th 1968 in and around G.B. Cave, Charterhouse-on-Mendip, Somerset. *Proceedings of the University of Bristol Speleological Society*, 12, 123–6.

Schwarzacher, W. (1958) The stratification of the Great Scar Limestone in the Settle district of Yorkshire. *Liverpool and Manchester Geological Journal*, 2, 124–42.

Shackleton, N.J., Berger, A. and Peltier, W.R. (1990) Alternative astronomical calibration of the Lower Pleistocene timescales based on ODP Site 677. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 81, 251–61.

Shaw, J. (1983) *The Geology of the Area around Malham Tarn, North Yorkshire*. Occasional Publication of the Field Studies Council, 3.

Shaw, R.P. (1983) Rediscovery of the lost Pilkington's Cavern, Castleton, Derbyshire. *Transactions of the British Cave Research Association*, 10, 1–8.

Shaw, T.R. (1992) History of Cave Science: The Scientific Investigation of Limestone Caves to 1900, Oldham, Crymych.

Sheail, G.M. (1971) Coombes of the white Chalk downs. Geographical Magazine, 43, 471–3.

Sherlock, R.L. (1929) The origin of the Devil's Dyke, near Brighton. *Proceedings of the Geologists' Association,* 40, 371–2.

Simms, M.J. (1990) Triassic palaeokarst in Britain. Transactions of the British Cave Research Association, 17, 93–101.

Simms, M.J. (1994) Emplacement and preservation of vertebrates in caves and fissures. *Zoological Journal of the Linnean Society*, 112, 261–83.

Simms, M., Farrant, A. and Hunt, J. (1996) Ogof Draenen. Caves and Caving, 71, 10–13.

Simon, A.M., Donovan, D.T. and Taylor, M. (1961) The stratigraphy and archaeology of the Late Glacial and Postglacial deposits at Brean Down, Somerset. *Proceedings of the University of Bristol Speleological Society*, 9, 67–136.

Simpson, E. (1935) Notes on the formation of the Yorkshire caves and potholes. *Proceedings of the University of Bristol Speleological Society*, 4, 224–32.

Simpson, E. (1950) Lost John's Cave. Cave Science, 2 (13), 206–17.

Simpson, E. (1967) Malham waters and Pikedaw Calamine Mine. *Journal of the British Speleological Association*, 41, 24–9.

Simpson, I.M. and Broadhurst, F. (1969) A boulder bed at Treak Cliff, Derbyshire. *Proceedings of the Yorkshire Geological Society*, 37, 141–52.

Small, R.J. (1962) A short note on the origin of Devil's Dyke near Brighton. *Proceedings of the Geologists' Association*, 73, 187–92.

Small, R.J. (1964) The escarpment dry valleys of the Wiltshire Chalk. *Transactions of the Institute of British Geographers*, 34, 33–52.

Smart, P.L. (1976) Catchment delimitation in karst areas by the use of quantitative tracer methods. *Proceedings of the 3rd International Symposium on Underground Water Tracing, Bled, Yugoslavia, 291–8.*

Smart, P.L. (1981) Variation of conduit flow velocities with discharge in the Longwood sinks to Cheddar Rising systems, Mendip Hills. *Proceedings of the 8th International Congress on Speleology,* 1, 333–7.

Smart, P.L., Atkinson, T.C, Laidlaw, I.M.S. *et al.* (1986) Comparison of the results of quantitative and non-quantitative tracer results for the determination of karst conduit networks: an example from the Traligill Basin, Scotland. *Earth Surface Process and Landforms*, 11, 249–61.

Smart, P.L and Christopher, N.S.J. (1989) Ogof Ffynnon Ddu. In *Limestones and Caves of Wales* (ed. T.D. Ford), Cambridge University Press, Cambridge, 177–89.

Smart, P.L. and Frances, P.D. (1991) *Quaternary Dating Methods — A User's Guide,* Quaternary Research Association Technical guide, 4, Cambridge.

Smart, P.L. and Gardener, C.G. (1989) The Mynydd Llangattwg cave systems. In *Limestones and Caves of Wales* (ed. T.D. Ford), Cambridge University Press, Cambridge, 124–51.

Smart, P.L. and Hodge, P.G. (1979) A pulse-wave test at Charterhouse. *Journal of the Wessex Cave Club*, 15(176), 132–6.

Smart, P.L. and Hodge, P. (1980) Determination of the character of the Longwood sinks to Cheddar resurgence conduit using an artificial pulse wave. *Transactions of the British Cave Research Association*, 8, 208–11.

Smart, P.L., Moody, P.D., Moody, A.A.D. and Chapman, P.R.J. (1984) Charterhouse Cave: exploration, geomorphology and fauna. *Proceedings of the University of Bristol Speleological Society,* 17, 5–27.

Smart, P.L., Palmer, R.J., Whitaker, F.F. and Wright, V.P. (1988a) Neptunian dykes and fissure fills: an overview and account of some modern examples. In *Paleokarst* (eds N. P. James and P. W. Choquette), Springer Verlag, 149–63.

Smart, P.L., Smith, B.W., Chandra, H., Andrews, J.N. *et al.* (1988b) An intercomparison of E.S.R. and uranium series ages for Quaternary speleothem calcite. *Quaternary Science Reviews*, 7, 411–16.

Smart, P.L. and Stanton, W.I. (1974) Manor Farm Swallet, Charterhouse-upon-Mendip: an account and geomorphology. *Proceedings of the University of Bristol Speleological Society*, 13, 391–402.

Smart, P.L., Waltham, A.C., Yang, M. and Zhang, Y. (1986) Karst geomorphology of western Guizhou, China. *Transactions of the British Cave Research Association*, 13, 89–103.

Smith, D.B. (1972) Foundered strata, collapse breccias and subsidence features of the English Zechstein. In *Geology of Saline Deposits* (ed. G. Richter-Bernburg), UNESCO Earth Sciences, 7, 255–69.

Smith, D.I. and Mead, D.G. (1962) The solution of limestone, with special reference to Mendip. *Proceedings of the University of Bristol Speleological Society*, 9, 188–211.

Smith, D.I. (1972) The solution of limestone in an Arctic environment. In *Institute of British Geographers Special Publication*, 4, 187–200.

Smith, D.I. (ed.) (1975a) Limestones and Caves of the Mendip Hills, David and Charles, Newton Abbott.

Smith, D.I. (1975b) The problems of limestone dry valleys — implications of recent work in limestone hydrology. In *Processes in Physical and Human Geography* (eds R. Peel, M. Chisholm and P. Haggett), Heinemann, London, 130–47.

Smith, D.I. (1977) Limestone features and the geomorphological evolution of the Mendip Hills. *In Geological Excursions in the Bristol District* (ed. R.J.G. Savage), University of Bristol, Bristol, 65–72.

Smith, D.I. and Atkinson, T.C. (1977) Underground flow in cavernous areas with special reference to the Malham area. *Field Studies*, 4, 597–616.

Smith, D.I. and Newson, M.D. (1974) The dynamics of solutional and mechanical erosion in limestone catchments on the Mendip Hills, Somerset. *Institute British Geographers Special Publication*, 6, 155–67.

Smith, P.B. and Waltham, A.C. (1973) The P8 cave system. Journal of the British Speleological Association, 50, 21-8.

Solari, R.A. (1974) Hydrology of the Slaughter Rising. Cave Projects Group Newsletter, 5, 54-65.

Sparks, B.W. and Lewis, W.V. (1957) Escarpment dry valleys near Pegsdon, Hertfordshire. *Proceedings of the Geologists' Association*, 68, 26–38.

Sparks, B.W., Williams, R.B.G. and Bell, F.G. (1972) Presumed ground-ice depressions in East Anglia. *Proceedings of the Royal Society,* A327, 329–43.

Spencer, H.E.P. and Melville, R.V. (1974) The Pleistocene mammalian fauna of Dove Holes, Derbyshire. *Bulletin of the Geological Survey of Great Britain*, 48, 43–53.

Sperling, C.H.B., Goudie, A.S., Stoddart, D.R. and Poole, G.G. (1977) Dolines of the Dorset Chalklands and other areas in southern Britain. *Transactions of the Institute of British Geographers*, 2, 205–23.

Standing, I.J. (1967) Speleology in Gloucestershire. Cave Research Group Newsletter, 108, 4–6.

Standing, P.A. and Lloyd, O.C. (1970) Porth yr Ogof. *Proceedings of the University of Bristol Speleological Society*, 12, 213–29.

Standing, P.A., Newson, M.D. and Wilkins, A.G (1971) Second report on the Little Neath River Cave. *Proceedings of the University of Bristol Speleological Society*, 12, 303–25.

Stanton, W.I. (1965) The digging at the end of Gough's Cave and its bearing on the chances at Cheddar. *Journal of the Wessex Cave Club*, 8, 277–83.

Stanton, W.I. (1972) Rhino Rift: survey notes and divers observations. Journal of the Wessex Cave Club, 12, 48-50.

Stanton, W.I. (1977) A view of the hills. In *Mendip: The Complete Caves and a View of the Hills* (eds N. Barrington and W.I Stanton), Cheddar Valley Press, Cheddar.

Stanton, W.I. (1983) Digging for Mendip caves. Studies in Speleology, 4, 77–83.

Stanton, W.I. (1985) Cheddar Gorge and Gough's Cave. *Proceedings of the University of Bristol Speleological Society*, 17, 121–8.

Stanton, W.I. (1987) Waterwheel Swallet, Charterhouse-on-Mendip, Somerset. *Proceedings of the University of Bristol Speleological Society*, 18, 3–19.

Stanton, W.I. (1991) The habitat and origin of lead ore in Grebe Swallet Mine, Charterhouse-on-Mendip, Somerset. *Proceedings of the University of Bristol Speleological Society*, 19, 43–65.

Stanton, W.I. and Smart, P.L. (1981) Repeated dye traces of underground streams in the Mendip Hills, Somerset. *Proceedings of the University of Bristol Speleological Society,* 16, 47–58.

Stenner, R.D. (1968) Water tracing in St Cuthbert's Swallet, Priddy, Somerset. *Transactions of the Cave Research Group of Great Britain*, 10, 49–60.

Stenner, R.D. (1973) A study of the hydrology of GB Cave, Charterhouse-upon-Mendip, Somerset. *Proceedings of the University of Bristol Speleological Society*, 13, 171–226.

Stenner, R.D. (1978) The concentration of cadmium, copper, lead and zinc in sediments from some caves and associated surface streams on Mendip, Somerset. *Transactions of the British Cave Research Association*, 5, 113–20.

Stevens, J. (1992) An Exploration Journal of Llangattwg Mountain, Chelsea Speleological Society Records, 19.

Stevenson, R. and Palmer, R. (1986) Cheddar River Cave. Caves and Caving, 33, 16-18.

Stevenson, W. (1812) General View of the Agriculture of the County of Dorset, London. Stratford, T. (1986) Caves of South Wales, Cordee, Leicester.

Stride, A.H. and Stride, R.D. (1949) The formation of the Mendip caves. British Caver, 19, 6-25.

Stride, R.D. and Stride, A.H. (1946) Longwood Swallet, Charterhouse-on-Mendip. *Proceedings of the University of Bristol Speleological Society*, 5, 183–7.

Stride, R.D. and Stride, A.H. (1949) August Hole. Proceedings of the University of Bristol Speleological Society, 6, 14–22.

Stringer, C.B. (1977) Evidence of climatic change and human occupation during the last interglacial at Bacon Hole Cave, Gower. *Journal of Gower Society*, 28, 36–44.

Stringer, C.B., Currant, A.P., Schwarz, H.P. and Collcutt, S.N. (1986) Age of Pleistocene faunas from Bacon Hole, Wales. *Nature*, 320, 59–62.

Stuart, A.J. (1983) Pleistocene bone caves in Britain and Ireland. Studies in Speleology, 4, 9-36.

Sutcliffe, A.J. (1960) Joint Mitnor Cave, Buckfastleigh. Transactions of the Torquay Natural History Society, 13, 3–28.

Sutcliffe, A.J., (1981) Progress report on excavations in Minchin Hole, Gower. Quaternary Newsletter, 3, 1–17.

Sutcliffe, A.J., Lord, T.C., Harmon, R.S. *et al.* (1985) Wolverine in northern England at about 83 000 years B.P.: faunal evidence for climatic change during isotope stage 5. *Quaternary Research*, 24, 73–86.

Sutcliffe, A.J. and Zeuner, F.E. (1962) Excavations in the Torbryan Caves, Devon, 1. Tornewton Cave. *Proceedings of the Devon Archaeological Exploration Society*, 5, 127–45.

Sutcliffe, J.R. (1974) The caves of Barbondale and the Dent Fault zone. In *The Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 235–49.

Sutcliffe, J.R. (1985) Knock Fell Caverns. Gritstone Club Journal, (1985), 70-4.

Sweeting, G.S. and Sweeting, M.M. (1969) Some aspects of the Carboniferous Limestone in relation to its landforms. *Mediterranee*, 7, 201–9.

Sweeting, M.M. (1950) Erosion cycles and limestone caverns in the Ingleborough district of Yorkshire. *Geographical Journal*, 115, 63–78.

Sweeting, M.M. (1958) The karstlands of Jamaica. Geographical Journal, 124, 184-99.

Sweeting, M.M. (1966) The weathering of limestones. In *Essays in Geomorphology* (ed. G.H. Dury), Heinemann, 177–210.

Sweeting, M.M. (1972) Karst Landforms, Macmillan, London.

Sweeting, M.M. (1974) Karst geomorphology. In *Limestones and Caves of North-west England* (ed. A.G. Waltham), David and Charles, Newton Abbot, 46–78.

Swinnerton, A.C. (1932) Origin of limestone caverns. Bulletin of the Geological Society of America, 43, 662-93.

Tate, T. (1879) The source of the River Aire. *Proceedings of the Yorkshire Geological and Polytechnic Society*, 7, 177–86.

Tattersall, W.M. and Coward, T.A. (1914) Faunal survey of Rostherne Mere. I. Introduction and methods. *Memoirs of the Proceedings of the Manchester Literary and Philosophical Society,* 58, 1–21.

Taviner, R. (1993) Traligill — a reappraisal of speleological potential. *Grampian Speleological Group Bulletin Series* 3, 2 (5), 30–9.

Taylor, D.M., Griffiths, H.I., Pedley, H.M. and Prince, I. (1994) Radiocarbon dated Holocene pollen and ostracod sequences from barrage tufa-dammed fluvial systems in the White Peak, Derbyshire, UK. *The Holocene*, 4, 356–64.

Taylor, P. (1993) Red House Swallet. Caves and Caving, 60, 28.

Thistlewood, L. and Noel, M. (1991) A palaeomag-netic study of sediments from maypole Inlet, Peak Cavern. *Transactions of the British Cave Research Association*, 17, 55–8.

Thomas, T.M. (1954) Swallow holes on the Millstone Grit and the Carboniferous Limestone of the South Wales coalfield. *Geographical Journal*, 120, 468–75.

Thomas, T.M. (1963) Solution subsidence in south-east Carmarthenshire and south-west Breconshire. *Transactions of the Institute of British Geographers*, 33, 45–60.

Thomas, T.M. (1970) The limestone pavements of the north crop of the South Wales coalfield. *Transactions of the Institute of British Geographers*, 50, 87–104.

Thomas, T.M. (1973) Solution subsidence mechanisms and end products in south-east Breconshire. *Transactions of the Institute of British Geographers*, 60, 69–86.

Thomas, T.M. (1974) The South Wales interstratal karst. *Transactions of the British Cave Research Association*, 1, 131–52.

Thorez, J., Bullock, P., Catt, J.A. and Weir, A.H. (1971) The petrography and origin of deposits filling solution pipes in the chalk near South Mimms, Hertfordshire. *Geological Magazine*, 108, 413–23.

Thrailkill, J. (1968) Chemical and hydrological factors in the excavation of limestone caves. *Bulletin of the Geological Society of America*, 79, 19–46.

Tiddeman, R.H. (1872) On the evidence for the ice sheet in north Lancashire and adjacent parts of Yorkshire and Westmorland. *Proceedings of the Geologists' Association*, 28, 471–91.

Tomalin, S. (1987) Extensions in Gothic Passage — Agen Allwedd. Caves and Caving, 36, 29–32.

Towler, P.A. (1977) 'A geological survey and an investigation into the relation with the present environment of tufa formation in Lathkill Dale.' PhD thesis, University of Bristol.

Tratman, E.K. (1963) The hydrology of the Burrington area, Somerset. *Proceedings of the University of Bristol Speleological Society*, 10, 22–57.

Tratman, E.K. (1975) The cave archaeology and palaeontology of Mendip. In *Limestones and Caves of the Mendip Hills* (ed. D.I. Smith), David and Charles, Newton Abbot, 352–91.

Tratman, E.K., Donovan, D.T. and Campbell, J.B. (1971) The Hyaena Den (Wookey Hole), Mendip Hills, Somerset. *Proceedings of the University of Bristol Speleological Society*, 12, 245–79.

Trotter, F.M. (1929) The Tertiary uplift and resultant drainage of the Alston Block and adjacent area. *Proceedings of the Yorkshire Geological Society*, 21, 161–80.

Trotter, F.M. (1942) Geology of the Forest of Dean Coal and Iron-ore Field. Geological Survey of Great Britain Memoir.

Trudgill, S.T. (1977) The making of Cheddar Gorge. Geographical Magazine, 50, 196–9.

Trudgill, S.T. (1985a) Limestone Geomorphology, Longman, Harlow.

Trudgill, S.T. (1985b) Field observations of limestone weathering and erosion in the Malham district, North Yorkshire. *Field Studies*, 6, 201–36.

Underhill, J.R., Gayer, R.A., Woodcock, N.H., Donnelly, R. et al. (1988) The Dent Fault System, northern England — reinterpreted as a major oblique-slip fault zone. *Journal of the Geological Society, London*, 145, 303–16.

Vincent, P.J. (1981) Some observations on the so-called relict karst of the Morecambe Bay region, Northwest England. *Revue de Géologie Dynamique et de Géographie Physique*, 23, 143–50.

Vincent, P.J. (1982) Snow patches on Farleton Fell, southeast Cumbria, Geographical Journal, 148, 337–42.

Vincent, P.J. (1983) The dissolving landscape: step karren. Geographical Magazine, 55, 508-10.

Vincent, P J. (1995) Limestone pavements in the British Isles: a review. Geographical Journal, 161, 265-74.

Vincent, P.J. and Lee, M.P. (1981) Some observations on the loess around Morecambe Bay, North-West England. *Proceedings of the Yorkshire Geological Society*, 43, 281–94.

Vowler, F. (1980) The caves of Devon. Caving International Magazine, 6/7, 58–62.

Vowler, F. (1981) The caves of north Devon. William Pengelly Cave Studies Trust Newsletter, 38, 1–7.

Walkden, G. and Davies, J. (1983) Polyphase erosion of subaerial omission surfaces in the late Dinantian of Anglesey, North Wales. *Sedimentology*, 30, 861–78.

Wallwork, K.L. (1956) Subsidence in the Mid-Cheshire industrial area. Geographical Journal, 122, 40–53.

Wallwork, K.L. (1960) Some problems of subsidence and land use in the Mid-Cheshire industrial area. *Geographical Journal*, 126, 191–9.

Walsh, P.T., Boulter, M.C, Ijtaba, M. and Urbani, D.M. (1972) The preservation of the Neogene Brassington Formation of the Southern Pennines and its bearing on the evolution of Upland Britain. *Journal of the Geological Society of London*, 128, 519–59.

Walsh, P.T. and Brown, E.H. (1971) Solution subsidence outliers containing probable Tertiary sediment in northeast Wales. *Geological Journal*, 7, 299–320.

Walsh, P.T., Collins, P., Ijtaba, M. *et al.* (1980) Palaeocurrent directions and their bearing on the origin of the Brassington Formation (Miocene–Pliocene) of the southern Pennines, Derbyshire, England. *Mercian Geologist*, 8, 1.

Walsh, P.T. and Ockenden, A.C. (1982) Hydrogeological observations at the Water End swallow hole complex, North Mimms, Hertfordshire. *Transactions of the British Cave Research Association*, 9, 184–94.

Waltham, A.C. (1969) Swallets and caves in Chalk. Journal of London University Caving Clubs, 9, 3-5.

Waltham, A.C. (1970) Cave development in the limestone of the Ingleborough district. *Geographical Journal*, 136, 574–85.

Waltham, A.C. (1971a) Controlling factors in the development of limestone caves. *Transactions of the Cave Research Group of Great Britain*, 13, 73–80.

Waltham, A.C. (1971b) Shale units in the Great Scar Limestone of the southern Askrigg Block. *Proceedings of the Yorkshire Geological Society*, 38, 285–92.

Waltham, A.C. (ed.) (1974a) The Limestones and Caves of North-West England, David and Charles, Newton Abbot.

Waltham, A.C. (1974b) The geology of the southern Askrigg Block. In *Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 25–45.

Waltham, A.C. (1974c) The geomorphology of the caves of North-west England. In *The Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 79–105.

Waltham, A.C. (1974d) Speleogenesis of the caves of Leck Fell. In *The Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 273–309.

Waltham, A.C. (1974e) The caves of Ribblesdale. In *The Limestones and Caves of North-West England* (ed. A.C. Waltham), David and Charles, Newton Abbot, 385–92.

Waltham, A.C. (1977a) Cave development at the base of the limestone in Yorkshire. *Proceedings of the 7th International Speleological Congress*, British Cave Research Association, Bridgwater, 421–3.

Waltham, A.C. (1977b) White Scar Cave, Ingleton. Transactions of the British Cave Research Association, 4, 345–53.

Waltham, A.C. (1981) Leck Fell and the Three Counties System. *Transactions of the British Cave Research Association*, 6, 29–32.

Waltham, A.C. (1984) Caves, Crags and Gorges, Constable, London.

Waltham, A.C. (1986) Valley excavation in the Yorkshire Dales karst. In *New Directions in Karst* (eds K. Paterson and M.M. Sweeting), Geo Books, Norwich, 541–50.

Waltham, A.C. (1989) Ground Subsidence, Blackie, London.

Waltham, A.C. (1990) Geomorphic evolution of the Ingleborough karst. *Transactions of the British Cave Research Association*, 17, 9–18.

Waltham, A.C. and Brook, D.B. (1980a) The Three Counties cave systems. *Transactions of the British cave research Association*, 7, 121.

Waltham, A.C. and Brook, D.B. (1980b) Geomorphological observations in the limestone caves of the Gunung Mulu National Park, Sarawak. *Transactions of the British Cave Research Association*, 7, 123–39.

Waltham, A.C., Brook, D.B., Statham, O.W. and Yeadon, T.G. (1981) Swinsto Hole, Kingsdale: a type example of cave development in the limestone of northern England. *Geographical Journal*, 147, 350–3.

Waltham, A.C. and Davies, M. (1987) *Caves and Karst of the Yorkshire Dales*, British Cave Research Association Cave Studies Series, 1.

Waltham, A.C. and Everett, D.G. (1989) The caves of the Mellte and Hepste valleys area. In *Limestones and Caves of Wales* (ed. T.D. Ford), Cambridge University Press, Cambridge, 155–64.

Waltham, A.C. and Harmon, R.S. (1977) Chronology of cave development in the Yorkshire Dales, England. *Proceedings of the 7th International Speleological Congress*, British Cave Research Association, Bridgwater, 423–5.

Waltham, A.C. and Hatherley, P. (1983) The caves of Leck Fell. *Transactions of the British Cave Research Association*, 10, 245–7.

Waltham, A.C. and Tillotson, A.G. (1989) *The Geomorphology of Ingleborough,* Nature Conservancy Council, Peterborough, 1.

Ward, S.D. and Evans, D.F. (1975) 'A botanical survey and conservation assessment of British limestone pavements'. Unpublished report, Institute of Terrestrial Ecology, Volumes 1–9.

Ward, S.D. and Evans, D.F. (1976) Conservation assessment of British limestone pavements based on floristic criteria. *Biological Conservation*, 9, 217–33.

Warwick, G.T. (1953) 'The geomorphology of the Dove-Manifold region.' PhD thesis, University of Birmingham.

Warwick, G.T. (1962) British caving regions. In *British Caving* (ed. C.H.D. Cullingford), Routledge and Kegan Paul, London, 120–217.

Warwick, G.T. (1964) Dry valleys of the Southern Pennines. *Erkunde*, 18, 116–23.

Warwick, G.T. (1968) Some primitive features in British caves. *Proceedings of the 4th International Congress on Speleology*, Speleological Society of Yugoslavia, Ljubljana, 3, 239–52.

Waters, R.S and Johnson, R.H. (1958) The terraces of the Derbyshire Derwent. East Midlands Geographer, 2, 3-15.

Webb, S. (1995) Conservation of limestone pavement. *Transactions of the British Cave Research Association*, 21, 97–100.

Webster, R. (1969) 'The Romano-British settlements of Westmorland: a study in cultural ecology.' PhD thesis, University of Reading.

Welch, F.B.A. and Trotter, F.M. (1960) *Geology of the Country around Monmouth and Chepstow,* Geological Survey of Great Britain Memoir, Sheets 233 and 250.

Westlake, C.D. (1967) Giant's Hole and thdow Cavern: some notes on the development and recent exploration of the system. *Proceedings of the British Speleological Association*, 1–12.

Westlake, C.D., Elliott, J.V. and Tringham, M.E. (1989) Otter Hole, Chepstow. In *Limestones and Caves of Wales* (ed. T.D. Ford), Cambridge University Press, Cambridge, 117–23.

Whitaker, F.F. and Smart, P.L. (1993) Circulation of saline ground water in carbonate platforms — a review and case study from the Bahamas. In *Diagenesis and Basin Development* (eds A.D. Horbury and A.G. Robinson), American Association of Petroleum Geologists Studies in Geology, 36, 113–32.

White, W.B. (1976) Cave minerals and speleothems. In *The Science of Speleology* (eds T.D. Ford and C.H.D. Cullingford), Academic, 267–327.

White, W.B. (1988) Geomorphology and Hydrology of Karst Terrains, Oxford University Press, Oxford.

White, W.B. and Longyear, J. (1962) Some limitations on speleogenetic speculation imposed by the hydraulics of groundwater flow in limestone. *Nitteny Grotto Newsletter (National Speleological Society)*, 10 (9), 155–67.

Whybro, P. (1987) Ogof Llyn Du. Caves and Caving, 36, 35-6.

Williams, N.J. and Farrant, A.R. (1992) Drunkard's Hole. *Proceedings of the University of Bristol Speleological Society*, 19, 265–72.

Williams, P.W. (1966) Limestone pavements with special reference to western Ireland. *Transactions of the Institute of British Geographers*, 40, 155–72.

Williams, P.W. (1983) The role of the subcutaneous zone in karst hydrology. Journal of Hydrology, 61, 45–67.

Williams, P.W. (1985) Subcutaneous hydrology and the development of doline and cockpit karst. *Zeitschrift für Geomorphologie*, 29, 463–82.

Wilson, A.A. (1974) Developments in limestone geology in the Ingleton–Settle area. *Transactions of the British Cave Research Association*. 1, 61–4.

Wilson, A.A. (1983) Masham; geological map Sheet 51, British Geological Survey.

Wilson, P. (1979) Surface features of quartz sand grains from the Brassington Formation. Mercian Geologist, 7, 19–30.

Wilson, W., Welch, F.B.A., Robbie, J.A. and Green, G.W. (1958) *The Geology of the Country around Bridport and Yeovil,* British Geological Survey Memoir, Sheet 327.

Winwood, H.H. and Woodward, H.B. (1891) Excursion to the Mendip Hills. *Proceedings of the Geologists' Association*, 11, 151–216.

Wooldridge, S.W. (1929) Discussion (of Sherlock, 1929). Proceedings of the Geologists' Association, 40, 372.

Wooldridge, S.W. and Kirkaldy, J.F. (1937). The geology of the Mimms valley. *Proceedings of the Geologists' Association* 48, 307–15.

Worley, N.E. and Nash, D.A. (1977) The geological evolution of the Jugholes Caves, Matlock, Derbyshire. *Transactions of the British Cave Research Association*, 4, 389–401.

Worthington, S.R.H. and Ford, D.C. (1995) High sulfate concentrations in limestone springs: an important factor in conduit initiation? *Environmental Geology*, 25, 9–15.

Wright, B. (1987) The Maypole Inlet dig, Peak Cavern. Caves and Caving, 38, 9-11.

Wright, V.P. (1982) The recognition and interpretation of paleokarsts: two examples from the Lower Carboniferous of South Wales. *Journal of Sedimentary Petrology*, 52, 83–94.

Wright, V.P. (1986a) Facies sequences on a carbonate ramp: the Carboniferous Limestone of South Wales. *Sedimentology*, 33, 221–41.

Wright, V.P. (1986b) The polyphase karstification of the Carboniferous Limestone in South Wales. In *New Directions in Karst* (eds K. Paterson and M.M. Sweeting), Geo Books, Norwich, 569–80.

Yates, H. (1934) Goyden Pot, Nidderdale. Yorkshire Ramblers Club Journal, 6, 216-28.

Yeadon, G. (1975) The new Boreham Cave extensions. Kendal Caving Club Journal, 8, 14–18.

Yeadon, T.G. (1985) Tate Galleries, Lost John's System, Leck Fell. *Caves and Caving*, 28, 2–4. Young, I. (1992) The highest cave in the British Isles. *Descent*, 103, 32–3.

Younger, P.L. and Elliot, T. (1995) Chalk fracture system characteristics: implications for flow and solute transport. *Quarterly Journal of Engineering Geology*, 28, S39-S50.

Zhang, Z. (1980) Karst types in China. GeoJournal, 4, 541-70.

References